THE POSSIBILITIES ARE INFINITE FUJITSU

UK Price List RRP

Prices Valid From : 08th June 2011

Windows®. Life without Walls™. Fujitsu recommends Windows 7

Content

Positioning	**3**	ESPRIMO Q	35	**Positioning PRIMERGY Rack**	**104**	FibreCAT CX4	176
LIFEBOOK Q550	**4**	ESPRIMO Accessories	36	PRIMERGY RX100 Sx	105	ETERNUS DX60	177
LIFEBOOK T731	**5**			PRIMERGY RX200 S6	106	ETERNUS DX80	179
LIFEBOOK T580	**6**	**CELSIUS Positioning**	**39**	PRIMERGY RX300 S6	107	FibreCAT Disk Frames	183
LIFEBOOK T7901	7	CELSIUS H700	40	PRIMERGY RX600 S5	108	Accessories Storage Disk Sys.	184
TABLET PC Accessories	8	CELCIUS W280	41	PRIMECENTER	109	Services Storage Disk Sys.	191
		CELCIUS W3xx	42	PRIMECENTER SME Rack	111		
Positioning Notebooks	**11**	CELSIUS W410	43	Rack Servers Accesories	112	**Positioning Storage Tape Sys**	**192**
LIFEBOOK A530	12	CELSIUS M470	44	Rack Servers Services	119	ETERNUS CS	193
LIFEBOOK A531	13	CELSIUS R670	45			LTO-4SAS	197
ESPRIMO Mobile Accessories	14	CELSIUS Accessories	46	**Positioning PRIMERGY Blade**	**133**	ETERNUS LT20	198
LIFEBOOK E751	16			PRIMERGY BX900 S1	134	ETERNUS LT40	202
LIFEBOOK NH751	17	**Positioning Displays**	**52**	PRIMERGY BX920 S2	135	ETERNUS LT60	209
		Displays	53	PRIMERGY BX922 S2	136	ETERNUS LT80	216
LIFEBOOK SH531	**18**			PRIMERGY BX924 S2	137	FibreCAT TXF	221
LIFEBOOK S761	19	**Positioning Keyboard & Security**	**54**	PRIMERGY BX600 S3	138	Accessories Storage Tape Sys.	222
LIFEBOOK LH531	20	Keyboards	55	PRIMERGY BX620 S5	139	Services Storage Tape Sys.	229
LIFEBOOK S751	21			PRIMERGY BX960 S1	140	Options Storage Tape Sys.	230
LIFEBOOK P701	22	**Positioning PRIMERGY Economy**	**56**	PRIMERGY RX900 S1	141		
LIFEBOOK P77x	23	Economy Servers Accessories	57	PRIMERGY SX650	142	**Positioning SAN Components**	**252**
LIFEBOOK Accessories	24	Economy Servers Services	68	PRIMERGY SX940 S1	143	FC Switch Brocade 300	253
				PRIMERGY SX910 S1	144	FC Switch Brocade 5100	254
Positioning FUTRO	**27**	**Positioning PRIMERGY Tower**	**70**	Blade Servers Accessories	145	FC Switch Brocade 5300	255
FUTRO S	28	PRIMERGY MX130 S1	71	Blade Servers Services	154	Storage SAN Components	256
FUTRO Accessories	29	PRIMERGY TX100 S1,S2	72			Accessories SAN Components	257
		PRIMERGY TX120 S2	73	**Positioning PRIMEQUEST**	**167**	Options SAN Components	259
Positioning ESPRIMO	**31**	PRIMERGY TX150 S7	74	PRIMEQUEST 580A	168		
ESPRIMO C	32	PRIMERGY TX200 S6	75	PRIMEQUEST Accessories	169	**Positioning Unint. Power Supply**	**265**
ESPRIMO E	33	PRIMERGY TX300 S6	76	PRIMEQUEST Options	170	Uninterruptible Power Supply	266
ESPRIMO P	34	Tower Servers Accessories	77			Accessories Unint. Power Supply	268
		Tower Servers Services	90	**Positioning Storage Disk Sys.**	**173**	Options Unint. Power Supply	270
				FibreCAT SX40	175		

Professional Products Positioning

LIFEBOOK

Our notebooks make you feel good, and not just when you are travelling. Genuine mobility, high performance, top quality, reliability and a stylish design make our complete LIFEBOOK Series unique. They also demonstrate that state-of-the-art technology can also be a visual pleasure. These high performance, convenient professional notebooks can easily be adapted to your specified requirements and are the perfect replacement for a desktop.

FUTRO

The FUTRO product line of smart, expandable thin clients is the ideal solution for server-based networks, particularly in terms of availability and data security. The user can neither access the operating system nor store data on the smart terminal.

ESPRIMO

Our PCs provide pure performance while balancing economic and environmental considerations. ESPRIMO PCs feature state-of-the-art technology from AMD and Intel® and are the perfect basis for productive working environments. They are quiet and cool with intelligent ergonomic designs, perfect manageability and security features. To make them as environmentally aware as possible, they are built with especially selected materials to minimize the impact on the environment.

CELSIUS

Computing power, memory space, graphics systems, expansion possibilities – even the most powerful of standard PCs are quick to reach their limits outside classic office and communication applications. Application fields such as simulation, animation, construction, and digital content creation require systems that offer maximum performance on all levels: CELSIUS workstations.

Displays & Peripherals

Positioned in three segments the Fujitsu displays offer the right model for every desire - from multifunctional all-rounders, advanced displays, which are highly ergonomic and comfortable, also for entertainment, and the superior class for highest demands in terms of performance, graphics and multimedia.

Input devices for every desire: wired and wireless, optical and laser technology, all according to latest ergonomix standards.

PRIMERGY

PRIMERGY is based on the standard architecture for good reason. Due to their high level of standardization, x86/EM64T and Dual-Core / Quad-Core servers deliver the best price/performance ratio. The Fujitsu extensive product range, coupled with more than 20 years of experience in the IT market, means that we can build reliable and flexible IT infrastructures for our customers. PRIMERGY servers are the ideal choice for ensuring greater competitiveness and success in modern e-business environments.

PRIMEQUEST

PRIMEQUEST servers are mission critical IA servers which enable customers to realize the economic benefits and flexibility of Linux and Windows industry standards while preserving all the attributes for mission critical datacenter services.

Storage

As part of its "Dynamic IT for storage" concept, Fujitsu offers complete storage solutions consisting of the best components available from a single source. Close partnerships and collaboration with leading manufacturers of storage products means that the world's leading technology is available for every segment of the storage market. And if the market does not have any appropriate solutions, Fujitsu will invest in developing its own specific storage systems.

Model	Screen	Processor	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	HDMI	Security	Battery	Graphics	Office Ready	Product Code			Bnd User Price (RRP)	Comments
Standard products																									
LIFEBOOK Q550 (10.1 Slate Tablet)																									
	10.1" WXGA Wide-View Hi-Bright LED dual digitiser non glare touchscreen (1280 x 800)	Intel® Atom™ Z670 1.5 GHz 512 K Cache	Microsoft® Windows 7® Professional 32-bit + Office 2010 Starter	2 GB DDR2 800 MHz	1	1	30 GB SSD FDE	N/A	SD / SDHC card	N/A	802.11 a/b/g/n		x	x	1	x	FPR / TPM / Smart card slot	4 Cell 5240 mAh 38 Wh	Intel® GMA 600	x	VFY:Q5500MF011GB			624	
	10.1" WXGA Wide-View Hi-Bright LED dual digitiser non glare touchscreen (1280 x 800)	Intel® Atom™ Z670 1.5 GHz 512 K Cache	Microsoft® Windows 7® Professional 32-bit + Office 2010 Starter	2 GB DDR2 800 MHz	1	1	30 GB SSD FDE	N/A	SD / SDHC card	3G/UMTS / A-GPS	802.11 a/b/g/n		x	x	1	x	FPR / TPM / Smart card slot	4 Cell 5240 mAh 38 Wh	Intel® GMA 600	x	VFY:Q5500MF021GB			666	
	10.1" WXGA Wide-View Hi-Bright LED dual digitiser non glare touchscreen (1280 x 800)	Intel® Atom™ Z670 1.5 GHz 512 K Cache	Microsoft® Windows 7® Professional 32-bit + Office 2010 Starter	2 GB DDR2 800 MHz	1	1	62 GB SSD FDE	N/A	SD / SDHC card	3G/UMTS / A-GPS	802.11 a/b/g/n		x	x	1	x	FPR / TPM / Smart card slot	4 Cell 5240 mAh 38 Wh	Intel® GMA 600	x	VFY:Q5500MF031GB			716	

Model	Screen	Processor	Chipset	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	USB 3.0 total	HDMI	Firewire	0-Watt AC Adapter	Docking connector for Port Rep	Modular Bay	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
Standard products																															
LIFEBOOK T731 (12.1" Convertible Tablet)																															
	12.1" WXGA LED dual digitiser anti glare touchscreen (1280 x 800)	Intel® Core™ i3 2310M 2.1 GHz 3 MB Cache	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1333 MHz	2	1	320 GB SATA 5400	DVDsRW DL	5 in 1	N/A	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	2	1	x	x		x	x	FPR	6 Cell 5800 mAh 63 Wh	Intel® HD	x	VFY:T7310MF011GB			908	
	12.1" WXGA LED dual digitiser anti glare touchscreen (1280 x 800)	Intel® Core™ i3 2310M 2.1 GHz 3 MB Cache	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVDsRW DL	5 in 1	3G/UMTS/GPS	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	2	1	x	x	x	x	x	FPR & TPM	6 Cell 6200 mAh 67 Wh	Intel® HD	x	VFY:T7310MF021GB			1022	

Model	Screen	Processor	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	HDMI	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
Standard products																									
LIFEBOOK T580 (10.1" Convertible Tablet)																									
	10.1" HD LED dual digitiser touchscreen (1366 x 768)	Intel® Core™ i3 380UM 1.33 GHz 3 MB Cache	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 800 MHz	2	1	160 GB SATA 5400	N/A	SD card	N/A	802.11 b/g/n	Gbit			2	x	FPR / Smart card slot	6 Cell 5800 mAh 63 Wh	Intel® HD	x	VFY:T5801MF011GB			749	
	10.1" HD LED dual digitiser touchscreen (1366 x 768)	Intel® Core™ i3 380UM 1.33 GHz 3 MB Cache	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 800 MHz	2	1	160 GB SATA 5400	N/A	SD card	3G/UMTS/GPS	Intel 6200 a/b/g/n	Gbit	x	x	2	x	FPR / TPM / Smart card slot	6 Cell 5800 mAh 63 Wh	Intel® HD	x	VFY:T5801MF021GB			851	
	10.1" HD LED dual digitiser touchscreen (1366 x 768)	Intel® Core™ i5 560UM 1.33 GHz 3 MB Cache	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 800 MHz	2	2	320 GB SATA 5400	N/A	SD card	3G/UMTS/GPS	Intel 6200 a/b/g/n	Gbit	x	x	2	x	FPR / TPM / Smart card slot	6 Cell 5800 mAh 63 Wh	Intel® HD	x	VFY:T5801MF031GB			965	

LIFEBOOK T7901

Model	Screen	Processor	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	USB 3.0 total	Firewire	6-Watt AC Adapter	KB w/TS & Numeric Key Pad	Docking connector for Port Rep	Modular Bay	Intel® vPro™	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
Standard products																															
	13.3" WXGA Wide-View Hi-Bright LED dual digitiser non glare touchscreen (1280 x 800)	Intel® Core™ i3 2310M 2.1 GHz 3 MB Cache	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVDsRW DL	5 in 1	N/A	Intel 6205 a/b/g/	Gbit	x	x	2	1	x	x		x	x		FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD	x	VFY:T9010MF011GB			1181	
	13.3" WXGA Wide-View Hi-Bright LED dual digitiser non glare touchscreen (1280 x 800)	Intel® Core™ i3 2310M 2.1 GHz 3 MB Cache	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVDsRW DL	5 in 1	3G/UMTS/GPS	Intel 6205 a/b/g/	Gbit	x	x	2	1	x	x		x	x		FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD	x	VFY:T9010MF021GB			1249	
	13.3" WXGA Wide-View Hi-Bright LED dual digitiser non glare touchscreen (1280 x 800)	Intel® Core™ i5 2520M with vPro™ 2.5 GHz 3 MB Cache	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MHz	2	1	500 GB SATA 7200	DVDsRW DL	5 in 1	3G/UMTS/GPS	Intel 6205 a/b/g/	Gbit	x	x	2	1	x	x		x	x	x	FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD	x	VFY:T9010MF031GB			1363	
	13.3" WXGA Wide-View Hi-Bright LED dual digitiser non glare touchscreen (1280 x 800)	Intel® Core™ i7 2620M with vPro™ 2.7 GHz 4 MB Cache	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MHz	2	1	500 GB SATA 7200	DVDsRW DL	5 in 1	3G/UMTS/GPS	Intel 6205 a/b/g/	Gbit	x	x	2	1	x	x		x	x	x	FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD	x	VFY:T9010MF041GB			1465	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Tablet PC Accessories

Data Sheets: http://ts.fujitsu.com/stylistic

Category	Description	Details	LIFEBOOK T1010	LIFEBOOK T5010	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Memory												
	1GB DDR3-1066	1 Modul, PC3-8500 ub	x	x				S26391-F436-L100			40	
	2GB DDR3-1066	1 Modul, PC3-8500 ub	x	x				S26391-F436-L200			74	
Removable Media Drives												
	DVD Super multi (reader/writer)			x				S26391-F515-L200			60	
	weight saver			x				S26391-F440-L300			14	
OS/Application-SW												
	Drivers & Utility (XP/Vista/7) LIFEBOOK	incl. Nero 7 Essentials S	x	x				S26361-F2007-L903			14	
UPS/Power supply												
	AC adapter 19V (80W)		x	x				S26391-F2474-L600			50	
	2nd battery			x				S26391-F440-L200			117	
	1st Battery 6-cell 5800mAh		x	x				S26391-F440-L500			97	Phased out
	External battery charger, incl. 16V AC	not fitting for main battery E8420	x	x				S26391-F458-L200			152	Phased out
	AC adapter 16V (65)	without power cable, but supports both EU and UK plugs					x	S26391-F5031-L800			50	Phased out
Security												
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM		x	x	x	x	S26361-F1571-L201			13	Phased out
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM		x	x	x	x	S26361-F1571-L210			97	Phased out
	Absolute Track, Abo. 1Y.	Single key licence, for more info please check hint box / product description	x	x				S26361-F2009-L101			16	
	Absolute Track, Abo. 2Y.	Single key licence, for more info please check hint box / product description	x	x				S26361-F2009-L102			23	
	Absolute Track, Abo. 3Y.	Single key licence, for more info please check hint box / product description	x	x				S26361-F2009-L103			28	
	Data Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description	x	x				S26361-F2009-L104			24	
	Data Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description	x	x				S26361-F2009-L105			36	
	Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description	x	x				S26361-F2009-L106			45	
	ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description	x	x				S26361-F2009-L107			28	
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description	x	x				S26361-F2009-L108			44	
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description	x	x				S26361-F2009-L109			65	
	ATP, Data Protection, PE, Abo. 1Y.	Single key licence, for more info please check hint box / product description		x				S26361-F2009-L113			39	
	ATP, Data Protection, PE, Abo. 2Y.	Single key licence, for more info please check hint box / product description		x				S26361-F2009-L114			64	
	ATP, Data Protection, PE, Abo. 3Y.	Single key licence, for more info please check hint box / product description		x				S26361-F2009-L115			74	
	ATP, ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description		x				S26361-F2009-L116			42	
	ATP, ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description		x				S26361-F2009-L117			70	
	ATP, ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description		x				S26361-F2009-L118			92	
	Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	x				S26361-F2009-L201			15	
	Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	x				S26361-F2009-L202			25	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Tablet PC Accessories

Data Sheets: http://ts.fujitsu.com/stylistic

Category	Description	Details	LIFEBOOK T1010	LIFEBOOK T5010	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Security (Continued)												
	Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	x				S26361-F2009-L203			34	
	Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	x				S26361-F2009-L204			25	
	Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	x				S26361-F2009-L205			40	
	Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	x				S26361-F2009-L206			48	
	ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	x				S26361-F2009-L207			30	
	ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	x				S26361-F2009-L208			48	
	ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	x				S26361-F2009-L209			58	
	ATP, Data Protection,PE, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				S26361-F2009-L213			28	
	ATP, Data Protection,PE, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				S26361-F2009-L214			45	
	ATP, Data Protection,PE, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				S26361-F2009-L215			57	
	ATP, ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				S26361-F2009-L217			45	
	ATP, ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				S26361-F2009-L218			55	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3	x		x	x	x	S26361-F2727-L730			33	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x					S26381-F331-L220			20	
Miscellaneous												
	Replacement cord	replacement cord for the pen	x	x	x	x	x	S26391-F2592-L600			10	Phased out
	Active Pen (2 pieces)			x				S26391-F413-L700			44	Phased out
Keyboard /Mouse												
	Laser Mouse CL3500	Laser Mouse with Tilt-Wheel function, user selectable resolution from 400 up to 1600 dpi, class 1 laser, USB cable 1,8m, manual, software CD.	x	x				S26381-K423-L100			13	
	Notebook Laser Mouse WI600	Notebook Laser Mouse WI600, 2,4 GHZ wireless technology, microreceiver, 3 programmable keys, 4-way-scroll function, 2 x AAA NiMH batteries, Software CD, manual, Retail box	x	x				S26381-K429-L100			15	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Tablet PC Accessories

Data Sheets: http://ts.fujitsu.com/stylistic

Category	Description	Details	LIFEBOOK T1010	LIFEBOOK T5010	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Keyboard /Mouse (Continued)												
	Wireless Laser Mouse WI400	Wireless Laser Mouse WI400, 2.4 GHz technology, interference-free usage among other 2.4 GHz products and extremly reliable due to specially generated IDs. Micro receiver and slot, 2 buttons, Wheel, switchable resolution 800, 1200 and 1600 dpi, Power on / off button, 2 x AAA batteries, manual, Retail box.	x	x				S26381-K433-L100			13	
Input Devices												
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function	x	x				S26381-K440-L100			41	
	WIRELESS KEYB ST5xxx UK	with touchpad			x	x	x	S26391-F5010-L125			117	
	Wireless KB ST50xx CZ				x	x	x	S26391-F5010-L144			115	
Additional Software												
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x				U11081-C301			1075	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x				U11081-C311			1075	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x				U11081-C321			439	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x				U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x				U11081-C299			13	

Positioning Notebooks

The LIFEBOOK A530 provides maximum performance and due to its solid design unique reliability combined with high class design. It is perfectly qualified for daily standard applications like surfing the internet, email communication, picture editing, chatting or video telephony.

Experience impressive entertainment, exciting new technologies,

LIFEBOOK E Series

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.7 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM and Fingerprint modules make your sensible data safe and secure – anytime, anywhere.
Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.

LIFEBOOK S Series

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Core 2Duo technology provide you long battery life away from the power socket.

LIFEBOOK P Series

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.3 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exeptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.

LIFEBOOK T Series

You are looking for an ultra-portable notebook with the latest technology but also want to profit from the pen functionality of a Tablet PC. Have a look on the LIFEBOOK T Series and you will be fascinated.
The LIFEBOOK T Series is a convertible notebook which offers you pen enabled design in all modes. And just flip over the screen and it converts into a Tablet PC.

LIFEBOOK P Series

Getting bigger, staying small - the LIFEBOOK P Series features powerful notebooks and ultra light convertible Tablet PCs in one unit. Rotate the brilliant 8.9 inch display 360 to share your ideas or flip it over to convert your notebook into a slate Tablet PC.
High performance and long battery life is not a conflict. The LIFEBOOK P Series is your perfect companion whether you are driving by car, train or airplane.

LIFEBOOK A530

Model	Screen	Processor	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	WLAN	LAN	Bluetooth	Web Cam	UMTS	USB	HDMI	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
Standard products																								
	15.6" HD LED non glare (1366 x 768)	Intel® Core™ i3 370M 2.40 GHz 3 MB Cache	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1066 MHz	2	1	250 GB SATA 5400	DVD±RW DL	4 in 1	802.11 b/g/n	Gbit	x	x		3	x	6 Cell 4400 mAh 48 Wh	Intel® HD	x	VFY:A5300MRYD1GB			431	
	15.6" HD LED non glare (1366 x 768)	Intel® Core™ i3 370M 2.40 GHz 3 MB Cache	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	3 GB DDR3 1066 MHz	2	2	320 GB SATA 5400	DVD±RW DL	4 in 1	802.11 b/g/n	Gbit	x	x		3	x	6 Cell 4400 mAh 48 Wh	Intel® HD	x	VFY:A5300MRYE1GB			453	

LIFEBOOK A531

Model	Screen	Processor	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	WLAN	LAN	Bluetooth	Web Cam	USB	HDMI	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
Standard products																							
	15.6" HD LED non glare (1366 x 768)	Intel® Core™ i3 2310M 2.1 GHz 3 MB Cache	s 7® Professional 64-bit -	2 GB DDR3 1333 MHz	2	1	320 GB SATA 5400	DVD±RW DL	4 in 1	Gbit	x	x	x	3	x	6 Cell 4400 mAh 48 Wh	Intel® HD	x	VFY:A5310MF011GB			438	
	15.6" HD LED non glare (1366 x 768)	Intel® Core™ i3 2310M 2.1 GHz 3 MB Cache	s 7® Professional 64-bit -	3 GB DDR3 1333 MHz	2	2	500 GB SATA 5400	DVD±RW DL	4 in 1	Gbit	x	x	x	3	x	6 Cell 4400 mAh 48 Wh	Intel® HD	x	VFY:A5310MF021GB			460	
	15.6" HD LED non glare (1366 x 768)	Intel® Core™ i5 2410M 2.3 GHz 3 MB Cache	s 7® Professional 64-bit -	4 GB DDR3 1333 MHz	2	1	500 GB SATA 5400	DVD±RW DL	4 in 1	Gbit	x	x	x	3	x	6 Cell 4400 mAh 48 Wh	Intel® HD	x	VFY:A5310MF031GB			517	

Category	Description	Details	ESPRIMO Mobile D9510	ESPRIMO Mobile M9410	ESPRIMO Mobile M9415	ESPRIMO Mobile U9210	ESPRIMO Mobile U9215	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	ESPRIMO Mobile V6505	ESPRIMO Mobile V6535	ESPRIMO Mobile V6545	ESPRIMO Mobile X9510	ESPRIMO Mobile X9515	ESPRIMO Mobile X9525	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																							
Memory																							
	1GB DDR2-800												x	x	x				S26391-F6120-L483			40	Phased out
	2GB DDR2-800												x	x	x				S26391-F6120-L484			74	Phased out
	2GB DDR3-1066		x	x	x	x	x									x	x	x	S26391-F736-L200			74	
Removable Media Drives																							
	DVD Super multi (reader/writer)		x	x	x	x	x									x	x	x	S26391-F725-L200			64	Phased out
Port Replicator																							
	Port Replicator\AC Adapter\Eu-Cable Kit		x	x	x	x	x									x	x	x	S26391-F740-L200			105	Phased out
	Port Replicator\AC adapter\UK cable kit		x	x	x	x	x									x	x	x	S26391-F740-L300			109	Phased out
	Portreplicator		x	x	x	x	x									x	x	x	S26391-F740-L500			90	Phased out
UPS/Power supply																							
	AC adapter 20V(90W)							x	x	x	x	x	x	x	x				S26391-F321-L400			44	
	battery 6-cell 4400 mAh (48Wh)								x	x		x							S26391-F6120-L490			86	
	AC Adapter 20V (90W)		x	x	x	x	x									x	x	x	S26391-F740-L100			43	
	2ND BATTERY		x	x	x	x	x									x	x	x	S26391-F746-L100			97	Phased out
Security																							
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x						x		x	x	x		S26361-F1571-L201			13	Phased out
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x						x		x	x	x		S26361-F1571-L210			97	Phased out
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium	x	x	x	x	x									x	x		S26361-F2727-L100			17	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3	x	x	x	x	x						x		x	x	x		S26361-F2727-L730			33	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x	x	x	x	x	x		x		x	x	x	x	x	x	S26381-F331-L220			20	
Keyboard /Mouse																							
	KBPC PX ECO GB	keyboard professional USB, Great Britain, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED	x	x		x													S26381-K341-L165			29	
	Laser Mouse CL3500	Laser Mouse with Tilt-Wheel function, user selectable resolution from 400 up to 1600 dpi, class 1 laser, USB cable 1,8m, manual, software CD.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K423-L100			13	
	Notebook Laser Mouse WI600	Notebook Laser Mouse WI600, 2,4 GHZ wireless technology, microreceiver, 3 programmable keys, 4-way-scroll function, 2 x AAA NiMH batteries, Software CD, manual, Retail box	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K429-L100			15	
	Wireless Laser Mouse WI400	Wireless Laser Mouse WI400, 2.4 GHz technology, interference-free usage among other 2.4 GHz products and extremly reliable due to specially generated IDs. Micro receiver and slot, 2 buttons, Wheel, switchable resolution 800, 1200 and 1600 dpi, Power on / off button, 2 x AAA batteries, manual, Retail box.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K433-L100			13	
	KB500 GB	KB500 USB GB, standard keyboard Greatbritain UK , marble grey	x	x		x													S26381-K500-L165			15	Phased out
	KB520 GB	KB520 USB, standard keyboard Greatbritain UK , marble grey	x	x		x													S26381-K520-L165			18	
Input Devices																							
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K440-L100			41	
Additional Software																							
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C301			1075	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C311			1075	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C321			439	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

ESPRIMO Mobile Accessories — **Data Sheets: http://ts.fujitsu.com/esprimo_mobile**

Category	Description	Details	ESPRIMO Mobile D9510	ESPRIMO Mobile M9410	ESPRIMO Mobile M9415	ESPRIMO Mobile U9210	ESPRIMO Mobile U9215	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	ESPRIMO Mobile V6505	ESPRIMO Mobile V6535	ESPRIMO Mobile V6545	ESPRIMO Mobile X9510	ESPRIMO Mobile X9515	ESPRIMO Mobile X9525	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																							
Additional Software (Continued)																							
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299			13	

Model	Screen	Processor	Chipset	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	USB 3.0 total	eSATA	eSATA-USB Combo	Display Port	HDMI	0-Watt AC Adapter	KB w/ TS & Numeric Key Pad	Docking connector for Port Rep	Modular Bay	Intel® vPro™	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
	15.6" HD LED non glare (1366 x 768)	Intel® Core™ i3 2310M 2.1 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Profesional 64-bit + Office 2010	2 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVDsRW DL	3 in 1	N/A	Intel 6205 a/b/g/n	Gbit	x	x	4			x	x			x	x	x		FPR / Smart card slot	6 Cell 5800 mAh 63 Wh	Intel® HD	x	VFY:E7510MF011GB			624	
	15.6" HD LED non glare (1366 x 768)	Intel® Core™ i3 2310M 2.1 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Profesional 64-bit + Office 2010	4 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVDsRW DL	3 in 1	N/A	Intel 6205 a/b/g/n	Gbit	x	x	4			x	x			x	x	x		FPR / TPM / Smart card	6 Cell 6200 mAh 67 Wh	Intel® HD	x	VFY:E7510MF021GB			669	
	15.6" HD LED non glare (1366 x 768)	Intel® Core™ i5 2410M 2.3 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Profesional 64-bit + Office 2010	2 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVDsRW DL	3 in 1	N/A	Intel 6205 a/b/g/n	Gbit	x	x	4			x	x			x	x	x		FPR / TPM / Smart card	6 Cell 6200 mAh 67 Wh	Intel® HD	x	VFY:E7510MF031GB			726	
	15.6" HD LED non glare (1366 x 768)	Intel® Core™ i5 2410M 2.3 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Profesional 64-bit + Office 2010	4 GB DDR3 1333 MHz	2	1	500 GB SATA 7200	DVDsRW DL	3 in 1	N/A	Intel 6205 a/b/g/n	Gbit	x	x	4			x	x			x	x	x		FPR / TPM / Smart card	6 Cell 6200 mAh 67 Wh	Intel® HD	x	VFY:E7510MF041GB			772	
	15.6" HD LED non glare (1366 x 768)	Intel® Core™ i5 2520M with vPro™ 2.5 GHz 3 MB Cache	Intel® QM67	Microsoft® Windows 7® Profesional 64-bit + Office 2010	4 GB DDR3 1333 MHz	2	1	500 GB SATA 7200	DVDsRW DL	3 in 1	N/A	Intel 6205 a/b/g/n	Gbit	x	x	3	1		x	x			x	x	x	x	x	6 Cell 6200 mAh 67 Wh	Intel® HD	Intel® HD	x	VFY:E7510MXP51GB			794	

Model	Screen	Processor		Chipset	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	eSATA-USB Combo	DisplayPort	HDMI	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
	17.3" HD+ LED glare (1600 x 900)	Intel® Core™ i3 2310M 2.1 GHz	3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010	2 GB DDR3 1333 MHz	2	1	320GB SATA 5400	DVD±RW DL	SD Card	N/A	802.11 b/g/n	Gbit	x	x	4	x		x	N/A	8 Cell 5200 mAh 75 Wh	NVIDIA® GeForce® GT	x	VFY:NH751MF011GB			681	
	17.3" HD+ LED glare (1600 x 900)	Intel® Core™ i5 2410M 2.3 GHz	3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010	4 GB DDR3 1333 MHz	2	1	500 GB SATA 5400	DVD±RW DL	SD Card	N/A	802.11 b/g/n	Gbit	x	x	4	x		x	N/A	8 Cell 5200 mAh 75 Wh	NVIDIA® GeForce® GT	x	VFY:NH751MF021GB			772	
	17.3" HD+ LED glare (1600 x 900)	Intel® Core™ i7 2630QM 2.0 GHz	6 MB Cache	Intel® HM65	Microsoft® Windows 7® Home Premium 64-bit + Office 2010	4 GB DDR3 1333 MHz	2	1	500 GB SATA 5400	DVD±RW DL	SD Card	N/A	802.11 b/g/n	Gbit	x	x	4	x		x	N/A	8 Cell 5200 mAh 75 Wh	NVIDIA® GeForce® GT	x	VFY:NH751MF042GB			794	
	17.3" HD+ LED glare (1600 x 900)	Intel® Core™ i7 2630QM 2.0 GHz	6 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010	4 GB DDR3 1333 MHz	2	1	750 GB SATA 5400	DVD±RW DL	SD Card	N/A	Intel 6205 a/b/g/n	Gbit	x	x	4	x		x	N/A	8 Cell 5200 mAh 75 Wh	NVIDIA® GeForce® GT	x	VFY:NH751MF031GB			851	
	17.3" FHD LED glare (1920 x 1080)	Intel® Core™ i7 2630QM 2.0 GHz	6 MB Cache	Intel® HM65	Microsoft® Windows 7® Home Premium 64-bit + Office 2010	4 GB DDR3 1333 MHz	2	1	750 GB SATA 5400	Blu-ray Disc™ Triple Writer	SD Card	N/A	Intel 6205 a/b/g/n	Gbit	x	x	4			x	N/A	8 Cell 5200 mAh 75 Wh	NVIDIA® GeForce® GT	x	VFY:NH751MF052GB			908	
	17.3" FHD LED glare (1920 x 1080)	Intel® Core™ i7 2630QM 2.0 GHz	6 MB Cache	Intel® HM65	Microsoft® Windows 7® Home Premium 64-bit + Office 2010	6 GB DDR3 1333 MHz	2	2	2 x 750 GB SATA 5400	Blu-ray Disc™ Triple Writer	SD Card	N/A	Intel 6205 a/b/g/n	Gbit	x	x	4			x	N/A	8 Cell 5200 mAh 75 Wh	NVIDIA® GeForce® GT	x	VFY:NH751MF062GB			999	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK S761 **Data Sheets: http://ts.fujitsu.com/LIF**

	Screen	Processor	Chipset	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	Display Port	HDMI	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
	14" HD LED non glare (1366 x 768)	Intel® Core™ i3 2310M 2.1 GHz 3 MB Cache	Intel® HM65	7® Professional 64-bit	2 GB DDR3 1333 MHz	2	1	320 GB SATA 5400	DVD±RW DL	SD Card	N/A	802.11 b/g/n	Gbit	x	x	4		x	N/A	6 Cell 4400 mAh 48 Wh	Intel® HD	x	VFY:LH531MF011GB			510	
	14" HD LED non glare (1366 x 768)	Intel® Core™ i5 2410M 2.3 GHz 3 MB Cache	Intel® HM65	7® Professional 64-bit	4 GB DDR3 1333 MHz	2	1	500 GB SATA 5400	DVD±RW DL	SD Card	N/A	802.11 b/g/n	Gbit	x	x	4		x	N/A	6 Cell 4400 mAh 48 Wh	Intel® HD	x	VFY:LH531MF021GB			567	

Model	Screen	Processor	Chipset	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	USB 3.0 total	eSATA-USB Combo	Display Port	65-Watt AC Adapter	Docking connector for Port Rep	Modular Bay	Intel® vPro™	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
Standard products																																
LIFEBOOK S751																																
	14" HD LED non glare (1366 x 768)	Intel® Core™ i3 2310M 2.1 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVDeRW DL	3 in 1	N/A	802.11 b/g/n	Gbit			4		x	x		x	x		Smart card slot	6 Cell 5800 mAh 63 Wh	Intel® HD	x	VFY:S7510MF011GB			590	
	14" HD LED non glare (1366 x 768)	Intel® Core™ i3 2310M 2.1 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVDeRW DL	3 in 1	N/A	Intel 6205 a/b/g/n	Gbit	x	x	4		x	x	x	x	x		FPR / TPM / Smart card slot	6 Cell 5800 mAh 63 Wh	Intel® HD	x	VFY:S7510MF021GB			624	
	14" HD LED non glare (1366 x 768)	Intel® Core™ i3 2310M 2.1 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVDeRW DL	3 in 1	3G/UMTS	Intel 6205 a/b/g/n	Gbit	x	x	4		x	x	x	x	x		FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD	x	VFY:S7510MF031GB			681	
	14" HD LED non glare (1366 x 768)	Intel® Core™ i5 2410M 2.3 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MHz	2	1	500 GB SATA 7200	DVDeRW DL	3 in 1	N/A	Intel 6205 a/b/g/n	Gbit	x	x	4		x	x	x	x	x		FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD	x	VFY:S7510MF041GB			726	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK P701 **Data Sheets: http://ts.fujitsu.com/LIFEBOOKS**

	Screen	Processor	Chipset	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	Display Port	8-Watt AC Adapter	Docking connector for Port Rep	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
LIFEBOOK P701																												
	12.1" WXGA LED non glare (1280 x 800)	Intel® Core™ i3 2310M 2.1 GHz 3 MB Cache	Intel® HM65	s 7® Professional 64-bit +	2 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	N/A	3 in 1	N/A	Intel 6205 a/b/g/n	Gbit	x	x	3	x		x	FPR / TPM / Smart card slot	6 Cell 5800 mAh 63 Wh	Intel® HD	x	VFY:P701XMF011GB			681	
	12.1" WXGA LED non glare (1280 x 800)	Intel® Core™ i3 2310M 2.1 GHz 3 MB Cache	Intel® HM65	s 7® Professional 64-bit +	2 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	N/A	3 in 1	3G/UMTS	Intel 6205 a/b/g/n	Gbit	x	x	3	x		x	FPR / TPM / Smart card slot	6 Cell 5800 mAh 63 Wh	Intel® HD	x	VFY:P701XMF021GB			738	
	12.1" WXGA LED non glare (1280 x 800)	Intel® Core™ i5 2520M 2.5 GHz 3 MB Cache	Intel® HM65	s 7® Professional 64-bit +	4 GB DDR3 1333 MHz	2	1	500 GB SATA 7200	N/A	3 in 1	N/A	Intel 6205 a/b/g/n	Gbit	x	x	3	x	x	x	FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD	x	VFY:P701XMF031GB			794	

Model	Screen	Processor	Chipset	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	USB 3.0 total	HDMI	0-Watt AC Adapter	KB w/ TS & Numeric Key Pad	Docking connector for Port Rep	Modular Bay	Intel® vPro™	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
LIFEBOOK P77x																																
	12.1" WXGA LED non glare (1280 x 800)	Intel® Core™ i7 660UM with vPro™ 1.33 GHz 4 MB Cache	Intel® QS57	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1066 MHz	2	2	320 GB SATA 5400	DVD±RW DL	SD card	3G/UMTS	Intel 6200 a/b/g/n	Gbit	x	x	3		x			x		x	FPR & TPM	6 Cell 5800 mAh 63 Wh	Intel® HD	x	VFY:P7700MF071GB			1135	
	12.1" WXGA LED anti glare (1280 x 800)	Intel® Core™ i5 2520M with vPro™ 2.5 GHz 3 MB Cache	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVD±RW DL	SD card	3G/UMTS	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	1	2	x	x		x	x	x	FPR & TPM	6 Cell 6200 mAh 67 Wh	Intel® HD	x	VFY:P7710MF041GB			1022	
	12.1" WXGA LED non glare (1280 x 800)	Intel® Core™ i7 2617UM with vPro™ 1.5 GHz 4 MB Cache	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVD±RW DL	SD card	N/A	Intel 6205 a/b/g/n	Gbit	x	x	1	2	x	x		x	x	x	FPR & TPM	6 Cell 6200 mAh 67 Wh	Intel® HD	x	VFY:P7710MF011GB			1135	
	12.1" WXGA LED non glare (1280 x 800)	Intel® Core™ i7 2617UM with vPro™ 1.5 GHz 4 MB Cache	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MHz	2	1	500 GB SATA 7200	DVD±RW DL	SD card	3G/UMTS	Intel 6205 a/b/g/n	Gbit	x	x	1	2	x	x		x	x	x	FPR & TPM	6 Cell 6200 mAh 67 Wh	Intel® HD	x	VFY:P7710MF021GB			1203	
	12.1" WXGA LED non glare (1280 x 800)	Intel® Core™ i7 2617UM with vPro™ 1.5 GHz 4 MB Cache	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MHz	2	1	128 GB SSD FDE	DVD±RW DL	SD card	3G/UMTS	Intel 6205 a/b/g/n	Gbit	x	x	1	2	x	x		x	x	x	FPR & TPM	6 Cell 6200 mAh 67 Wh	Intel® HD	x	VFY:P7710MF031GB			1351	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Category	Description	Details	LIFEBOOK A1130	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A550	LIFEBOOK AH530/GFX	LIFEBOOK AH530/HD6	LIFEBOOK AH531/GFO	LIFEBOOK AH550	LIFEBOOK AH550/GFX	LIFEBOOK E731	LIFEBOOK E736	LIFEBOOK E8310	LIFEBOOK E8410	LIFEBOOK E8420	LIFEBOOK L1630	LIFEBOOK L1631	LIFEBOOK N6970	LIFEBOOK N7751	LIFEBOOK P3110	LIFEBOOK P701	LIFEBOOK P770	LIFEBOOK P771	LIFEBOOK P8010	LIFEBOOK P8110	LIFEBOOK P8120	LIFEBOOK P8510	LIFEBOOK P8530	LIFEBOOK S6410	LIFEBOOK S6420	LIFEBOOK S710	LIFEBOOK S710 Supreme	LIFEBOOK S7110 Value	LIFEBOOK S7210 Value FP	LIFEBOOK S7210	LIFEBOOK S7220	LIFEBOOK S751	LIFEBOOK S760	LIFEBOOK S761	LIFEBOOK SH531	LIFEBOOK T1010	LIFEBOOK T4410	LIFEBOOK T5010	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T900	LIFEBOOK T901	LIFEBOOK TH700	Product Code		End User Price (RRP)	Comments
Accessories & services matrix																																																		
Memory																																																		
	2GB DDR2 PC2-6400																				x																											S26391-F363-L100		74	Phased out
	1GB DDR3-1066	1 Modul, PC3-8500 ub																																													S26391-F436-L100		40	
	2GB DDR3-1066	1 Modul, PC3-8500 ub															x									x						x														S26391-F436-L200		74	
	2 GB DDR3 1333 MHz PC3-10600																			x																											S26391-F473-L200		76	
	4 GB DDR3 1333 MHz PC3-10600																			x																											S26391-F473-L400		175	
	2GB DDR3-1333 PC3-10600			x					x																																					S26391-F483-L200		72	
	4GB DDR3-1333 PC3-10600			x					x																																					S26391-F483-L400		175	
	2 GB DDR3 1333 MHz PC3-10600																	x																													S26391-F493-L200		76	
	4 GB DDR3 1333 MHz PC3-10600																	x																													S26391-F493-L400		175	
	2GB DDR2-667 (1x 2GB)	1 module PC 667 (PC2-5300)																								x																					S26391-F5049-L125		74	Phased out
	2 GB DDR3 1066 MHz PC3-8500	1 Modul, PC3-8500 ub											x							x												x														S26391-F504-L100		74	
	4 GB DDR3 1066 MHz PC3-8500	1 Modul, PC3-8500 ub											x							x												x														S26391-F504-L200		172	
	2GB DDR3 PC3-6400																												x																	S26391-F521-L100		74	
	2 GB DDR3 1066 MHz PC3-8500					x	x																																							S26391-F527-L200		74	
	4 GB DDR3 1066 MHz PC3-8500					x	x																																							S26391-F527-L400		172	
	2 GB DDR3 1066 MHz PC3-8500																																												x		x	S26391-F621-L500		74	
	2 GB DDR3 1066 MHz PC3-8500																						x																						x		S26391-F641-L100		74	
	4 GB DDR3 1066 MHz PC3-8500																						x																						x		S26391-F650-L400		172	
	2 GB DDR3 800 MHz PC3-6400																																											x			S26391-F662-L100		80	
	4 GB DDR3 800 MHz PC3-6400																																											x			S26391-F662-L200		172	
	2GB DDR2-667																																					x	x	x							S26391-F668-L300		74	
	2GB DDR3-1066 PC8500	1 Modul, PC3-8500 ub																				x																					x	x				S26391-F772-L200		74	Phased out
	2 GB DDR3 1066 MHz PC3-8500			x																																											S26391-F791-L520		74	
	4 GB DDR3 1066 MHz PC3-8500			x																																											S26391-F791-L540		172	
	2 GB DDR3 1333 MHz PC3-10600																																												x		S26391-F924-L200		75	Orderable from 01/07/2011
	4 GB DDR3 1333 MHz PC3-10600																																												x		S26391-F922-L400		173	Orderable from 01/07/2011
	2 GB DDR3 1333 MHz PC3-10600											x										x		x								x		x										x		S26391-F982-L200		72	
	4 GB DDR3 1333 MHz PC3-10600											x										x		x								x		x										x		S26391-F982-L400		175	
Graphics																																																		
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor											x																				x													S26361-F2391-L200		24	
Removable Media Drives																																																		
	DVD Super multi (reader/writer)												x			x																x													x		S26391-F515-L200		60	
	Weight saver for modular bay																																												x		S26391-F652-L100		17	
	DVD Super multi (reader/writer)																																												x		S26391-F652-L300		69	
	DVD Super multi (reader/writer)																																										x	x			S26391-F777-L100		60	Phased out
	Weight saver for modular bay											x																															x	x	x	x	x	S26391-F777-L300		14	
	DVD Super multi (reader/writer)																																											x		x	S26391-F777-L700		60	
	DVD Super multi (read/write)																																											x			S26391-F924-L100		64	Orderable from 01/07/2011
	Blu-ray Disc Triple Writer SATA																																											x			S26391-F924-L200		109	Orderable from 01/07/2011
	DVD Super multi (reader/writer)																																										x				S26391-F954-L100		60	
	Weight saver for modular bay																																										x				S26391-F954-L400		14	
	DVD Super multi (reader/writer)																							x																						S26391-F974-L100		60	
	Weight saver for modular bay																							x																						S26391-F974-L400		14	
	DVD Super multi (reader/writer)											x																																	x		S26391-F984-L100		60	
	Blu-ray Disc Triple Writer SATA											x																																	x		S26391-F984-L200		105	
	2nd HDD bay module											x																																	x		S26391-F984-L600		26	
	w eight saver												x			x																															S26391-F440-L300		14	
OS/Application-SW																																																		
	Drivers & Utility (XP/Vista/7) LIFEBOOK	incl. Nero 7 Essentials S												x	x	x								x	x		x	x		x	x														S26361-F2007-L903		14	
	Drivers&Utility DVD(XP+Vista/7) LIFEBOOK																				x					x																			x	x		x	S26361-F2008-L903		17	
	Drivers & Utility (XP/Vista/7) LIFEBOOK			x			x	x						x						x							x																				S26361-F2009-L172		23	
	Drivers&Utility DVD (Win7) LIFEBOOK												x								x		x																									S26361-F2010-L201		17	
	Drivers&Utility DVD (Win7) LIFEBOOK																																													x		S26361-F2010-L203		23	Orderable from 01/07/2011
UPS/Power supply																																																		
	AC adapter 19V (80W)												x		x	x	x								x	x	x	x	x	x	x															S26391-F2474-L600		50	
	AC Adapter 19V (60W) w/o Cable																				x						x																				S26391-F367-L160		40	
	2nd battery													x	x															x	x	x	x													S26391-F405-L200		109	Phased out
	1st battery													x																		x	x	x												S26391-F405-L500		97	
	1st Battery EB410/ EB420 8-cell 75Wh														x	x																															S26391-F405-L810		97	
	1st Battery S6410, S6420, S7210, S7220																															x	x			x	x										S26391-F405-L820		90	
	AC-Adapter 19V/100W														x	x	x															x	x			x										S26391-F408-L300		35	
	AC-Adapter 19V/80W																																				x										S26391-F408-L380		43	
	2nd battery												x				x																				x										S26391-F440-L200		117	
	1st Battery 6-cell 5800mAh																																											x				S26391-F440-L500		97	Phased out
	External battery charger, incl. 16V AC	not fitting for main battery EB420											x				x										x																				S26391-F458-L200		152	Phased out
	AC Adapter 19V (100W) w/o Cable																		x																												S26391-F466-L120		43	
	Battery 8-cells, 5200mAh																		x																												S26391-F466-L130		86	
	AC Adapter 19V/120W w/o cable																			x																												S26391-F478-L100		44	
	Battery 6cell 5800mAh			x			x																																										S26391-F495-L100		89	
	AC adapter 16V (65)																								x	x																					S26391-F5049-L500		44	Phased out
	1st Battery 6cell 5.800mAh (62Wh)																																																S26391-F514-L200		97	Phased out
	1st Battery 8cell 5.800mAh (83Wh)													x																																			S26391-F518-L200		106	
	AC Adapter 19V (100W) w/o Cable	w/o pow er cord; pow er cords are listed under "Miscellaneous"												x																																			S26391-F519-L200		43	
	Battery 6cell 5.800mAh (62Wh)																																																	S26391-F529-L100		86	Phased out
	Battery 6-cells 4400mAh (48Wh)																	x																															S26391-F545-L100		91	
	AC Adapter 19V (60W) w/o Cable																	x																															S26391-F546-L100		36	
	Battery 8-cells, 5200mAh (75Wh)																		x																															S26391-F547-L100		91	
	2nd Battery (10.8V, 2,500mAh)																																																	S26391-F652-L200		118	
	2nd battery											x																																						S26391-F777-L200		115	
	AC adapter 19V (80W)											x										x																											S26391-F778-L350		43	
	External battery charger, incl. 16V AC											x										x	x	x			x																					S26391-F778-L400		152	
	AC Adapter																						x	x			x																					S26391-F794-L500		45	
	Slim AC Adapter 19V/60W (w/o cable)																						x																									S26391-F794-L510		43	
	1st Battery 6cells, 5200 mAH																						x				x																					S26391-F795-L300		88	
	1st Battery 6cells, 5800 mAH																						x				x																					S26391-F795-L400		97	
	1st Battery 6cells, 5200 mAH																																												x	x		x		x	S26391-F795-L500		88	Phased out
	1st Battery 6cells, 5800 mAH																																												x		x	x	x	S26391-F795-L600		97	
	1st Battery 6cells, 4400 mAh		x	x		x	x	x																																										S26391-F840-L100		88	
	AC Adapter 19V (80W) w/o cable		x	x		x	x	x																																										S26391-F841-L100		43	
	3pin AC Adapter 19V (120W) w/o cable		x										x																																					S26391-F841-L200		52	
	1st Battery 6cell 67Wh (6,200mAh)																																														x		x	S26391-F886-L100		100	
	AC Adapter 19V/80W (0 Watt technology)											x										x		x																					x		x	S26391-F886-L200		51	
	3pin AC Adapter 19V/120W											x										x		x																					x		x	S26391-F886-L400		51	
	2nd Battery 3cell 27Wh (2,500mAh)																																																	S26391-F954-L500		127	
	1st Battery 6cell 63Wh (5,800mAh)											x										x		x																									S26391-F956-L100		86	
	1st Battery 6cell 67Wh (6,200mAh)											x										x		x																									S26391-F956-L200		100	
	2nd Battery 3cell 27Wh (2,500mAh)																																																	S26391-F974-L500		118	
Security																																																		
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x						x			x	x	x	x	x		x			x		x	x	x		x	x	x	x	x	x	x		x		x	x	x	x		x		x	S26361-F1571-L201		13	Phased out
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x						x			x	x	x	x	x		x			x		x	x	x		x	x	x	x	x	x	x		x		x	x	x	x		x		x	S26361-F1571-L210		97	Phased out
	Absolute Track, Abo. 1Y.	Single key licence, for more info please check hint box / product description			x				x	x		x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x		x	x	x	S26361-F2009-L101		16	
	Absolute Track, Abo. 2Y.	Single key licence, for more info please check hint box / product description			x				x	x		x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x		x	x	x	S26361-F2009-L102		23	
	Absolute Track, Abo. 3Y.	Single key licence, for more info please check hint box / product description			x				x	x		x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x		x	x	x	S26361-F2009-L103		28	
	Data Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description			x				x	x		x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x		x	x	x	S26361-F2009-L104		24	
	Data Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description			x				x	x		x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x		x	x	x	S26361-F2009-L105		36	
	Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description			x				x	x		x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x		x	x	x	S26361-F2009-L106		45	
	ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description			x				x	x		x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x		x	x	x	S26361-F2009-L107		28	
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description			x				x	x		x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x		x	x	x	S26361-F2009-L108		44	
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description			x				x	x		x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x		x	x	x	S26361-F2009-L109		65	
	ATP, Data Protection, PE, Abo. 1Y.	Single key licence, for more info please check hint box / product description							x	x		x	x			x		x	x		x	x	x				x						x									x	x	x		x	x	x	S26361-F2009-L113		39	
	ATP, Data Protection, PE, Abo. 2Y.	Single key licence, for more info please check hint box / product description							x	x		x	x			x		x	x		x	x	x				x						x									x	x	x		x	x	x	S26361-F2009-L114		64	
	ATP, Data Protection, PE, Abo. 3Y.	Single key licence, for more info please check hint box / product description							x	x		x	x			x		x	x		x	x	x				x						x									x	x	x		x	x	x	S26361-F2009-L115		74	
	ATP, ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description							x	x		x	x			x		x	x		x	x	x				x						x									x	x	x		x	x	x	S26361-F2009-L116		42	
	ATP, ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description							x	x		x	x			x		x	x		x	x	x				x						x									x	x	x		x	x	x	S26361-F2009-L117		70	
	ATP, ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description							x	x		x	x			x		x	x		x	x	x				x						x									x	x	x		x	x	x	S26361-F2009-L118		92	
	Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description			x				x	x		x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x		x	x	x	S26361-F2009-L201		15	
	Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description			x				x	x		x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x		x	x	x	S26361-F2009-L202		25	
	Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description			x				x	x		x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x		x	x	x	S26361-F2009-L203		34	
	Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description			x				x	x		x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x		x	x	x	S26361-F2009-L204		25	
	Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description			x				x	x		x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x		x	x	x	S26361-F2009-L205		40	
	Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description			x				x	x		x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x		x	x	x	S26361-F2009-L206		48	
	ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description			x				x	x		x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x		x	x	x	S26361-F2009-L207		30	
	ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description			x				x	x		x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x		x	x	x	S26361-F2009-L208		48	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Professional Notebooks Accessories — **Data Sheets: http://ts.fujitsu.com/lifebook**

Category	Description	Details	LIFEBOOK A1130	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A550	LIFEBOOK AH530/GFX	LIFEBOOK AH530/GFO	LIFEBOOK AH550	LIFEBOOK AH550/GFX	LIFEBOOK E751	LIFEBOOK E780	LIFEBOOK E8310	LIFEBOOK E8320	LIFEBOOK E8410	LIFEBOOK E8420	LIFEBOOK LH520	LIFEBOOK LH531	LIFEBOOK NH570	LIFEBOOK NH751	LIFEBOOK P1110	LIFEBOOK P701	LIFEBOOK P770	LIFEBOOK P771	LIFEBOOK P8010	LIFEBOOK P8020	LIFEBOOK P8110	LIFEBOOK PH530	LIFEBOOK S6410	LIFEBOOK S6420	LIFEBOOK S710	LIFEBOOK S7110 Supreme	LIFEBOOK S7110 Value	LIFEBOOK S7110 Value PP	LIFEBOOK S7210	LIFEBOOK S7220	LIFEBOOK S751	LIFEBOOK S760	LIFEBOOK S761	LIFEBOOK SH531	LIFEBOOK T1010	LIFEBOOK T4310	LIFEBOOK T4410	LIFEBOOK T5010	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T900	LIFEBOOK T901	LIFEBOOK TH700	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																																						
Security (Continued)																																																					
	ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description			x				x	x		x	x		x	x	x		x	x	x			x	x	x	x	x		x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-L209			58	
	ATP, Data Protection,PE, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description								x		x	x			x			x			x	x	x							x					x	x	x			x	x	x	x	x	x	S26361-F2009-L213			28	
	ATP, Data Protection,PE, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description								x		x	x			x			x			x	x	x							x					x	x	x			x	x	x	x	x	x	S26361-F2009-L214			45	
	ATP, Data Protection,PE, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description								x		x	x			x			x			x	x	x							x					x	x	x			x	x	x	x	x	x	S26361-F2009-L215			57	
	ATP, ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description								x		x	x			x			x			x	x	x							x					x	x	x			x	x	x	x	x	x	S26361-F2009-L217			45	
	ATP, ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description								x		x	x			x			x			x	x	x							x					x	x	x			x	x	x	x	x	x	S26361-F2009-L218			55	
	SCA Express	ExpressCard SmartCard adapter, Model Fujitsu, Bios support; SmartLogon plus support			x			x			x			x					x		x		x	x													x	x			x		x		x		S26361-F2432-L720			40	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium											x			x			x				x								x					x				x		x		x		S26361-F2727-L100			17	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3											x	x	x	x	x		x				x		x				x	x	x	x	x	x	x	x			x		x		x		S26361-F2727-L730			33	
	RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with stand in white box packing					x	x	x			x	x				x	x	x	x		x	x					x			x					x		x			x	x	x	x	x		S26381-F11-L100			34	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x						x			x		x	x	x		x		x		x		x	x	x		x	x	x	x	x	x	x	x			x		x		x		S26381-F331-L220			20	
	PalmSecure Mouse Login Kit	PalmSecure Login Kit enclosed optical USB Mouse with integrated vein sensor for biometric authentication. USB 2.0 bus powered, 3 buttons incl. scroll wheel. Set contains also the palm guide,quick start guide, manual and OmniPass login software CD. 1.5 m USB cable, brown box.			x	x						x	x			x		x	x		x		x	x	x							x					x	x	x	x			x	x	x	x		S26381-K435-L100			271	
Miscellaneous																																																					
	LIFEBOOK driver CD												x																				x	x	x																S22452-P919-L100			22	Phased out
	Replacement cord	replacement cord for the pen																																							x			x							S26391-F2592-L600			10	Phased out
	Keyboard Rubber caps	10 caps											x	x	x	x																x	x	x	x	x														S26391-F2602-V1			15	Phased out
	Active Pen (2 pieces)																																																			S26391-F413-L700			44	Phased out
	Pen & tether set (2 pieces each)																																																			S26391-F796-L800			43	
	Pen & tether set																																																			S26391-F796-L810			43	
	Feet for vertical position (set)																																																			S26361-F2542-L200			9	
Cables																																																					
	Power cord three-wire EU			x								x	x									x		x								x																			S26361-F2581-L310			8	
Input Devices																																																					
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function	x	x						x			x		x	x	x			x		x		x		x	x	x		x	x	x	x	x	x	x	x		x		x		x		x		S26381-K440-L100			41	
Additional Software																																																					
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer, Datamedium CD-ROM, Activation of file encryption, "crypto module", to openFT V8.0 and V8.1											x																																								U11081-C157			13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs											x																																								U11081-C171			987	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs											x																																								U11081-C177			493	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer, Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME											x																																								U11081-C183			26	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs											x																																								U11081-C186			987	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs											x																																								U11081-C192			396	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions											x																																								U11081-C199			13	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0											x																																								U11081-C201			26	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201											x																																								U11081-C202			1075	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201											x																																								U11081-C204			3468	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201											x																																								U11081-C207			623	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202											x																																								U11081-C212			1075	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204											x																																								U11081-C214			3468	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207											x																																								U11081-C217			623	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x		x			x	x		x	x	x	x	x		x		x		x	x	x	x	x	x	x	x	x	x	x	x	x		x		x		x		x		x		U11081-C301			1075	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x		x			x	x		x	x	x	x	x		x		x		x	x	x	x	x	x	x	x	x	x	x	x	x		x		x		x		x		x		U11081-C311			1075	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x		x			x	x		x	x	x	x	x		x		x		x	x	x	x	x	x	x	x	x	x	x	x	x		x		x		x		x		x		U11081-C321			439	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU											x																																								U11081-C302			1734	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU											x																																								U11081-C312			1734	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU											x																																								U11081-C322			714	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU											x																																								U11081-C303			3468	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU											x																																								U11081-C313			3468	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU											x																																								U11081-C323			1428	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x		x			x	x		x	x	x	x	x		x		x		x	x	x	x	x	x	x	x	x	x	x	x	x		x		x		x		x		x		U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x		x			x	x		x	x	x	x	x		x		x		x	x	x	x	x	x	x	x	x	x	x	x	x		x		x		x		x		x		U11081-C299			13	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU											x																																								U10987-C502			1734	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU											x																																								U10987-C514			1734	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU											x																																								U10987-C526			714	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU											x																																								U10987-C503			3468	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU											x																																								U10987-C515			3468	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Category	Description	Details	LIFEBOOK A1130	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A550	LIFEBOOK AH530/GFX	LIFEBOOK AH530/HD6	LIFEBOOK AH531/GFO	LIFEBOOK AH550	LIFEBOOK AH550/GFX	LIFEBOOK E751	LIFEBOOK E780	LIFEBOOK E8310	LIFEBOOK E8320	LIFEBOOK E8410	LIFEBOOK E8420	LIFEBOOK LH520	LIFEBOOK LH531	LIFEBOOK NH570	LIFEBOOK NH751	LIFEBOOK P3110	LIFEBOOK P701	LIFEBOOK P770	LIFEBOOK P771	LIFEBOOK P8010	LIFEBOOK P8020	LIFEBOOK P8110	LIFEBOOK PH530	LIFEBOOK S6410	LIFEBOOK S6420	LIFEBOOK S710	LIFEBOOK S7110 Supreme	LIFEBOOK S7110 Value	LIFEBOOK S7110 Value FP	LIFEBOOK S7210	LIFEBOOK S7220	LIFEBOOK S751	LIFEBOOK S760	LIFEBOOK S761	LIFEBOOK SH531	LIFEBOOK T1010	LIFEBOOK T4410	LIFEBOOK T5010	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T900	LIFEBOOK T901	LIFEBOOK TH700	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																																					
Additional Software (Continued)																																																					
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU												x																																					U10987-C527			1428	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU												x																																					U10987-C504			4016	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU												x																																					U10987-C516			4016	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU												x																																					U10987-C528			1639	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU												x																																					U10987-C505			5202	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU												x																																					U10987-C517			5202	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU												x																																					U10987-C529			2123	

Positioning FUTRO thin clients

FUTRO S

This small but powerful and expandable thin client is your ideal client for server-based computing. No matter if used with RDP or ICA protocol, as thin client for Windows terminal services or as Java based network terminal, FUTRO S Series always helps you to minimize the Total Cost of Owernership. Low power consumption, no fans and rotating drives turn the FUTRO S Series into a very reliable and silent thin client.

FUTRO S

Data Sheets: http://ts.fujitsu.com/futro

Why take a fully featured PC for server based computing, when you can have everything you need in a reliable small form factor thin client?
The FUTRO S Series is ideally suited for Windows Terminal Server computing. The server exexutes the applications, the screen is displayed on the client. Your data is saved secure on the server and is therefore protected against loss.
Also the operating system is stored secure on a flash memory and safe from unauthorized changes due to a write protected file system. Smart administration tools help to update the client easily. Without fan and rotating drives, the FUTRO S Series is reliable, fail-safe and silent.
All that turns the FUTRO S Series into a minimizer of Total Cost of Ownership.

Model	Processor	Operating System	Memory	HDD	CD-RW/DVD	LAN	WLAN	Graphics	Audio	Mouse	Keyboards	Front-side USB	Security Hardware	Product Code			End User Price (RRP)	Comments
Standard products																		
FUTRO S450-2																		
	AMD Sempron™ 200U , ,		1 GB, DDR2, 667 MHz	CF module IDE, 1 GB, (80x)		x		AMD® Radeon X1250	On board, Realtek ALC262			2		PDP:450-2P0005GB			273	
	FUTRO S450-2 /1GB 667/Y-CABLE/2GB/ CK S500 (GB)/RL+SCT B.LICE./ HOR.FOOT-KIT/ ,													PDP:450-2P0007GB			284	
FUTRO S550-2																		
	FUTRO S550-2 /1GB 667/1GB/WLAN/D-LINK/ CK S500 (GB)/RL+SCT B.LICE./ HOR.FOOT-KIT/ ,													PDP:550-2P0001GB			327	Phased out
	FUTRO S550-2 /1GB 667/1GB/WLAN/D-LINK/ CK S500 (GB)/WIN_EMB_STAND_A/ ,													PDP:550-2P0002GB			336	Phased out
	FUTRO S550-2 /2GB DDR2-667/ 4 GB CARD EMPTY/WLAN/D-LINK/ CK S500 (GB)/WIN_EMB_STAND_SC/ HOR.FOOT-KIT/,													PDP:550-2P0003GB			364	Phased out
	AMD Sempron™ 200U , ,		2 GB, DDR2, 667 MHz	CF module IDE, 4 GB, (300x)		x		AMD® Radeon X1250	On board, Realtek ALC262			2		PDP:550-2P0004GB			369	
FUTRO S100																		
	VIA Eden® 500 ULV , ,	eLux RL + Scout builtin license	1 GB, DDR2, 800 MHz	CF module IDE, 1 GB, (80x)		x		VIA VX800 embedded, 256 MB	On board, VIA VT1708S, HD	x		2		PDP:S0100P0005GB			270	
	VIA Eden® 500 ULV , ,	eLux RL w/o license	1 GB, DDR2, 800 MHz	CF module IDE, 1 GB, (80x)		x		VIA VX800 embedded, 256 MB	On board, VIA VT1708S, HD	x		2		PDP:S0100P0006GB			210	
	VIA Eden® 500 ULV , ,	eLux RL w/o license	1 GB, DDR2, 800 MHz	CF module IDE, 1 GB, (80x)		x		VIA VX800 embedded, 256 MB	On board, VIA VT1708S, HD			2		PDP:S0100P0007GB			208	
	FUTRO S100 /ENERGY STAR 5.0/1GB DDR/1GB/ CK S500 (GB)/RL+SCT B.LICE./ OPTICAL USB MOUSE/ ,													PDP:S0100P0008GB			226	

FUTRO Accessories

Data Sheets: http://ts.fujitsu.com/futro

Category	Description	Details	FUTRO A 210	FUTRO A 220	FUTRO A100	FUTRO A120	FUTRO A221	FUTRO A230	FUTRO A231	FUTRO A240	FUTRO A250	FUTRO A255	FUTRO C200 B15GV	FUTRO C250 B15GV	FUTRO C400	FUTRO DC20-1	FUTRO S100	FUTRO S200	FUTRO S2xx	FUTRO S300	FUTRO S400	FUTRO S450	FUTRO S450-2	FUTRO S500	FUTRO S550	FUTRO S550-2	FUTRO S900	S26361-K1040-V100	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Memory Modules																																	
	1 GB DDR3-1066 SODIMM																										x	x	S26361-F4408-L1			28	Orderable from: 14/06/2011
	2 GB DDR3-1066 SODIMM																										x	x	S26361-F4408-L2			44	Orderable from: 14/06/2011
Graphics																																	
	Y-cable DVI/VGA	Dual Monitoring support																			x	x	x	x	x	x	x	x	S26361-F2421-L100			17	
	DVI-D Adapter for Dual DVI	Dual Monitoring																					x			x			S26361-F2421-L110			32	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor																									x	x	S26361-F2391-L200			24	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors																									x		S26361-F2391-L101			20	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors																									x		S26361-F2391-L102			23	
Hard Disks																																	
	4 GB CF Card emty																							x	x	x			S26361-F3520-L100			72	
	CF 16GB empty	300x																						x	x	x			S26361-F3538-L100			203	
	CF 1 GB (80x)	CF module IDE, 1 GB															x					x	x		x	x			S26361-F3616-L100			28	
	CF 2 GB (300x)	CF module IDE, 2 GB, Compatible to eLux RL and Windows Embedded Standard 2009 only															x					x	x		x	x			S26361-F3617-L100			45	
	16 GB mSATA																										x		S26361-F3666-L16			160	Orderable from: 14/06/2011
	2 GB mSATA																										x	x	S26361-F3666-L2			42	Orderable from: 14/06/2011
	4 GB mSATA																										x		S26361-F3666-L4			56	Orderable from: 14/06/2011
	8 GB mSATA																										x		S26361-F3666-L8			93	Orderable from: 14/06/2011
Communication/Network																																	
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel																							x	x			S26361-F3465-L2			31	Phased out
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel																								x			S26361-F3465-L3			27	
	Dual serial card PCIe x1																										x	x	S26361-F3465-L4			32	
	2nd LAN/PoE module																										x	x	S26361-F3466-L1			47	Orderable from: 01/08/2011
	WLAN 802.11g/Draft																										x	x	S26361-F4525-L10			18	Orderable from: 30/05/2011
	WLAN 802.11g 54Mbps, PCI	D-Link DWL-G520, without Riser Card												x							x			x	x	x			S26391-F6121-L10			36	Phased out
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket, without Riser Card																						x	x	x			S26361-F3465-L1			22	
OS/Application-SW																																	
	Windows MultiPoint Server 2010 CAL														x	x													S26361-F2010-L270			55	
	Windows MPS 2011 CAL Standard														x	x													S26361-F2011-L170			57	Orderable from: 30/05/2011
	Windows MPS 2011 CAL Premium														x	x													S26361-F2011-L171			57	Orderable from: 30/05/2011
Security																																	
	SmartCard Reader	internal																						x	x	x	x		S26361-F1260-L802			27	
	SmartCard reader internal USB FUTRO S900	chipcard reader internal built in optional, USB interface, w/o SmartCard																									x		S26361-F1260-L803			23	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x				x		x	x	x	x	x			x	x		x	x	x	x	x	x	x	x	x	S26381-F331-L220			20	
Miscellaneous																																	
	Vesa Mounting Kit with Subadapter S100	Vesa Mounting Kit with Subadapter S100 holder for TFT (15"-20") and PC (max 105x370x400mm) plus subadapter , holder for TFT (15"-20") and PC (max 105x370x400mm) plus subadapter.															x												BDL:VESA-SUB-KIT			56	
	MICROSEMI PD-9501G	Power injector for one PoE device (Power over Ethernet), output max. 60 W, 10/100/1000 Mbit/s, unmanaged																									x	x	S26361-F1744-L10			99	
	MICROSEMI PD-9512G	Power injector for up to 12 PoE device (Power over Ethernet), output max. 60 W per port, 10/100/1000 Mbit/s, managed																									x	x	S26361-F1744-L20			1219	
	Riser Card																							x	x	x			S26361-F2421-L200			9	
	AC-Adapter 20V/40W																										x	x	S26361-F2542-L14			13	Orderable from: 14/06/2011
	AC-Adapter 20V/65W																										x	x	S26361-F2542-L15			18	
	PCI Riser																										x		S26361-F2542-L19			24	
	PCIe Riser																										x		S26361-F2542-L20			24	
	Horizontal foot kit																					x	x		x	x	x	x	S26361-F2542-L290			9	
	Cable adapter 3 wire -> 2 wire																x						x		x	x	x		S26361-F2542-L301			19	Phased out
	VESA Kit w/ subadapter S4**/5**/7**/9**	Mounting kit for attaching Thin Clients to the rear of TFT displays. Attachable to most LCDs in combination with the included subadapter.																				x	x		x	x	x	x	S26361-F2601-L530			44	
	Vesa Kit FUTRO S100	holder for TFT (15"-20") and PC (max 105x370x400mm)															x												S26361-F2601-L540			33	
	VESA Kit w/o subadapter S4**/5**/7**/9**	VESA Kit for FUTRO S450-2, FUTRO S550-2, FUTRO S700 and FUTRO S900 w/o VESA subadapter. , , For FUTRO S100 please select S26361-F2601-L540.																					x			x	x	x	S26361-F2601-L550			35	
	VESA Mounting Kit FUTRO C400														x														S26361-F2601-L560			19	Orderable from: 14/06/2011
	VESA subadapter																x										x	x	S26361-F2601-L600			14	
	Scout EP	Scout Enterprise Version 11 can manage up to 25 Thin Clients without an additional license key. Therefore the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients,including 2 years software support									x	x					x				x	x	x	x	x	x	x	x	S26361-F2727-L701			38	
	eLux RL	Scout Agent und Scout Workgroup, Scout Enterprise Version 10 can manage up to 25 Thin Clients without an additional license key. Therefore, the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients.Including 2 years software support															x					x	x	x	x	x	x	x	S26361-F2727-L702			26	
	Subscription Key eLux/Scout	eLux/Scout Subscription Key for 12 month, usable for all UniCon products		x				x			x	x					x				x	x	x	x	x	x	x	x	S26361-F2727-L703			14	
	FLUENDO Codec Package																x						x			x	x	x	S26361-F2727-L704			9	
	PowerTerm WBT	Ericom Emulation for Win CE and eLuxNG	x	x				x		x	x	x		x			x				x	x	x	x	x	x	x	x	S26361-F2600-L144			24	
	Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x370x400mm)											x	x					x	x									S26361-F2542-L35			101	
Keyboard /Mouse																																	
	KBPC PX ECO GB	keyboard professional USB, Great Britain, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED															x					x	x		x	x	x	x	S26381-K341-L165			29	
	KB500 GB	KB500 USB GB, standard keyboard Greatbritain UK , marble grey	x	x	x	x	x	x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	S26381-K500-L165			15	Phased out
	KB520 GB	KB520 USB, standard keyboard Greatbritain UK , marble grey	x	x	x	x	x	x	x	x	x	x					x	x	x	x	x	x	x	x	x	x			S26381-K520-L165			18	
Cables																																	
	Cable Powercord (UK), 1.8m, black	black, 1.8m, suitable for: Great Britain, 3 wire																									x	x	T26139-Y1744-V10			6	
	Cable FTP CAT 5e, 5m	Standard-LAN-cable, RJ45													x	x													T26139-Y2425-M5			8	
	Cable FTP CAT 5e, 10m	Standard-LAN-cable, RJ45													x	x													T26139-Y2425-M10			14	

FUTRO Accessories

Data Sheets: http://ts.fujitsu.com/futro

Category	Description	Details	FUTRO A 210	FUTRO A 220	FUTRO A100	FUTRO A120	FUTRO A221	FUTRO A230	FUTRO A231	FUTRO A240	FUTRO A250	FUTRO A255	FUTRO C200 B15GV	FUTRO C250 B15GV	FUTRO C400	FUTRO DC20-1	FUTRO S100	FUTRO S200	FUTRO S2xx	FUTRO S300	FUTRO S400	FUTRO S450	FUTRO S450-2	FUTRO S500	FUTRO S550	FUTRO S550-2	FUTRO S900	S26361-K1040-V100	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																
Cables (Continued)																																
Additional Software																																
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs																		x	x	x	x	x	x	x			U10987-C501			1075	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs																		x	x	x	x	x	x	x			U10987-C513			1075	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs																		x	x	x	x	x	x	x			U10987-C525			439	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0																		x	x	x	x	x	x	x			U10987-C500			31	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions																		x	x	x	x	x	x	x			U10987-C499			13	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

Positioning ESPRIMO

ESPRIMO P2xxx series

The ESPRIMO P2xxx series is designed for price-driven customers and is pre-configured with up-to-date standard features. These systems can handle any office requirement, particularly those typical to small and mid-sized enterprises. The ESPRIMO Edition line is instantly available at your dealer.

ESPRIMO 3xxx Series

The ESPRIMO 3xxx Series is the right choice for large enterprises requiring up-to-date standard features. Freely configurable, with proven technology and an extended lifecycle of up to 12 months, these PCs are the perfect choice for cost-driven projects.

ESPRIMO C

The ESPRIMO C Green PC is your perfect partner for smallest space. The ultra small form factor PC combines latest technology with environmentally conscious product design to minimize impact on the environment. With its silent product concept and service friendly cabinet, the ESPRIMO C offers best working conditions.

ESPRIMO E

Put your performace on the desk. The ESPRIMO E Green PC is a small form factor PC setting new desktop standards. ESPRIMO E offers highly reliable computing power for every business demands.Due to latest technologies, highest ergonomic and silent product design the ESPRIMO E Green PC is for every costumer who requires high computing power. It can be positioned either horizontally or vertically.

ESPRIMO P

Your every day business performer. The ESPRIMO P Green PC microtower offers highest performance and best expandability. With various system modifications, the ESPRIMO P is tailored to every business use to reasonable value. Working with ESPRIMO P is stress free. It is ergonomic, silent and reliable.

ESPRIMO Q

The ESPRIMO Q Series opens a new chapter on performance, size and design.
With its extremely small and stylish design, the new Mini PC satisfies a so far unanswered business need: PC becomes fashionable.
Add an eye catcher to your desk.

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO C **Data Sheets: http://ts.fujitsu.com/esprimo**

Don't let yourself be fooled from the size of the ESPRIMO C. Although it's an ultra small form factor system presenting latest chipset and processor technologies and offers Multibay functionality like a notebook. Make profit from the small form factor design because you need less space.
ESPRIMO PCs are built with specially selected material to minimize impact on the environment. Production and selection of material are optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.
Working with the ESPRIMO C is stress-free. It is small, ergonomic, silent and reliable. It is easy to administrate and secure. In short, this highly reliable premium PC is particularly tailor-made to your business demands.

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL	DVD-RW Dual DL / DVD RAM	DVD SUPERMULTI	FDD	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front-side USB	Rear Panel	Security Hardware	Product Code			End User Price (RRP)	Comments
Standard products																												
ESPRIMO C5731																												
	Intel® Pentium® E6600	Genuine Windows 7® Professional 32-bit	2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 320 GB, 3.5"						x			x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	GB	3			PDP:C5731P0001GB			511	
	Intel® Core™2 Duo E7500	Genuine Windows 7® Professional 32-bit	2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 500 GB, 3.5"						x			x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	GB	3			PDP:C5731P0002GB			553	
ESPRIMO C700																												
	ESP C700 /CORE I3-2100/2 GB/DVD SM/ 320GB SATA III/CK GB/INT/KB400PS2GB/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ RDVD2 WIN7 MAINW7_PRO32_O1MULI_MA/,																							VFY:C0700PF021GB			438	
	ESP C700 /CORE I5-2400/2 GB/DVD SM/ 500GB SATA III/CK GB/INT/KB400PS2GB/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ RDVD2 WIN7 MAINW7_PRO32_O1MULI_MA/,																							VFY:C0700PF031GB			497	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO E **Data Sheets: http://ts.fujitsu.com/esprimo**

Put your performance on the desk. The ESPRIMO E is a small form factor PC that can either positioned vertical or horizontal. With its chipset diversity and a managed lifecycle up to 18 month, the ESPRIMO E is the right solution for customer requiring a high quality desktop.
ESPRIMO PC´is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.
Working with the ESPRIMO E Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO E best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RWDVD	DVD-RW Dual DL	DVD-RW Dual DL / DVD RAM	DVD SUPERMULTI	FDD	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front-side USB	Rear Panel	Security Hardware	Product Code			Brd User Price (RRP)	Comments
Standard products																												
ESPRIMO E3521																												
	Intel® Pentium® E6600	Genuine Windows 7® Professional 32-bit	2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 320 GB, 3.5"		x								x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	GB	2			FDP:E3521P0005GB			426	
	Intel® Pentium® E6600	Genuine Windows 7® Professional 32-bit	2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 320 GB, 3.5"							x			x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	GB	2			FDP:E3521P0006GB			430	
	Intel® Core™2 Duo E8500	Genuine Windows 7® Professional 32-bit	2 x 2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 500 GB, 3.5"							x			x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	GB	2			FDP:E3521P0007GB			581	
	Intel® Pentium® E5800	Genuine Windows® 7 Professional 32-bit	2 GB, DDR3, 1066 MHz	320 GB, SATA II, 7200 rpm, 3.5"							x			x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	GBR	2			VFY:E3521PF221GB			340	
ESPRIMO E500																												
	Intel® Core™ i3-2100 processor	Genuine Windows® 7 Professional 32-bit	2 GB, DDR3, 1333 MHz	320 GB, SATA II, 7200 rpm, 3.5"						x				x			Intel® HD Graphics 2000	On board, Realtek ALC663, HD	x	GBR	2			VFY:E0500PF011GB			403	
	ESP E500 E85+ /CORE I5-2400/2x2 GB/ DVD SM/500GB SATA IIICK GB/INT/ KB400PS2GB/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/RDV:02 WIN7 MAIN/,																							VFY:E0500PF051GB			466	
ESPRIMO E5545																												
	AMD Phenom™ II X4 945	Genuine Windows® 7 Professional 32-bit	2 x 2 GB, DDR3, 1333 MHz	500 GB, SATA II, 7200 rpm, 3.5"						x				x			ATI Radeon® HD 4200	On board, Realtek ALC663, HD	x	GB	2			FDP:E5645P0002GB			582	Phased out
ESPRIMO E5731																												
	Intel® Core™2 Duo E8600	Genuine Windows® 7 Professional 32-bit	2 x 2 GB, DDR3, 1066 MHz	500 GB, SATA II, 7200 rpm, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD	x	GB	2			FDP:E5731P0003GB			670	
ESPRIMO E700																												
	Intel® Core™ i3-2100 processor	Genuine Windows® 7 Professional 32-bit	2 GB, DDR3, 1333 MHz	320 GB, SATA II, 7200 rpm, 3.5"						x				x			Intel® HD Graphics or HD Graphics 2000 (depending on CPU)	On board, Conexant CX20642, HD, 5.1 surround	x	GBR	4			FDP:E0700P0001GB			470	
	Intel® Core™ i5-2500 processor	Genuine Windows® 7 Professional 32-bit	2 x 2 GB, DDR3, 1333 MHz	500 GB, SATA II, 7200 rpm, 3.5"						x				x			Intel® HD Graphics or HD Graphics 2000 (depending on CPU)	On board, Conexant CX20642, HD, 5.1 surround	x	GBR	4			FDP:E0700P0002GB			584	
ESPRIMO E900																												
	ESP E900 E90+ /CORE I3-2100/2x2 GB/ DVD SM/500GB SATA IIICK GB/INT/ KB400USBGB/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/RDV:02 WIN7 MAIN/,																							PDP:E0900P0001GB			578	
	ESP E900 E90+ /CORE I5-2500/2x2 GB/ NVIDIA GT420 LPBD WRTER/ 1000GB SATA IIICK GB/INTKB400USBGB/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,																							PDP:E0900P0002GB			739	
	ESP E900 0-WATT /CORE I5-2400/2x2 GB/ DVD SM/500GB SATA IIICK GB/INT/ KB400PS2GB/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/RDV:02 WIN7 MAIN/,																							VFY:E0900PXG11GB			641	
ESPRIMO E9900																												
	ESP E9900 E-STARS /CORE I5-650/2x2GB/ DVD SM/500GB SATA IIICK GB/INTKB520GB/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF W7_PRO32_01MULI_MA/VISTA DUDVD/,																							PDP:E9900P0003GB			767	Phased out

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO P **Data Sheets: http://ts.fujitsu.com/esprimo**

Combine high expandability with latest technology. With its expandability and its chipset diversity ESPRIMO P is the right solution for customer requiring a high quality microtower with a managed lifecycle up to 18 month
ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.
Working with the ESPRIMO P Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO P best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL	DVD-RW Dual DL / DVD RAM	DVD SUPERMULTI	FDD	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front-side USB	Rear Panel	Security Hardware	Product Code			End User Price (RRP)	Comments
Standard products																												
ESPRIMO P2560																												
	Intel® Core™2 Duo E7500	Genuine Windows 7® Professional 32-bit	2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 320 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	GBR	2			VFY:P2560PF101GB			363	
	Intel® Pentium® E5800	Genuine Windows 7® Professional 32-bit	2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 320 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	GBR	2			VFY:P2560PF131GB			295	
ESPRIMO P3721																												
	Intel® Core™ i3-550 processor	Genuine Windows 7 Professional 32-bit	2 GB, DDR3, 1333 MHz	320 GB, SATA II, 7200 rpm, 3.5"						x				x			Intel® HD Graphics (integrated in dual-core processors only)	On board, Realtek ALC663, HD, 5.1 surround	x	GB	2			PDP:P3721P0001GB			514	Phased out
ESPRIMO P400																												
	Intel® Core™ i3-2100 processor	Genuine Windows 7 Professional 32-bit	2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 320 GB, 3.5"						x				x			Intel® HD Graphics or HD Graphics 2000 (depending on CPU)	On board, Realtek ALC663, HD	x		2			VFY:P0400PF011GB			381	
	Intel® Core™ i5-2400 processor	Genuine Windows 7 Professional 32-bit	4 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 500 GB, 3.5"						x				x			Intel® HD Graphics or HD Graphics 2000 (depending on CPU)	On board, Realtek ALC663, HD	x	GBR	2			VFY:P0400PF021GB			466	
ESPRIMO P5645																												
	ESP:P5645 ESTAR5 /FHE II X4 945/2x2GB/ DVD SM/500GB SATA II/CK GB/INT/ KB400USBGB/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROFW7_PRO32_O1MULI_MA/,																							PDP:P5645P0001GB			580	Phased out
ESPRIMO P5731																												
	Intel® Core™2 Duo E8600	Genuine Windows 7® Professional 32-bit	2 x 2 GB. DDR3. 1066 MHz	SATA II. 7200 rom. 500 GB. 3.5"						x				x			Intel® GMA 4500	On board. Realtek ALC663. HD. 5.1 surround	x	GB	2			PDP:P5731P0002GB			670	
ESPRIMO P700																												
	Intel® Core™ i3-2100 processor	Genuine Windows 7 Professional 32-bit	2 GB, DDR3, 1333 MHz	320 GB, SATA II, 7200 rpm, 3.5"						x				x			Intel® HD Graphics or HD Graphics 2000 (dependino on CPU)	On board. Conexant CX20642. HD. 5.1 surround	x	GBR	4			PDP:P0700P0001GB			470	
	Intel® Core™ i5-2500 processor	Genuine Windows 7® Professional 32-bit	2 x 2 GB, DDR3, 1333 MHz	500 GB, SATA II, 7200 rpm, 3.5"						x				x			Intel® HD Graphics or HD Graphics 2000 (depending on CPU)	On board, Conexant CX20642, HD, 5.1 surround	x	GBR	4			PDP:P0700P0002GB			584	
ESPRIMO P900																												
	ESP:P900 E90+ /CORE I3-2100/2x2 GB/ DVD SM/500GB SATA II/CK GB/INT/ KB400USBGB/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/RDVD2 WIN7 MAIN/,																							PDP:P0900P0001GB			556	
	ESP:P900 E90+ /CORE I7-2600/4x4 GB/ DVD SM/MCR/500GB SATA II/ 1000GB SATA II/HDD SSD CABLE/CK GB/INT/ KB520GB/COA_W7_MM_H-PREM/,																							PDP:P0900P0002GB			1173	
	ESP:P900 0-WATT /CORE I5-2400/2x2 GB/ DVD SM/500GB SATA II/CK GB/INT/ KB400PS2GB/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/RDVD2 WIN7 MAIN/,																							VFY:P0900PXG11GB			641	
	ESP:P900 E90+ /CORE I5-2500/4x2 GB/ DP CABLE/NVIDIA GT420 FHMCR/DVD SM/ 1000GB SATA II/ESATA/USB 3.0 PCIE/ CK GB/INT/KB400GB/NERO/VISTA DUDV/D/,																							VFY:P0900PXP11GB			739	
ESPRIMO P9900																												
	ESP:P9900 0-WATT /CORE I5-650/2x2GB/ DVD SM/500GB SATA II/CK GB/INT/KB520GB/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF W7_PRO64_O1MULI_MA/VISTA DUDV/D/,																							PDP:P9900P0003GB			775	Phased out

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO Q **Data Sheets: http://ts.fujitsu.com/esprimo**

The ESPRIMO Q Series opens a new chapter on performance, size and design.
With its extremely small and stylish design, the Mini PC satisfies a so far unanswered business need: PC becomes fashionable. Powered by the latest Intel® Mobile Technology, the ESPRIMO Q Series fulfills the requirements of a fully-flegded PC.
Don't buy expandability you never use and gain more space on your desk. You'll profit from its low energy consumption, as well as from its whisper silent noise level.
Add an eye catcher to your desk.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
ESPRIMO Q900							
	ESP Q900 /CORE I3-2310M/2GB/CR ESP Q/	ESP Q900 /CORE I3-2310M/2GB/CR ESP Q/ DVD RW/320GB SATA AF/BLUETOOTH/WLAN/ CK GB/INT/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/RDVD2 WIN7 MAIN/,	PDP:Q0900P0001GB			563	
	ESP Q900 /CORE I3-2310M/2GB/CR ESP Q/	ESP Q900 /CORE I3-2310M/2GB/CR ESP Q/ DVD RW/500GB SATA AF/BLUETOOTH/WLAN/ CK GB/INT/COA_W7_MM_H-PREM/ W7_RDVD64_H-P_ABC/RDVD2 WIN7 MAIN/,	PDP:Q0900P0002GB			668	
	ESP Q900 /CORE I5-2520M/2x2GB/CR ESP Q/	ESP Q900 /CORE I5-2520M/2x2GB/CR ESP Q/ DVD RW/500GB SATA AF/BLUETOOTH/WLAN/ CK GB/INT/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/RDVD2 WIN7 MAIN/,	VFY:Q0900PXP11GB			659	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO Accessories — **Data Sheets: http://ts.fujitsu.com/esprimo**

Category	Description	Details	ESPRIMO C5730	ESPRIMO C5731	ESPRIMO C700	ESPRIMO E3520	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E500	ESPRIMO E5625	ESPRIMO E5645	ESPRIMO E5720	ESPRIMO E5731	ESPRIMO E700	ESPRIMO E7835	ESPRIMO E7836	ESPRIMO E900	ESPRIMO E9900	ESPRIMO P1500	ESPRIMO P1510	ESPRIMO P2440	ESPRIMO P2540	ESPRIMO P2550	ESPRIMO P2560	ESPRIMO P2760	ESPRIMO P3520	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P400	ESPRIMO P500	ESPRIMO P5625	ESPRIMO P5645	ESPRIMO P5720	ESPRIMO P5731	ESPRIMO P700	ESPRIMO P7835	ESPRIMO P7836	ESPRIMO P900	ESPRIMO P9900	ESPRIMO Q1500	ESPRIMO Q1510	ESPRIMO Q9030	ESPRIMO Q900	ESPRIMO Q9000	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																																
Memory																																																	
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit				x																				x																			S26361-F2994-L114			32	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit				x																				x																			S26361-F2994-L116			51	
	50 pieces 1GB DDR2-800	50 pieces 1GB DDR2-800, 50 modules PC 800 (PC2-6400), DIMM	x			x						x			x							x				x							x			x								S26361-F2994-L155			1251	
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit	x			x				x		x			x				x		x	x	x			x					x		x			x								S26361-F2995-L114			32	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit	x			x				x		x			x				x		x	x	x			x					x		x			x								S26361-F2995-L116			51	
	4GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit	x			x				x		x			x				x							x					x		x			x								S26361-F2994-L118			139	
	1GB DDR3-1333	1 module PC 1333, DIMM		x			x						x			x							x			x							x			x								S26361-F4401-L1			24	
	2GB DDR3-1333	1 module PC 1333, DIMM		x			x	x			x		x			x			x		x			x	x		x	x				x		x			x							S26361-F4401-L2			39	
	4GB DDR3-1333	1 module PC 1333, DIMM		x			x	x			x		x			x			x		x			x	x		x	x				x		x			x							S26361-F4401-L3			91	
	2GB DDR3-1333	1 module PC 1333, DIMM			x					x					x				x											x	x					x			x						S26361-F3378-L2			39	
	4GB DDR3-1333	1 module PC 1333, DIMM			x					x					x				x											x	x					x			x						S26361-F3378-L3			91	
	1GB DDR3-1066	1 module PC 1600 (PC2-8500), SO-DIMM																																							x			x		S26361-F4406-L1			25	
	2GB DDR3-1066	1 module PC 1600 (PC2-8500), SO-DIMM																																							x			x		S26361-F4406-L2			39	
	2GB DDR3-1333	1 module PC 1333 (PC3-10600), SO-DIMM																																								x				S26361-F4407-L2			40	
	4GB DDR3-1333	1 module PC 1333 (PC3-10600), SO-DIMM																																								x				S26361-F4407-L3			94	
Graphics																																																
	NVIDIA GeForce 405 DisplayPort 512MB FH	PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3														x			x	x		x	x			x	x					x		x		x	x	x						S26361-F3000-L407			49	
	DVI Extension Adapter	DVI-D extension for on board graphics, 2 monitor mode possible (1 DVI-D + 1 VGA)								x																					x														S26361-F3305-L200			10	Phased out
	2x DVI-D Extension Adapter PCIe FH	incl. DVI adapter cable																																x			x								S26361-F2757-L655			22	Phased out
	2x DVI-D Extension Adapter PCIe LP	incl. DVI adapter cable											x			x																													S26361-F2757-L660			22	Phased out
	DVI-D + DisplayPort Extension Adapter FH	excl. DVI adapter cable																						x				x								x									S26361-F2757-L656			16	
	DVI-D + DisplayPort Extension Adapter LP	exkl. DVI Adapter Kabel					x						x				x																												S26361-F2757-L661			16	
	DVI Extension Adapter	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible				x	x					x	x		x	x																		x	x		x	x						S26361-F3305-L210			17	
	DVI Extension Adapter FH	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible																								x	x							x	x		x	x						S26361-F3305-L211			17	
	ATI Radeon HD5450 512 MB	PCIe, dual monitor (2 DVI-I/ VGA), HDCP, DirectX11, incl. 2 adapter DVI-VGA																		x	x			x	x		x	x							x		x	x	x						S26361-F3535-L545			51	
	NVIDIA GeForce 405 DisplayPort 512MB LP	Low Profile, PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3				x			x	x	x			x	x		x	x	x																									S26361-F3000-L405			49	
	NVIDIA GeForce 9500 GS 512MB LP	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA and LFH59 cable										x	x	x	x		x	x																											S26361-F3000-L951			81	Phased out
	NVIDIA Quadro NVS 290 256MB PCIe x16	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe																								x	x	x			x		x	x		x	x		x						S26361-F2748-L234			72	
	NVIDIA Quadro NVS 290 256MB PCIe x16LP	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe				x	x	x		x	x	x	x		x	x		x																											S26361-F2748-L334			76	
	NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately																												x		x			x			x						S26361-F2748-L38			74	
	NVIDIA Quadro NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately				x				x		x			x				x																											S26361-F2748-L338			74	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor				x			x	x	x	x	x	x	x	x	x	x	x												x	x	x	x	x	x	x	x	x			x			S26361-F2391-L200			24	
	DVI/VGA Adapter	for connection of one VGA-monitor				x																																									S26361-F2391-L1			8	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors				x				x		x			x				x												x			x			x								S26361-F2391-L101			20	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors				x				x		x			x				x												x			x			x								S26361-F2391-L102			23	
Removable Media Drives																																																
	MCR 20in1 + USB 3.0 front con., 3.5"	requires USB 3.0 PCIe x1 card; occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type							x	x	x		x		x	x		x	x	x							x	x	x	x		x		x	x		x	x	x						S26361-F3077-L15			24	
	DVD SATA	occupies accessible 5,25"- bay, without DVD video playback software				x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x						S26361-F3418-L510			31	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback software)				x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x						S26361-F3420-L510			33	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately				x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x						S26361-F3523-L510			149	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type					x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x						S26361-F3077-L5			17	
	FDD 1.44MB	occupies accessible 3.5"- bay,incl. cable				x	x			x		x	x		x	x					x	x		x		x	x			x		x	x		x	x								S26361-F1723-L510			14	
	DVD SuperMulti SATA slim	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback software)	x	x	x																																									S26361-F3429-L510			47	
Hard Disks																																															
	4 GB CF Card emty		x									x																																			S26361-F3520-L100			72	
	CF 2 GB (300x) Upgrade Kit			x									x																																	S26361-F3634-L100			73	
	SSD 128GB Highspeed FDE	occupies 3,5"-bay (internal), incl. cable and frame, very fast 2.5" solid state drive with SATA 3GB/s interface	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x									x	x		x	x	x	x	x	x	x	x	x	x						S26361-F3575-L100			258	
	SSD 128GB high speed FDE	occupies 2.5"-bay (internal), incl. easy rail, very fast 2.5" solid state drive with SATA 3GB/s interface																																	x			x								S26361-F3639-L100			258	
	HDD SATA III 320GB 7.2k	occupies 3,5"-bay (internal)			x				x				x			x													x	x					x			x						S26361-F3660-L320			55	
	HDD SATA III 500GB 7.2k	occupies 3,5"-bay (internal)			x				x				x			x													x	x					x			x						S26361-F3660-L500			63	
	HDD SATA III 1000GB 7.2k	occupies 3,5"-bay (internal)			x				x				x			x													x	x					x			x						S26361-F3660-L100			91	
	HDD SATA II 160GB 7.2k 2.5"	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology, incl. cable	x				x	x		x	x	x	x		x	x		x				x	x			x	x			x	x	x	x		x	x		x						S26361-F3560-L100			64	
	HDD SATA II 160GB 7.2k 2.5	occupies 2.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology																																	x			x								S26361-F3640-L100			63	
	HDD SATA II 160GB 7.2k 2.5" incl. frame	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology		x						x					x			x								x					x				x			x						S26361-F3661-L160			61	
	HDD SATA II 250GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology	x	x		x	x	x		x	x	x	x		x	x		x			x	x	x	x	x	x			x	x	x	x		x	x		x						S26361-F3212-L100			45	
	HDD SATA II 320GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable	x	x		x	x	x		x	x	x	x		x	x		x					x	x	x	x	x			x	x	x	x		x	x		x						S26361-F3570-L100			53	
	HDD SATA II 500GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable	x	x		x	x	x		x	x	x	x		x	x		x			x	x	x	x	x	x			x	x	x	x		x	x		x						S26361-F3435-L100			63	
	HDD SATA II 1000GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable	x	x		x	x	x		x	x	x	x		x	x		x					x	x	x	x	x			x	x	x	x		x	x		x						S26361-F3568-L100			89	
	HDD SATA III 500GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, incl. cable, compatible to SATA technology	x			x				x	x	x	x	x	x	x	x	x					x				x	x	x	x	x	x	x	x										S26361-F3497-L100			84	
Communication/Network																																																
	Gigabit Ethernet SysKonnect LP	10/100/1000 MbiUs, full height, autodetect, WoL, BootPROM, RJ45, driver-CD, PCI	x	x																																									S26361-F3067-L50			24	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO Accessories — **Data Sheets: http://ts.fujitsu.com/esprimo**

Category	Description	Details	ESPRIMO C5730	ESPRIMO C5731	ESPRIMO C700	ESPRIMO E3320	ESPRIMO E3321	ESPRIMO E3721	ESPRIMO E500	ESPRIMO E5635	ESPRIMO E5645	ESPRIMO E5730	ESPRIMO E5731	ESPRIMO E700	ESPRIMO E7835	ESPRIMO E7836	ESPRIMO E900	ESPRIMO E9900	ESPRIMO P1500	ESPRIMO P1510	ESPRIMO P2440	ESPRIMO P2540	ESPRIMO P2550	ESPRIMO P2560	ESPRIMO P2760	ESPRIMO P3520	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P400	ESPRIMO P500	ESPRIMO P5635	ESPRIMO P5645	ESPRIMO P5730	ESPRIMO P5731	ESPRIMO P700	ESPRIMO P7835	ESPRIMO P7836	ESPRIMO P900	ESPRIMO P9900	ESPRIMO Q1500	ESPRIMO Q1510	ESPRIMO Q9430	ESPRIMO Q900	ESPRIMO Q9500	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																																
Communication/Network (Continued)																																																
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0			x				x	x		x				x				x									x		x		x				x								S26361-F3067-L60			24	
	USB 3.0 PCIe x1				x			x	x	x		x		x	x		x	x	x			x	x		x	x	x		x		x	x		x	x		x	x					S26361-F3050-L10			24	
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, driver CD, PCI Express, full height/ low profile				x	x			x		x	x		x	x		x								x	x				x		x		x	x		x					S26361-F3067-L30			22	
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface			x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F3108-L5			24	
	Modem 56k	PCI board, NT not supported, adapter/ RJ11 modem cable to be ordered separately, full height								x	x	x	x		x	x		x			x	x	x	x	x	x	x			x	x	x	x		x	x		x						S26361-F3088-L2			14	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot				x	x	x	x	x	x	x	x	x	x	x	x	x														x		x			x			x					S26361-F2542-L30			8	
	Parallel Interace	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x	x	x																																							S26361-F2542-L60			8	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height												x			x							x		x	x	x		x		x	x		x									S26361-F2542-L34			8	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot	x	x	x			x	x	x	x	x	x	x	x	x	x	x													x	x	x	x		x	x		x					S26361-F2542-L40			8	
	eSATA Interface FH	for eSATA peripherals, occupies one internal SATA interface and one slot, full height												x			x											x		x					x			x					S26361-F2542-L70			10	
	Dual serial card PCIe x1	Dual Port RS232 via splitter cabel			x				x					x			x												x	x					x			x					S26361-F3316-L6			26	
	Dual serial card PCI	Dual Port RS232																						x	x		x				x		x				x		x					S26361-F3316-L4			24	
	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cabel			x				x					x			x												x	x					x			x					S26361-F3316-L7			34	
	Dual serial card PCI LP	Dual Port RS232 via splitter cabel		x			x	x			x		x		x		x																											S26361-F3316-L5			27	
	FireWire PCI-Card IEEE1394	400 Mbit/s, 3 external and 1 internal connectors								x	x	x	x		x	x		x						x		x	x	x			x	x	x	x		x	x		x					S26361-F3106-L520			22	
OS/Application-SW																																			x										S26361-F2010-L270			55	
	Windows MultiPoint Server 2010 CAL																																		x										S26361-F2011-L170			57	Orderable from: 30/05/2011
	Windows MPS 2011 CAL Standard																																															
	Drivers&Utilities DVD (XP) ESPRIMO DT	incl. Nero Essentials S, Norton Internet Security	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x		x	S26361-F2007-L910			13	
	Drivers&Utilities DVD (VISTA/7) ESPRIMO	incl. Nero Essentials S, Norton Internet Security	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-L901			13	
Security																																															
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x								x	x	x		x	x	x	x	x	x	x	x	x						S26361-F1260-L521			22	
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x								x	x	x		x	x	x	x	x	x	x	x	x			x	x	x	S26361-F1571-L201			13	Phased out
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x								x	x	x		x	x	x	x	x	x	x	x	x			x	x	x	S26361-F1571-L210			97	Phased out
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium	x	x		x	x	x		x	x	x	x		x	x		x								x	x	x		x	x	x	x		x	x		x	x		x		x	S26361-F2727-L100			17	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smartcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3	x	x		x	x	x		x	x	x	x		x	x		x								x	x	x		x	x	x	x		x	x		x	x		x		x	S26361-F2727-L730			18	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F331-L220			20	
Miscellaneous																																															
	Rear Panel for 2 full height PCI cards	2 full height PCI and 1 low profile PCI Express 16x,incl. Riser Card									x						x	x																											S26361-F2542-L424			13	
	4 Rubber feet for vertical position								x					x			x																											S26361-F2542-L480			9	
	ESPRIMO O mounting kit	incl. VESA subadapter																																									x	x	x	x	S26361-F2542-L75			42	
	Scout EP	Scout Enterprise Version 11 can manage up to 25 Thin Clients without an additional license key. Therefore the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients,including 2 years software support	x	x								x	x																															S26361-F2727-L701			38	
	eLux RL	Scout Agent und Scout Workgroup, Scout Enterprise Version 10 can manage up to 25 Thin Clients without an additional license key. Therefore, the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients.Including 2 years software support	x	x								x	x																															S26361-F2727-L702			26	
	Subscription Key eLux/Scout	eLux/Scout Subscription Key for 12 month, usable for all UniCon products		x									x																															S26361-F2727-L703			14	
	Rear Panel for 2 full height PCI cards	2 full height PCI and 1 low profile PCI Express 16x,incl. riser card								x		x	x		x	x																													S26361-F2542-L414			13	
	Feet for vertical position (set)					x	x	x		x	x	x	x		x	x		x																											S26361-F2542-L200			9	
	Rear USB 2.0 connector	2x USB 2.0																															x	x	x	x		x	x		x				S26361-F2438-L215			7	
	Blanking Plate 5.25" drive bays, 10 pcs.					x	x	x												x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2542-L326			10	
	Blanking Plate 3.5" drive bays, 10 pcs.					x	x	x	x	x	x	x	x		x	x		x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2542-L327			10	
	Blanking Plate 5.25" drive bays, 3 pcs.	3x 5.25" covers & drive cage							x	x	x	x	x	x	x	x	x	x																											S26361-F2542-L328			10	
	Blanking Plate + cage 3.5" bay, 6 pcs.								x	x	x	x	x	x	x	x	x	x																											S26361-F2542-L329			8	
	Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x370x400mm)	x	x	x	x	x	x		x	x	x	x		x	x		x																											S26361-F2542-L35			101	
Keyboard /Mouse																																															
	KBPC PX ECO GB	keyboard professional USB, Great Britain, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED	x	x	x							x			x					x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	S26381-K341-L165			29	
	Laser Mouse CL3500	Laser Mouse with Tilt-Wheel function, user selectable resolution from 400 up to 1600 dpi, class 1 laser, USB cable 1,8m, manual, software CD.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K423-L100			13	
	Notebook Laser Mouse WI600	Notebook Laser Mouse WI600, 2,4 GHZ wireless technology, microreceiver, 3 programmable keys, 4-way-scroll function, 2 x AAA NiMH batteries, Software CD, manual, Retail box	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K429-L100			15	
	Wireless Laser Mouse WI400	Wireless Laser Mouse WI400, 2.4 GHz technology, interference-free usage among other 2.4 GHz products and extremly reliable due to specially generated IDs. Micro receiver and slot, 2 buttons, Wheel, switchable resolution 800, 1200 and 1600 dpi, Power on / off button, 2 x AAA batteries, manual, Retail box.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K433-L100			13	
	Laser Mouse GL9000	Laser Mouse GL9000, programmable10 button mouse, Tilt Wheel Technology, adjustable 800 up to 1600 dpi, class 1 Laser, USB cable 1.8m, Software CD, manual, Retail box	x	x	x		x	x	x		x		x	x		x	x	x		x			x	x		x	x	x		x		x		x	x	x		x		x	x	x	S26381-K438-L100			15	
	KB500 GB	KB500 USB GB, standard keyboard Greatbritain UK , marble grey										x			x																		x									x	x	x	S26381-K500-L165			15	Phased out
	KB520 GB	KB520 USB, standard keyboard Greatbritain UK , marble grey										x			x																		x									x	x	x	S26381-K520-L165			18	
	KB SCR GB	SmartCard keyboard english with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0		x	x			x	x				x	x		x	x	x						x		x		x		x	x							x		S26381-K528-L165			32	
	KB400 USB GB	KB400 USB GB, SLIM value keyboard grey, UK layout, USB																										x	x		x														S26381-K550-L165			13	
	KB400 PS2 GB	KB400 PS2 GB, SLIM value Keyboard black Great Britain, PS2										x			x																		x									x	x	x	S26381-K551-L465			13	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO Accessories — **Data Sheets: http://ts.fujitsu.com/esprimo**

Category	Description	Details	ESPRIMO C5730	ESPRIMO C5731	ESPRIMO C700	ESPRIMO E3320	ESPRIMO E3321	ESPRIMO E3721	ESPRIMO E600	ESPRIMO E5635	ESPRIMO E5645	ESPRIMO E5730	ESPRIMO E5731	ESPRIMO E700	ESPRIMO E7835	ESPRIMO E7836	ESPRIMO E900	ESPRIMO E9900	ESPRIMO P1500	ESPRIMO P1510	ESPRIMO P2440	ESPRIMO P2540	ESPRIMO P2550	ESPRIMO P2560	ESPRIMO P2760	ESPRIMO P3520	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P400	ESPRIMO P500	ESPRIMO P5635	ESPRIMO P5645	ESPRIMO P5730	ESPRIMO P5731	ESPRIMO P700	ESPRIMO P7835	ESPRIMO P7836	ESPRIMO P900	ESPRIMO P9900	ESPRIMO Q1500	ESPRIMO Q1510	ESPRIMO Q9430	ESPRIMO Q900	ESPRIMO Q9500	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																																
Keyboard /Mouse (Continued)																																																
	Wireless KB Mouse Set LX400 GB	Wireless keyboard & mouse set LX400 GB, RF laser mouse 1200 dpi, USB micro receiver, 2.4 GHz RF technology, 128Bit AES encryption, interference-free among other 2.4 GHz RF products due to special ID generation, 4 x AAA batteries, Hotkey software on CD, manual and safety instructions on CD, Retailbox.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K552-L465			25	
	Wireless Keyboard Set LX900 GB	Wireless Keyboard Set LX900 GB, 128AES bit-encryption, spill-proof, micro receiver, programmable lasermouse, CD, manual, batteries, retailbox	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K564-L465			40	
	Keyboard KB500 USB (N) & Power Cord	marble grey, incl. power cord EU	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2542-L276			17	
Cables																																															
	Monitor outlet cable	necessary to contact monitor directly to the PC										x		x	x	x	x	x															x		x	x	x	x							S26361-F2542-L57			8	
Additional Software																																															
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x		x	x		x	x	x	x	x	x	U11081-C301			1075	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x		x	x		x	x	x	x	x	x	U11081-C311			1075	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x		x	x		x	x	x	x	x	x	U11081-C321			439	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x		x	x		x	x	x	x	x	x	U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x		x	x		x	x	x	x	x	x	U11081-C299			13	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x		x	x		x	x	x	x	x	x	U10987-C501			1075	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x		x	x		x	x	x	x	x	x	U10987-C513			1075	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x		x	x		x	x	x	x	x	x	U10987-C525			439	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x		x	x		x	x	x	x	x	x	U10987-C500			31	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x		x	x		x	x	x	x	x	x	U10987-C499			13	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

Positioning CELSIUS workstations

CELSIUS H Series

CELSIUS H Series. Powerful mobile workstation. If you run power-hungry 3D applications that demand no compromise on the graphics side, you'll appreciate the CELSIUS H. The system offers the power of a full-fledged workstation: Editing 3D OpenGL graphics in real time, running computer simulations and computing multimedia animations wherever you are.

CELSIUS W Series

CELSIUS W Series. High-End PC / Entry-Level workstation
If you need more power and more expandability than a desktop PC can offer, choose the entry-level workstation CELSIUS W Series. The CELSIUS W Series offers workstation performance - in combination with fastest generation of processors, chipsets and graphic cards.

CELSIUS M Series

CELSIUS M Series. Mid-range workstation.
Do you need more power, more memory, more data security, and more expandability than a conventional PC can offer? Then choose the mid-range workstation CELSIUS M Series. CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. CELSIUS are certified for a huge variety of software applications.

CELSIUS R Series

CELSIUS R Series. High-end workstation.
You need a powerful, dual-processor workstation and want to choose from a large range of graphics subsystems. The CELSIUS R Series is ready for all challenges. What is more, the CELSIUS R Series offers great expandability. Latest technology combined with top performance components makes this the optimum hardware choice for power hungry applications.

CELSIUS V Series

CELSIUS V Series. 64-bit workstation.
You need a powerful workstation for memory demanding applications? With support for up to two AMD Opteron™ processors and up to 64 GB main memory, the CELSIUS V Series provides maximum system performance when it is really needed. The wide range of professional 3D graphics, the large cabinet with room for additional components and ISV Software certifications are the ideal conditions for compute-intensive and multi-processor-optimized workstation applications.

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS H700

Data Sheets: http://ts.fujitsu.com/celsius

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
CELSIUS H710							
	CELS H710 /15.6" FHD LED/I7-2620M/4GB/	CELS H710 /15.6" FHD LED/I7-2620M/4GB/ DVD/500GB 7.2K/UMTS GOBI 3000/NO MODEM/ WLAN INTEL 6205/BT V2.1/2X MIC + WEBCAM/ FINGERPRINT/TPM/CK GB/AC ADAP 19V/120W/,	VFY:H7100WXG11GB			1351	

CELSIUS W410 — Data Sheets: http://ts.fujitsu.com/celsius

The CELSIUS W series is the versatile all-round workstation for price-conscious users. Offering entry workstation performance, the CELSIUS W410 is your choice for business segments, such as computer aided design, digital content creation and finance. The ISV certification process enables workstation users to run their preferred applications with maximum system stability.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
CELSIUS W410							
	CELS W410 /CORE I3-2100/2 GB/DVD SM/	CELS W410 /CORE I3-2100/2 GB/DVD SM/ 320GB SATA III/HD CABLE/CK GB/INT/ KB400PS2GB/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/RDVD2 WIN7 MAIN/,	VFY:W4100WF011GB			578	
	CELS W410 /CORE I7-2600/2x2 GB/	CELS W410 /CORE I7-2600/2x2 GB/ FIREPRO V3800/DVD SM/MCR/500GB SATA III/ HD CABLE/ESATA/CK GB/INT/KB400USBGB/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	VFY:W4100WXG11GB			744	

CELSIUS M470
workstation

CELSIUS M470 **Data Sheets: http://ts.fujitsu.com/celsius**

Model	Processor	Operating System	Memory	HDD	CD-RW/DVD	DVD-RW	DVD-RW Dual DL	DVD_SUPERMULTI	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	Screen	Graphics	Audio	Port Replicator	Mouse	Keyboards	Product Code			End User Price (RRP)	Comments
Standard products																										
CELSIUS M470-2																										
	Intel® Xeon® W3530	Genuine Windows 7® Professional 64-bit	2 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 500 GB, 3.5"				x				x						On board, Realtek ALC663, HD		x	GB	VFY:M4702WF061GB			953	
	Intel® Xeon® W3530	Genuine Windows 7® Professional 64-bit	3 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 1000 GB, 3.5"				x				x						On board, Realtek ALC663, HD		x	GB	VFY:M4702WF071GB			1010	
	Intel® Xeon® W3505	Genuine Windows 7® Professional 64-bit	2 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 160 GB, 3.5"				x				x						On board, Realtek ALC663, HD		x	GB	VFY:M4702WF081GB			851	
	CELS M470-2 /XEON W3670/3x4GB/DP CABLE/ Q 2000/ODD CABLE/MCR/DVD SM/2xHD CABLE/ 1000GB SATA II/SSD 128GB/ESATA/ USB 3.0 PCIE/CK GB/INT/KB900GB/NERO/,																					VFY:M4702WXP11GB			1703	

CELSIUS R670
The new uncompromising high-end workstation

CELSIUS R670 **Data Sheets: http://ts.fujitsu.com/celsius**

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL	DVD_SUPERMULTI	FDD	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	FireWire	Front-side USB	Screen	Graphics	Audio	Port Replicator	Mouse	Keyboards	SCSI Controller	Security Hardware	Product Code			End User Price (RRP)	Comments
Standard products																																
CELSIUS R670-2																																
	Intel® Xeon® X5650	Genuine Windows 7® Professional 64-bit	3 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 1000 GB, 3.5"					x					x					2			On board, Realtek ALC663, HD		x	GB			PDP:R6702W0006GB			2048	
	CELS R670-2 /XEON E5645/2ND XEON E5645/ 12x8GB/FIREPRO V5800/DVD SM/ODD CABLE/ 3x2000GB BC/300GB 10K/4xHD CABLE/ USB 3.0 PCIE/ESATA/CK GB/INT/KB900GB/,																											PDP:R6702W0007GB			6061	

CELSIUS Accessories

Data Sheets:

Category	Description	Details	CELSIUS H350	CELSIUS H365	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H910	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R560	CELSIUS R570	CELSIUS R570-2	CELSIUS R660	CELSIUS R670	CELSIUS R670-2	CELSIUS R910	CELSIUS ULTRA	CELSIUS V940	CELSIUS V940-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W410	CELSIUS W480	CELSIUS W510	CELSIUS W510 POWER	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Processor																																	
	Xeon E5645 2.40GHz 12MB Turbo Boost	2.40 GHz, 12 MB Turbo Boost, 6 cores/12 threads									x			x			x	x												S26361-F3612-L245			602	
	Xeon X5647 2.93GHz 12MB Turbo Boost	2.93 GHz, 12 MB Turbo Boost, 4 cores/8 threads									x			x			x	x												S26361-F3612-L247			818	
	Xeon E5649 2.53GHz 12MB Turbo Boost	2.53 GHz, 12 MB Turbo Boost, 6 cores/12 threads									x			x			x	x												S26361-F3612-L249			818	
	Xeon X5672 3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 4 cores/8 threads									x			x			x	x												S26361-F3612-L972			1406	
	Xeon X5675 3.06GHz 12MB Turbo Boost	3.06 GHz, 12 MB Turbo Boost, 6 cores/12 threads									x			x			x	x												S26361-F3612-L975			1406	
	Xeon X5687 3.60GHz 12MB Turbo Boost	3.60 GHz, 12 MB Turbo Boost, 4 cores/8 threads									x						x	x												S26361-F3612-L987			1724	
	Xeon X5690 3.46GHz 12MB Turbo Boost	3.46 GHz, 12 MB Turbo Boost, 6 cores/12 threads									x						x	x												S26361-F3612-L990			1724	
	Opteron 2376 2.3 GHz	4x512KB L2 2MB L3																			x									S26361-F3502-L76			203	
	Opteron 2380 2.5 GHz	4x512KB L2 2MB L3																			x									S26361-F3502-L80			347	
	Opteron 2384 2.7 GHz	4x512KB L2 2MB L3																			x									S26361-F3502-L84			542	
	Xeon L5609 1.86 GHz, 12 MB Turbo Boost,	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores												x			x	x												S26361-F3612-L309			495	
	Xeon L5630 2.13 GHz, 12 MB Turbo Boost,	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores												x			x	x												S26361-F3612-L330			602	
	Xeon L5640 2.40 GHz, 12 MB Turbo Boost,	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 6 cores												x			x	x												S26361-F3612-L340			1042	
	Xeon E5603 1.60GHz 8MB Turbo Boost	1.60 GHz, 8 MB cache, 4 cores/4 threads									x			x			x	x												S26361-F3539-L113			239	
	Xeon E5606 2.13GHz 8MB Turbo Boost	2.13 GHz, 8 MB cache, 4 cores/4 threads									x			x			x	x												S26361-F3539-L116			286	
	Xeon E5607 2.26GHz 8MB Turbo Boost	2.26 GHz, 8 MB cache, 4 cores/4 threads									x			x			x	x												S26361-F3539-L117			330	
	Xeon E5620 2.40 GHz, 12 MB Turbo Boost,	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores												x			x	x												S26361-F3612-L220			442	
	Xeon E5630 2.53 GHz, 12 MB Turbo Boost,	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores												x			x	x												S26361-F3612-L230			602	
	Xeon E5640 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores												x			x	x												S26361-F3612-L240			818	
	Xeon X5650 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores												x			x	x												S26361-F3612-L950			1000	
	Xeon X5660 2.80 GHz, 12 MB Turbo Boost,	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores												x			x	x												S26361-F3612-L960			1199	
	Xeon X5667 3.06 GHz, 12 MB Turbo Boost,	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores												x			x	x												S26361-F3612-L967			1406	
	Xeon X5670 2.93 GHz, 12 MB Turbo Boost,	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores												x			x	x												S26361-F3612-L970			1406	
	Xeon X5677 3.46 GHz, 12 MB Turbo Boost,	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores															x	x												S26361-F3612-L977			1724	
	Xeon X5680 3.33 GHz, 12 MB Turbo Boost,	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores															x	x												S26361-F3612-L980			1724	
Memory																																	
	8GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary																										x	x	S26361-F3379-L4			1034	
	2 GB DDR3 1066 MHz PC3-8500	1 Modul, PC3-8500 ub			x																									S26391-F504-L100			84	
	2GB DDR3-1333 PC3-10600				x																									S26391-F505-L200			94	
	4GB DDR3-1333 PC3-10600				x																									S26391-F505-L300			289	
	2GB DDR3-1333 PC3-10600					x	x																							S26391-F892-L200			75	
	4GB DDR3-1333 PC3-10600					x	x																							S26391-F892-L400			175	
	8GB DDR3-1333 PC3-10600					x	x																							S26391-F892-L800			1183	
	2GB DDR3-1066 SO-DIMM PC3-8500		x	x																										S26391-F736-L250			73	
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit							x													x								S26361-F2994-L114			32	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit							x													x								S26361-F2994-L116			51	
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit																						x						S26361-F2995-L114			32	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit																						x						S26361-F2995-L116			51	
	4GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit																						x						S26361-F2994-L118			139	
	2GB DDR3-1333	1 module PC 1333, DIMM																				x			x		x			S26361-F4401-L2			39	
	4GB DDR3-1333	1 module PC 1333, DIMM																				x			x		x			S26361-F4401-L3			91	
	2GB DDR3-1333	1 module PC 1333, DIMM																								x		x	x	S26361-F3378-L2			39	
	4GB DDR3-1333	1 module PC 1333, DIMM																								x		x	x	S26361-F3378-L3			91	
	2GB DDR2-800 ECC	to be used in pairs, 1 module PC 800 (PC2-6400), ECC, DIMM							x																					S26361-F3369-L424			77	
	4GB 2x2GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary																		x	x									S26361-F3367-L459			144	
	8GB 2x4GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary																			x									S26361-F3367-L464			339	
	16GB 2x8GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary																			x									S26361-F3367-L479			1017	
	2GB DDR3-1333 ECC	to be used in pairs, 1 module PC 1333 (PC3-10600), ECC, DIMM																							x		x			S26361-F4411-L2			61	
	4GB DDR3-1333 ECC	to be used in pairs, 1 module PC 1333 (PC3-10600), ECC, DIMM																							x		x			S26361-F4411-L3			128	
	4GB 2x2GB DDR2-800 rg ECC	2 modules, same number of modules for each processor necessary																			x									S26361-F3376-L484			144	
	8GB 2x4GB DDR2-800 rg ECC	2 modules, same number of modules for each processor necessary																			x									S26361-F3376-L488			339	
	1GB DDR3-1066	1 module								x			x			x														S26361-F3374-L403			25	
	1GB DDR3-1333	1 module									x			x			x	x												S26361-F3375-L403			24	
	1GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary								x			x			x														S26361-F3375-L413			40	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary								x			x			x														S26361-F3375-L414			61	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary								x			x			x														S26361-F3375-L415			128	
	1GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary									x			x			x	x												S26361-F3377-L413			40	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary									x			x			x	x												S26361-F3377-L414			61	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary									x			x			x	x												S26361-F3377-L415			128	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary																										x	x	S26361-F3379-L2			61	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary																										x	x	S26361-F3379-L3			128	
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary											x			x														S26361-F3375-L424			75	
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary											x			x														S26361-F3375-L425			128	
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary											x			x														S26361-F3375-L426			275	
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary												x			x	x												S26361-F3377-L424			75	
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary												x			x	x												S26361-F3377-L425			128	
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary												x			x	x												S26361-F3377-L426			275	
	16GB DDR3-1066 rg ECC	1 module, same number of modules for each processor necessary												x			x	x												S26361-F3374-L427			861	
Graphics																																	

CELSIUS Accessories

Data Sheets:

Accessories & services matrix

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H910	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS R910	CELSIUS ULTRA	CELSIUS V940	CELSIUS V940-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W410	CELSIUS W480	CELSIUS W510	CELSIUS W510 POWER	Product Code			End User Price (RRP)	Comments
Graphics (Continued)																																	
	2x DVI-D Extension Adapter PCIe FH	incl. DVI adapter cable																						x						S26361-F2757-L655			22	Phased out
	DVI Extension Adapter	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible																						x						S26361-F3305-L210			17	
	NVIDIA Quadro NVS 290 256MB PCIe x16	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe							x			x			x						x	x	x	x	x		x			S26361-F2748-L234			72	
	NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately								x	x		x	x		x	x	x								x		x	x	S26361-F2748-L38			74	
	NVIDIA Quadro NVS 295 256MB PCIe x16	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters							x	x	x		x	x		x	x	x			x	x		x	x		x			S26361-F2748-L236			73	
	NVIDIA Quadro NVS 450 2x256MB 4xDP	Connectors: 4x DP or up to 4x DVI-D via optional DP/DVI adapter cable, PCIe x16, w/o adapters								x	x		x	x		x	x	x				x		x	x	x	x	x	x	S26361-F2748-L245			316	
	NVIDIA Quadro FX 380 256MB	Connectors: 2x DVI-I; PCIe x16; w/o adapters							x	x	x		x	x		x	x	x			x	x		x	x		x			S26361-F2856-L38			110	
	NVIDIA Quadro FX 580 512MB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters							x	x	x		x	x		x	x	x			x	x		x	x		x			S26361-F2856-L58			138	
	NVIDIA Quadro 400 512MB	Connectors: 1x DVI-I and 1x DP, PCIe x16, w/o adapters									x			x			x	x								x		x	x	S26361-F2856-L41			75	
	NVIDIA Quadro 600 1GB	Connectors: 1x DVI-I dual link and 1x DP; PCIe x16; w/o adapters									x			x			x	x				x			x	x	x	x	x	S26361-F2856-L61			148	
	NVIDIA Quadro FX 1800 768MB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters							x	x	x		x	x		x	x	x			x	x		x	x		x			S26361-F2856-L218			382	
	NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters									x			x			x	x				x			x	x	x	x	x	S26361-F2856-L201			391	
	NVIDIA Quadro 2000D 1GB	Connectors: 2x DVI-I dual link, PCIe x16, w/o adapters,									x						x	x												S26361-F2856-L202			388	Orderable from: 28/06/2011
	NVIDIA Quadro FX 3800 1GB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters							x	x	x		x	x		x	x	x			x					x		x	x	S26361-F2856-L238			582	
	NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters									x			x			x	x								x	x	x	x	S26361-F2856-L401			591	
	NVIDIA Quadro FX 4800 1.5GB	Connectors: 1x DVI-I and 2x DP, stereo; 1x DVI/VGA- adapter; PCIe x16								x	x	x	x	x	x	x	x	x			x					x				S26361-F2856-L248			1111	
	NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; 1x DVI/VGA-adapter; PCIe x16								x			x			x	x									x	x	x	S26361-F2856-L501			1328	
	NVIDIA Quadro FX 5800 4GB	Connectors: 2x DVI-I and 1x DP, stereo; 2x DVI/VGA- adapter; PCIe x16								x			x			x	x													S26361-F2856-L258			2242	
	NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP, stereo, 2x DVI/VGA-adapter, PCIe x16								x			x			x	x													S26361-F2856-L601			2932	
	ATI FirePro V3800 512 MB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters								x			x			x	x					x			x	x	x	x	x	S26361-F2530-L380			81	
	ATI FirePro V4800 1 GB	Connectors: 1x DVI-I dual link, 2x DP; PCIe x16; w/o adapters								x			x			x	x					x			x	x	x	x	x	S26361-F2530-L480			161	
	ATI FirePro V7900 2 GB	Connectors: 4x DP, PCIe x16, w/o adapters, ,								x			x			x	x					x			x	x	x	x	x	S26361-F2530-L790			792	Orderable from: 28/06/2011
	ATI FirePro V5800 1 GB	Connectors: 1x DVI-I dual link, 2x DP; PCIe x16; w/o adapters								x			x			x	x					x			x	x	x	x	x	S26361-F2530-L580			391	
	ATI FirePro V5900 2 GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16, w/o adapters, ,								x			x			x	x					x			x	x	x	x	x	S26361-F2530-L590			439	Orderable from: 28/06/2011
	ATI FirePro V7800 2 GB	Connectors: 1x DVI-I dual link, 2x DP, PCIe x16, w/o adapters								x			x			x	x									x		x		S26361-F2530-L780			690	
	CELSIUS RemoteAccess Card x1	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1							x	x	x		x	x	x	x	x	x				x			x		x	x	x	S26361-F3565-L1			339	
	CELSIUS RemoteAccess Portal	PCoIP, 2x DVI-I,10/100/1000 Mbps LAN, 4x USB, audio							x	x	x		x	x	x	x	x	x				x			x	x	x	x	x	S26361-K1322-V1			339	
	NVIDIA Tesla C2050 Computing-Processor	Connectors: 1x DVI-I; PCIe x16									x			x			x													S26361-F2856-L205			1620	Phased out
	NVIDIA Tesla C2070 Computing-Processor	Connectors: 1x DVI-I, PCIe x16									x			x			x	x												S26361-F2856-L207			1620	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor				x			x	x	x	x	x	x	x	x	x	x			x	x		x	x	x	x	x	x	S26361-F2391-L200			24	
	DVI/VGA Adapter	for connection of one VGA-monitor							x	x	x	x	x	x	x	x	x	x			x	x		x	x	x	x	x	x	S26361-F2391-L1			8	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors								x	x		x	x		x	x	x								x		x	x	S26361-F2391-L101			20	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors								x	x		x	x		x	x	x								x		x	x	S26361-F2391-L102			23	
	SLI bridge for NVIDIA graphics	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCI-E card											x	x		x	x	x		x	x									S26361-F2542-L95			56	
Removable Media Drives																																	
	MCR 20in1 + USB 3.0 front con., 5.25"	occupies accessible 5.25"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type									x	x		x	x		x	x	x												S26361-F3077-L14			32	
	MCR 20in1 + USB 3.0 front con., 3.5"	requires USB 3.0 PCIe x1 card; occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type																				x		x	x	x	x	x	x	S26361-F3077-L15			24	
	Blu-ray Triple Writer	bay module, BD read/write + DVD read/write + CD read/write				x																								S26391-F515-L100			109	
	DVD Super multi (reader/writer)					x																								S26391-F515-L200			30	
	DVD Super multi (reader/writer)			x	x																									S26391-F725-L200			14	Phased out
	Blu-ray burner							x																						S26391-F894-L200			105	
	2nd HDD bay module						x																							S26391-F984-L600			105	
	weight saver					x																								S26391-F440-L300			117	
	DVD SATA	occupies accessible 5,25"- bay, without DVD-video playback software								x	x		x	x		x	x	x				x		x	x	x	x	x	x	S26361-F3418-L510			31	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback software)								x	x		x	x		x	x	x				x		x	x	x	x	x	x	S26361-F3420-L510			33	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately								x	x		x	x		x	x	x				x		x	x	x	x	x	x	S26361-F3523-L510			149	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type																				x		x	x	x	x	x	x	S26361-F3077-L5			17	
	MultiCard Reader 20in1 USB 2.0 5.25"	occupies accessible 5.25"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type									x	x		x	x		x	x	x												S26361-F3077-L4			22	
	Floppy Disk Drive 1.44MB	occupies accessible 3,5"- bay, incl. cable																					x							S26361-F1723-L30			14	Phased out
	FDD 1.44MB	occupies accessible 3,5"- bay,incl. cable																						x						S26361-F1723-L510			14	
Hard Disks																																	
	HDD SATA 500GB 7.2k					x																								S26391-F507-L300			74	
	2nd HDD SATA 500GB 7.2k					x																								S26391-F508-L400			210	
	2nd HDD SATA 320GB 5.4k FDE					x																								S26391-F509-L100			183	
	SSD SATA 128GB FDE					x																								S26391-F510-L100			459	
	2nd SSD 256GB high speed					x																								S26391-F510-L210			910	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS Accessories — **Data Sheets:**

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H910	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS R910	CELSIUS ULTRA	CELSIUS V940	CELSIUS V940-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W410	CELSIUS W480	CELSIUS W510	CELSIUS W510 POWER	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Hard Disks (Continued)																																	
	2nd HDD SATA 320GB 5.4k			x	x																									S26391-F727-L300			174	Phased out
	HDD SATA 320GB 5.4k						x	x																						S26391-F893-L320			170	
	HDD SATA 320GB 5.4k XP optimized						x	x																						S26391-F893-L321			170	
	HDD SATA 500GB 7.2k						x	x																						S26391-F893-L507			207	
	SSD SATA 512GB FDE						x	x																						S26391-F893-L840			1548	
	SSD 128GB Highspeed FDE	occupies 3,5"-bay (internal), incl. cable and frame, very fast 2.5" solid state drive with SATA 3GB/s interface							x	x	x		x	x			x	x			x	x		x	x		x	x	x	S26361-F3575-L100			258	
	SSD 128GB high speed FDE	occupies 2.5"-bay (internal), incl. easy rail, very fast 2.5" solid state drive with SATA 3GB/s interface																								x				S26361-F3639-L100			258	
	SSD 256GB high speed FDE	occupies 3,5"-bay (internal), incl. cable and frame, very fast 2.5" solid state drive with SATA 3GB/s interface							x	x	x		x	x			x	x			x	x		x	x		x	x	x	S26361-F3576-L100			434	
	SSD 256GB high speed FDE	occupies 3,5"-bay (internal), incl. easy rail, very fast 2.5" solid state drive with SATA 3GB/s interface																								x				S26361-F3642-L100			434	
	HDD SATA III 320GB 7.2k	occupies 3,5"-bay (internal)																								x		x	x	S26361-F3660-L320			55	
	HDD SATA III 500GB 7.2k	occupies 3,5"-bay (internal)																								x		x	x	S26361-F3660-L500			63	
	HDD SATA III 1000GB 7.2k	occupies 3,5"-bay (internal)																								x		x	x	S26361-F3660-L100			91	
	HDD SATA II 160GB 7.2k 2,5"	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology, incl. cable																				x	x	x	x		x	x	x	S26361-F3560-L100			64	
	HDD SATA II 160GB 7.2k 2.5	occupies 2.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology																								x				S26361-F3640-L100			63	
	HDD SATA II 160GB 7.2k 2.5" incl. frame	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology																								x				S26361-F3661-L160			61	
	HDD SATA II 250GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology							x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x		x	x	S26361-F3212-L100			45	
	HDD SATA II 320GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable							x	x	x		x	x		x	x	x			x	x		x	x		x	x	x	S26361-F3570-L100			53	
	HDD SATA II 500GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable							x		x	x	x	x	x	x	x	x			x	x	x	x	x		x	x	x	S26361-F3435-L100			63	
	HDD SATA II 1000GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable							x	x	x		x	x		x	x	x			x	x		x	x		x	x	x	S26361-F3568-L100			89	
	Mounting kit for 2x HDD	for 3rd and 4th HDD 3.5" and for 1st and 2nd HDD 2.5"																										x	x	S26361-F4030-L2			16	
	HDD SATA III 500GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, incl. cable, compatible to SATA technology							x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	S26361-F3497-L100			84	
	HDD SATAIII 1000GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, incl. cable, compatible to SATA technology							x	x	x	x	x	x	x	x	x			x	x		x	x	x	x	x	x	x	S26361-F3521-L100			153	
	HDD SATAII 2000GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology							x	x	x		x	x		x	x	x			x	x		x	x	x	x	x	x	S26361-F3590-L100			400	
	HDD SATA II 150GB 10k	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology, incl. cable							x	x	x	x	x	x	x	x	x			x	x	x			x		x			S26361-F3526-L10			113	
	HDD SATA III 300GB 10k	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology, incl. cable							x	x	x	x	x	x	x	x	x			x	x	x			x	x	x	x	x	S26361-F3527-L10			213	
	HDD SATA II 600GB 10k	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology							x	x	x	x	x	x	x	x	x			x	x	x			x	x	x	x	x	S26361-F3632-L100			283	
	HDD SAS 300GB 15k	occupies 3,5"-bay (internal), incl. cable							x	x	x	x	x	x	x	x	x		x	x										S26361-F3414-L20			240	
	HDD SAS 450GB 15k	occupies 3,5"-bay (internal), incl. cable							x	x	x	x	x	x	x	x	x		x	x										S26361-F3518-L20			286	
	HDD SAS 600GB 15k	occupies 3,5"-bay (internal), incl. cable							x	x	x		x	x		x	x			x										S26361-F3591-L100			405	
SCSI/RAID/SAS controller																																	
	SAS Controller D2507 (LSI1064e)x4	4 ports incl. cables, PCIe x4							x	x	x	x	x	x																S26361-F3976-L1			84	
	SAS/SATA cable for RAID controller										x						x													S26361-F2581-L47			14	Orderable from: 01/07/2011
Communication/Network																																	
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0																								x		x	x	S26361-F3067-L60			24	
	Dual 1 Gigabit Ethernet PCIe x4										x						x	x												S26361-F3067-L80			111	Deliverable from: 17/05/2011,Orderable from: 15/06/2011
	USB 3.0 PCIe x1										x			x								x			x	x	x	x	S26361-F3050-L10			24	
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, driver CD, PCI Express, full height/ low profile							x	x	x	x	x	x	x	x	x			x	x	x		x	x		x			S26361-F3067-L30			22	
	Dual 10 Gigabit Ethernet PCIe x8	FTS D2755, without SFP+ modules									x			x			x	x												S26361-F3067-L70			292	
	WLAN III. 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface							x	x	x	x	x	x	x	x	x					x		x	x	x	x	x	x	S26361-F3108-L5			24	
	Modem 56k	PCI board, NT not supported, adapter/ RJ11 modem cable to be ordered separately, full height																				x	x	x	x		x			S26361-F3088-L2			14	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot																					x	x	x		x			S26361-F2542-L30			8	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height							x	x	x		x			x						x				x		x	x	S26361-F2542-L34			8	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot																					x	x	x		x			S26361-F2542-L40			8	
	eSATA Interface FH	for eSATA peripherals, occupies one internal SATA interface and one slot, full height							x	x	x		x	x		x	x	x				x				x		x	x	S26361-F2542-L70			10	
	Dual serial card PCIe x1	Dual Port RS232 via splitter cabel																								x		x	x	S26361-F3316-L6			26	
	Dual serial card PCI	Dual Port RS232							x	x	x		x	x		x	x	x			x	x		x	x		x			S26361-F3316-L4			24	
	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cabel																								x		x	x	S26361-F3316-L7			34	
	FireWire PCI-Card IEEE1394	400 Mbit/s, 3 external and 1 internal connectors										x	x	x								x	x	x		x		x	x	S26361-F3106-L520			22	
Rack-Infrastructure																																	
	Rack mount kit CELSIUS	For assembling in racks from Fujitsu Technology Solutions and in third party racks, inclusive rails							x	x	x	x	x	x	x	x	x		x	x										S26361-F2581-L100			188	
	Rack mounting kit CELSIUS										x			x	x	x	x											x	x	S26361-F2581-L101			191	
Port Replicator																																	
	Portrep\AC Adapter 100W \EU-Cable Kit					x																								S26391-F517-L100			107	
	Portrep\AC Adapter 100W \GB-Cable Kit					x																								S26391-F517-L200			107	
	Portreplicator			x	x																									S26391-F740-L500			109	Phased out
	Portreplicator							x																						S26391-F897-L100			91	
	Portrep\AC Adapter 210W\ EU-Cable Kit							x																						S26391-F897-L110			125	
	Portrep\AC-Adapter 120W \EU-Cable Kit						x																							S26391-F987-L120			108	Orderable from: 01/07/2011
OS/Application-SW																																	
	Drivers&Utilities DVD CELSIUS XP/ Vista	incl. Nero Essentials S, Norton Internet Security							x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26361-F2007-L909			17	
	Drivers&Utility (XP+Vista) Mobile H	incl. Nero Essentials S, Norton Internet Security	x	x	x	x																								S26361-F2007-L904			17	
UPS/Power supply																																	
	2nd battery		x																											S26391-F405-L200			13	Phased out
	1st Battery E8410/ E8420 8-cell 75Wh		x																											S26391-F405-L810			97	
	AC-Adapter 19V/100W		x																											S26391-F408-L300			35	
	2nd battery					x																								S26391-F440-L200			3	
	External battery charger, incl. 16V AC	not fitting for main battery E8420				x																								S26391-F458-L200			97	Phased out
	1st Battery 8cell 5.800mAh (83Wh)					x																								S26391-F518-L200			106	
	AC-Adapter 19V/100W	w/o power cord; power cords are listed under "Miscellaneous"				x																								S26391-F519-L100			44	
	2ND BATTERY			x	x																									S26391-F746-L100			90	Phased out
	2nd battery						x																							S26391-F777-L200			60	
	2pin AC Adapter 19V/120W						x																							S26391-F886-L700			44	Orderable from: 01/07/2011
	AC Adapter 19V/210W							x																						S26391-F896-L500			66	
	Battery 8cell 5800mAh						x	x																						S26391-F896-L700			108	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS Accessories — **Data Sheets:**

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H910	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS M550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS R910	CELSIUS ULTRA	CELSIUS V940	CELSIUS V940-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W410	CELSIUS W480	CELSIUS W510	CELSIUS W510 POWER	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
LPS/Power supply (Continued)																																	
Security																																	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard																				x								S26361-F1260-L520			22	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard																			x		x	x	x	x	x	x		S26361-F1260-L521			22	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard, CELSIUS M, R, V only								x	x		x	x		x	x	x												S26361-F1260-L522			24	
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x			x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x		S26361-F1571-L201			13	Phased out
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x			x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x		S26361-F1571-L210			97	Phased out
	Absolute Track, Abo. 1Y.	Single key licence, for more info please check hint box / product description	x			x																								S26361-F2009-L101			2	
	Absolute Track, Abo. 2Y.	Single key licence, for more info please check hint box / product description	x			x																								S26361-F2009-L102			16	
	Absolute Track, Abo. 3Y.	Single key licence, for more info please check hint box / product description	x			x																								S26361-F2009-L103			23	
	Data Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description	x			x																								S26361-F2009-L104			28	
	Data Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description	x			x																								S26361-F2009-L105			24	
	Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description	x			x																								S26361-F2009-L106			36	
	ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description	x			x																								S26361-F2009-L107			45	
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description	x			x																								S26361-F2009-L108			28	
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description	x			x																								S26361-F2009-L109			44	
	ATP, Data Protection, PE, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x																								S26361-F2009-L113			65	
	ATP, Data Protection, PE, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x																								S26361-F2009-L114			39	
	ATP, Data Protection, PE, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x																								S26361-F2009-L115			64	
	ATP, ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x																								S26361-F2009-L116			74	
	ATP, ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x																								S26361-F2009-L117			42	
	ATP, ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x																								S26361-F2009-L118			70	
	Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																								S26361-F2009-L201			23	
	Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																								S26361-F2009-L202			15	
	Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																								S26361-F2009-L203			25	
	Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																								S26361-F2009-L204			34	
	Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																								S26361-F2009-L205			25	
	Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																								S26361-F2009-L206			40	
	ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																								S26361-F2009-L207			48	
	ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																								S26361-F2009-L208			30	
	ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																								S26361-F2009-L209			48	
	ATP, Data Protection,PE, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description				x																								S26361-F2009-L213			58	
	ATP, Data Protection,PE, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				x																								S26361-F2009-L214			28	
	ATP, Data Protection,PE, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				x																								S26361-F2009-L215			45	
	ATP, ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				x										x	x	x												S26361-F2009-L217			57	
	ATP, ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				x																								S26361-F2009-L218			45	
	SCA Express	ExpressCard SmartCard adapter, Model Fujitsu, Bios support; SmartLogon plus support				x																								S26361-F2432-L720			40	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium				x				x	x		x	x		x	x	x				x	x		x	x		x		S26361-F2727-L100			17	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3				x			x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x		S26361-F2727-L730			18	
	RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with stand in white box packing				x	x	x																						S26381-F11-L100			34	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x	x	x			x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26381-F331-L220			20	
Miscellaneous																																	
	Lock ETNA																									x		x	x	S26361-F2542-L332			8	
	Keyboard Rubber caps	10 caps	x																											S26391-F2602-V1			22	Phased out
	iButton for RAID 5 support	incl. license for RAID 5														x	x	x												S26361-F2581-L44			74	
	Casters for CELSIUS M, R & V	Available in systems serial no. higher than YBSJ001400 (CELSUS V830) and YBWM004000 (CELSIUS M440).							x	x	x	x	x	x	x	x	x	x		x	x									S26361-F2581-L200			64	
	Rear USB 2.0 connector	2x USB 2.0																				x				x				S26361-F2438-L215			7	
	Blanking Plate 5.25" drive bays, 10 pcs.																					x				x				S26361-F2542-L326			10	
	Blanking Plate 3.5" drive bays, 10 pcs.																					x				x				S26361-F2542-L327			10	
	Blanking Plate 5.25" drive bays, 10 pcs.																							x	x		x	x	x	S26361-F2542-L325			17	
Keyboard /Mouse																																	
	KBPC PX ECO GB	keyboard professional USB, Great Britain, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED							x	x	x		x	x		x	x	x			x	x		x	x	x	x	x	x	S26381-K341-L165			29	
	Laser Mouse CL3500	Laser Mouse with Tilt-Wheel function, user selectable resolution from 400 up to 1600 dpi, class 1 laser, USB cable 1,8m, manual, software CD.	x	x	x	x			x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	S26381-K423-L100			13	
	SPACE EXPLORER	3D motion controller USB, manual, software, case, brown box.	x						x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26381-K425-L100			257	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS Accessories

Data Sheets:

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H910	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS R910	CELSIUS ULTRA	CELSIUS V940	CELSIUS V940-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W410	CELSIUS W480	CELSIUS W510	CELSIUS W510 POWER	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Keyboard /Mouse (Continued)																																	
	Notebook Mouse 400NB Black Retail	Notebook Mouse 400NB Black retail optical 1000 dpi tilt-wheel-function, USB cable 0,85, retail package blister				x																								S26381-K428-L100			8	
	Notebook Laser Mouse WI600	Notebook Laser Mouse WI600, 2,4 GHZ wireless technology, microreceiver, 3 programmable keys, 4-way-scroll function, 2 x AAA NiMH batteries, Software CD, manual, Retail box	x	x	x	x			x	x	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x	x	S26381-K429-L100			15	
	Laser Mouse Combo USB PS2	Laser Mouse Combo USB PS2, 3 button Wheel Mouse with Tilt-Wheel-Function (wheel is 3rd button), 1100 dpi laser sensor, with PS2 adatper, grey with anthracite buttom, 1.8 m USB cable, manual, CD, brown box packed.				x																								S26381-K430-L100			15	
	Wireless Laser Mouse WI400	Wireless Laser Mouse WI400, 2.4 GHz technology, interference-free usage among other 2.4 GHz products and extremly reliable due to specially generated IDs. Micro receiver and slot, 2 buttons, Wheel, switchable resolution 800, 1200 and 1600 dpi, Power on / off button, 2 x AAA batteries, manual, Retail box.	x	x	x	x			x	x	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x	x	S26381-K433-L100			13	
	Laser Mouse GL9000	Laser Mouse GL9000, programmable10 button mouse, Tilt Wheel Technology, adjustable 800 up to 1600 dpi, class 1 Laser, USB cable 1.8m, Software CD, manual, Retail box		x	x	x			x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	S26381-K438-L100			15	
	MOUSE M440 ECO	MOUSE M440 ECO, Optical wheel mouse USB, 1000 dpi, PVC free USB cable 1.8 m white box				x																								S26381-K450-L100			11	
	KB500 GB	KB500 USB GB, standard keyboard Greatbritain UK , marble grey								x	x					x	x	x						x						S26381-K500-L165			15	Phased out
	KB520 GB	KB520 USB, standard keyboard Greatbritain UK , marble grey								x	x					x	x	x						x						S26381-K520-L165			18	
	KB SCR GB	SmartCard keyboard english with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0																				x			x	x	x	x	x	S26381-K528-L165			32	
	KB400 PS2 GB	KB400 PS2 GB, SLIM value Keyboard black Great Britain, PS2								x	x					x	x	x						x						S26381-K551-L465			13	
	Wireless KB Mouse Set LX400 GB	Wireless keyboard & mouse set LX400 GB, RF laser mouse 1200 dpi, USB micro receiver, 2.4 GHz RF technology, 128Bit AES encryption, interference-free among other 2.4 GHz RF products due to special ID generation, 4 x AAA batteries, Hotkey software on CD, manual and safety instructions on CD, Retailbox.	x	x	x	x			x	x	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x	x	S26381-K552-L465			25	
	Wireless Keyboard Set LX900 GB	Wireless Keyboard Set LX900 GB, 128AES bit-encryption, spill-proof, micro receiver, programmable lasermouse, CD, manual, batteries, retailbox	x	x	x	x			x	x	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x	x	S26381-K564-L465			40	
	Keyboard KB500 USB (N) & Power Cord	marble grey, incl. power cord EU									x			x			x	x				x		x	x	x	x	x	x	S26361-F2542-L276			17	
Cables																																	
	Monitor outlet cable	necessary to contact monitor directly to the PC																					x	x						S26361-F2542-L57			8	
	Cable for 2. USB device								x	x	x	x	x	x	x	x	x			x	x	x	x	x		x				S26361-F2581-L10			15	
	Power cord three-wire EU	Power cord three-wire EU		x	x																									S26361-F2581-L310			8	
Input Devices																																	
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function	x	x	x	x																								U11081-C157			41	
Additional Software																																	
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1																		x	x									U11081-C157			13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs																		x	x									U11081-C171			987	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs																		x	x									U11081-C177			493	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME																		x	x									U11081-C183			26	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs																		x	x									U11081-C186			987	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs																		x	x									U11081-C192			396	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions																		x	x									U11081-C199			13	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0																		x	x									U11081-C201			26	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201																		x	x									U11081-C202			1075	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201																		x	x									U11081-C204			3468	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201																		x	x									U11081-C207			623	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202																		x	x									U11081-C212			1075	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204																		x	x									U11081-C214			3468	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207																		x	x									U11081-C217			623	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x				U11081-C301			1075	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x				U11081-C311			1075	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x				U11081-C321			439	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS Accessories — **Data Sheets:**

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H910	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS R910	CELSIUS ULTRA	CELSIUS V940	CELSIUS V940-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W410	CELSIUS W480	CELSIUS W510	CELSIUS W510 POWER	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Additional Software (Continued)																																	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																		x	x									U11081-C302			1734	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																		x	x									U11081-C312			1734	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																		x	x									U11081-C322			714	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																		x	x									U11081-C303			3468	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																		x	x									U11081-C313			3468	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																		x	x									U11081-C323			1428	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			U11081-C299			13	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x				x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x			U10987-C501			1075	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x				x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x			U10987-C513			1075	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x				x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x			U10987-C525			439	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																		x	x									U10987-C502			1734	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																		x	x									U10987-C514			1734	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																		x	x									U10987-C526			714	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																		x	x									U10987-C503			3468	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																		x	x									U10987-C515			3468	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																		x	x									U10987-C527			1428	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU																		x	x									U10987-C504			4016	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU																		x	x									U10987-C516			4016	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU																		x	x									U10987-C528			1639	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU																		x	x									U10987-C505			5202	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU																		x	x									U10987-C517			5202	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU																		x	x									U10987-C529			2123	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x				x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x			U10987-C500			31	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x				x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x			U10987-C499			13	

Positioning Displays

P Line

Superior Displays - P Line and XL Line
A feast for your eyes and a pleasure to use for work or multimedia:
- Ultra wide viewing angle and outstanding color performance
- 0.0 watt standby (P Line)
- Maximum connectivity
- Most advanced technical features

XL Line

B Line

Advanced Displays - B Line and SL Line
Efficiency for intensive office or entertainment usage:
- Optimum ergonomics (B Line) with height adjust, tilt, swivel and on standard formats as well rotation
- Energy efficient: power save panel EPA 5.0, ECO button, EPEAT Silver
- Ultra high contrast (SL Line)
- High-flexible connectivity: e.g. 2 x HDMI (on selected models), DVI (HDCP) for wide screen displays

SL Line

A/E Line

All-round Displays - A/E Line and L Line
Enter the world of LCD displays at an affordable price:
- Ergonomic or lifestyle design
- TCO'03 or TCO Displays 5.0
- Energy efficient - EPA 5.0, EPEAT Silver

L Line

Displays

Data Sheets: http://ts.fujitsu.com/display

P Line
- 0-Watt power save mode*
- Auto Brightness Control*
- UVA (Ultra Wide Viewing Angle)*
- Enhanced ergonomic height adjust stand
- HDMI for wide screen models
- Ready for Manageability
- 5th generation models in new design language

*: on sleected models

XL Line
- Advanced contrast ratio (ACR) up to 20,000:1
- ECO control button
- Video inputs HDMI, DVI and analog

* featured on selected models

B Line
- Energy saving solutions (as of Summer 2009)
  - Cut energy cost by half (versus Energy Star 4.1)
  - ECO operation mode for Energy Star 5.0
  - ECO button - direct access to ECO mode
- Flexible ergonomic stand
- Height Adjust, Tilt, Swivel, Rotation*
- DVI-D and analog interface
- Manageability

SL Line
- High ACR up to 10,000:1
- 2 x HDMI*, DVI*, analog interface
- Glossy black lifestyle design
- Full HD 1080P support*
- 16:9 ideal video format*
- Headphone jack*

A Line
- Energy saving solutions (as of Autumn 2009)
- Energy Star 5.0
- Tilt stand
- Analog interface
- Ergonomic Design

L Line
- Extra high ACR up to 10,000:1*
- 16:9* ideal video format
- Fast 5 ms response time
- Lifetime extender
- Theme Mode
- Glossy black lifestyle design

Category	Description	Details	Product Code			End User Price (RRP)	Comments
Peripherals							
Displays							
	Display E19W-5	Display E19W-5 E-Line Runrate 48cm (19")wide Display VGA, DVI	RUN:K1331-V160			112	
	Display E19-6 LED R	Display E19-6 LED R E-Line Runrate 48cm (19") Display VGA, DVI, matt black	RUN:K1376-V160			124	
	DISPLAY P19-5P ECO	DISPLAY P19-5P ECO, Premium Line 48cm(19") Display, VGA, DVI, Enhanced Height adjust Auto Pivot, Light sensor, Fujitsu Logo	S26361-K1319-V140			188	
	DISPLAY P23T-6 IPS	DISPLAY P23T-6 IPS Premium Line 58,4cm(23")wide Display IPS Panel, LED DP,DVI,VGA,USB, 4-in-1 stand	S26361-K1370-V140			276	
	DISPLAY P24W-6 IPS	DISPLAY P24W-6 IPS Premium Line 61cm(24")wide Display IPS Panel DP,DVI,VGA,USB, 4-in-1 stand	S26361-K1371-V140			388	
	DISPLAY P27T-6 IPS	DISPLAY P27T-6 IPS Premium Line 69cm(27")wide Display IPS Panel DP,HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1372-V140			588	
	DISPLAY B19-6 LED	DISPLAY B19-6 LED Business Line 48.3cm(19") Display VGA, DVI, 4-in-1 stand LED Backlight	S26361-K1374-V140			153	
	DISPLAY B22W-6 LED	DISPLAY B22W-6 LED Business Line 55.9cm(22")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	S26361-K1375-V140			182	
	DISPLAY B23T-6 LED	DISPLAY B23T-6 LED Business Line 58.4cm(23")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	S26361-K1388-V140			194	
	DISPLAY B22W-6 LED proGREEN	DISPLAY B22W-6 LED proGREEN, B-Line 55.9cm(22")wide matt black, DVI, VGA, 4-in-1 stand, LED Backlight	S26361-K1392-V160			171	

Positioning Input Devices & Security devices

Keyboards & Security

The keyboard is the most important interface between humans and the computer. Our keyboards are designed according to the latest ergonomic development and the non-abrasive laser inscription lasts a lifetime. The security keyboards conform to current market requirements and offer an perfect platform for security applications.

Keyboards & mice

Please look for your favourite keyboard amongst a vast choice of different types. We have the right keyboard for you, no matter if you only need basic functionality or enhanced business typing. For office and a long days work, our Premium Line keyboards are the right ones.

Choose the perfect mouse for your environment: small when on the road, regular sizes for the desk, left and right hand usage, wired or unwired, four way scroll function, high-precise optical or laser technology - whatever you desire!

Security devices

To serve and protect - we take care. There is no choice than our security devices if you want to protect your valuable data from beeing stolen, changed or copied. SmartCard technology helps to protect your data. Accompanying software completes the functionality of your SmartCard.

Input devices and Security — Data Sheets: http://ts.fujitsu.com/keyboards

Keyboards
A keyboard is the most important interface between user and computer. All our keyboards are designed to do the job. Reliable, effective and persevering. But what's more: they come in attractive and stylish designs to highlight every working place. There is a choice between wired and wireless keyboards, and also of features like e.g. quick touch buttons or 2 additional USB Ports.

Mice
Mice for every working or private environment. Great choice in different sizes, with or without cable, high precision technol ogy, ergonomic and easy to use.

Security devices
Data are often inestimable worths. But they can be deleted, copied and changed in a short time by anyone. With Fujitsu securi ty devices the access to mobile and stationary systems is effectively secured.

Category	Description	Details	Product Code			End User Price (RRP)	Comments
Peripherals							
Keyboard /Mouse							
	Keyboard cable PS2 4m round	with PS/2 plug; length 4m; for KBPC B,S,P,E,N,C,HK,P2	T26139-Y2530-V104			5	
	Keyboard cable with USB connector	Keyboard cable with USB and Western Plug lenght 2m; for KBPC SX, KBPC PX, KBPC NX	T26139-Y3812-V1			5	
	Keyboard cable with PS2 connector	Keyboard cable with PS/2 plug; length 2m; for KBPC PX	T26139-Y4530-V1			5	

Positioning PRIMERGY Economy Servers

PRIMERGY Econel 100 S2

PRIMERGY Econel servers are the best choice when funds are limited but server availability, performance, and uncomplicated operation are important. PRIMERGY Econel brings server performance at a price rivaling that of a PC!
PRIMERGY Econel servers ensure data security through ECC memory protection and integrated RAID disk mirroring. With its particularly low noise levels, the PRIMERGY Econel 100 S2 is the perfect system for any office environment.

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Memory												
	1GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	x					S26361-F3373-L413			55	
	2GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	x					S26361-F3373-L414			81	
Removable Media Drives												
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with USB cables for Econel, TX150, TX200 and TX300, with description (G/US) and cleaning cartridge			x	x		S26361-F3324-L4			432	
	Floppy Disk Drive 1.44MB	occupies accessible 3,5"- bay, incl. cable	x					S26361-F1723-L30			14	Phased out
Hard Disks												
	HD SATA 3GB/s 160GB 7.2k non hot pl 3.5"	SATA, 160 GB, 7200 rpm, 3.5-inch, economic			x	x		S26361-F3219-L160			86	Phased out
	HD SATA 3GB/s 1TB 7.2k hot plug 3.5"	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical					x	S26361-F3265-L100			253	
	HD SATA 3GB/s 250GB 7.2k hot plug 3.5"	SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, business critical					x	S26361-F3265-L250			94	
	HD SATA 3GB/s 500GB 7.2k hot plug 3.5"	SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical					x	S26361-F3265-L500			149	
	HD SAS 3GB/s 146GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise					x	S26361-F3204-L514			260	Phased out
	HD SAS 3GB/s 300GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise					x	S26361-F3204-L530			495	Phased out
	HD SAS 3GB/s 450GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise					x	S26361-F3204-L545			586	Phased out
	HDD SATA II 250GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology	x	x				S26361-F3212-L100			45	
	HDD SATA II 500GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable		x				S26361-F3435-L100			63	
	HDD SATA III 500GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, incl. cable, compatible to SATA technology	x					S26361-F3497-L100			84	
	HDD SATAIII 1000GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, incl. cable, compatible to SATA technology	x					S26361-F3521-L100			153	
SCSI/RAID/SAS controller												
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI			x	x	x	S26361-F2399-L1			253	Phased out
	68-Pin Kit for accessible drives	Cable with terminator			x	x		S26361-F2814-L6			56	Phased out
	BBU Modul for RAID Controller	BBU modul for RAID controller					x	S26361-F3085-L10			132	Phased out
	RAID5 Embedded MegaRAID SW LSI	key for software RAID5, only for attachment of SATA disks				x		S26361-F3217-L100			147	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R					x	S26361-F3271-L1			181	
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile					x	S26361-F3271-L201			180	
Communication/Network												
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter	x	x		x	x	S26361-F3142-L2			65	Phased out
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel® Pro 1000PT 1 Port Server Adapter	x				x	S26361-F3241-L1			78	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel® Pro 1000PT 1 Port Server Adapter					x	S26361-F3241-L201			78	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel® GBit CT 1 Port Desktop Adapter	x			x	x	S26361-F3516-L1			52	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu lp	Intel® GBit CT 1 Port Desktop Adapter lp					x	S26361-F3516-L201			52	
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, driver CD, PCI Express, full height/ low profile	x					S26361-F3067-L30			22	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x					S26361-F2542-L30			8	
Rack-Infrastructure												
	cage nut set, M5, t=2,5mm	Content: 50 pieces					x	S26361-F2735-L500			42	
	1 U cable arm, dragged	cable arm for PRIMERGY server, dragged for PRIMECENTER- and 3rd-party racks					x	S26361-F2735-L8			25	

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Rack-Infrastructure (Continued)												
PRIMERGY-Software												
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x			x	x	S26361-F2565-L340			20	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x			x	x	S26361-F2565-L341			99	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x			x	x	S26361-F2565-L342			20	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x			x	x	S26361-F2565-L343			99	
	Win SBS 2008 CAL (1 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite (1 Device); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)	x				x	S26361-F2565-L346			48	Phased out
	Win SBS 2008 CAL (1 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite (1 User); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)	x				x	S26361-F2565-L347			49	Phased out
	Win SBS 2008 CAL (5 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite (5 Device); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)	x				x	S26361-F2565-L348			232	Phased out
	Win SBS 2008 CAL (5 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite (5 User); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)	x				x	S26361-F2565-L349			233	Phased out
	Win SBS 2008 Standard ROK, GB	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x				x	S26361-F2565-L350			534	Phased out

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Rack-Infrastructure (Continued)												
	Win SBS 2008 Standard ROK, D	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x				x	S26361-F2565-L351			534	Phased out
	Win SBS 2008 Standard ROK, I	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x				x	S26361-F2565-L352			534	Phased out
	Win SBS 2008 Standard ROK, F	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x				x	S26361-F2565-L353			534	Phased out

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Rack-Infrastructure (Continued)												
	Win SBS 2008 Standard ROK, E	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x				x	S26361-F2565-L354			534	Phased out
	Win SBS 2008 Standard ROK, CZ	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x				x	S26361-F2565-L355			534	Phased out

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Rack-Infrastructure (Continued)												
	Win SBS 2008 Premium ROK, GB	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edtion for Small Business., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x				x	S26361-F2565-L360			924	Phased out
	Win SBS 2008 Premium ROK, D	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edtion for Small Business., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x				x	S26361-F2565-L361			924	Phased out

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Rack-Infrastructure (Continued)												
	Win SBS 2008 Premium ROK, I	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edtion for Small Business., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x				x	S26361-F2565-L362			924	Phased out
	Win SBS 2008 Premium CAL (1 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite for Premium Users or Devices (1 Device); multi-language CAL; for use on SBS 2008 Premium required for SQL.	x				x	S26361-F2565-L368			111	Phased out
	Win SBS 2008 Premium CAL (1 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite for Premium Users or Devices (1 User); multi-language CAL; for use on SBS 2008 Premium required for SQL.	x				x	S26361-F2565-L369			111	Phased out
	Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License für 1 device, License.	x					S26361-F2567-L340			73	
	Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License für 5 devices, License.	x					S26361-F2567-L341			329	
	Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License für 1 user, License.	x					S26361-F2567-L342			73	
	Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License für 5 users, License.	x					S26361-F2567-L343			329	
	PRIMERGY MultiPath MPIO Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO. CD-ROM and License.	x				x	S26361-F2565-L592			376	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x				x	S26361-F2565-L593			748	
	PRIMERGY MultiPath Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath. CD-ROM and License.	x				x	S26361-F2565-L594			376	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x				x	S26361-F2565-L595			748	
	PRIMERGY ServerView Suite subscription.	Subscription for 1 year, ca. 10 releases, The subscription is licensed only for PRIMERGY servers.	x	x	x	x	x	U15000-C176			184	
	ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager	x	x	x	x	x	U15000-C289			21	
	ServerView Deployment Manager V5	Software CD Full version, software only - no license	x		x	x	x	U15000-C299			25	
	ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!			x			U15000-C300			120	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Rack-Infrastructure (Continued)												
	ServerView Depl. Mgr. 5 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!			x		x	U15000-C301			52	
	SUSE Linux ES 1-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server with 1-CPU sockets 1-Year subscription renewal	x	x				S26361-F2346-L601			125	
	SUSE Linux ES 32-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1-Year subscription renewal					x	S26361-F2346-L611			215	
	SUSE Linux E 11 HAE 32-CPU +1Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 1-Year subscription renewal	x	x			x	S26361-F2346-L621			427	
	Debian-Ubuntu FSE Basic Support 1Y	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year	x	x	x	x	x	S26361-F2346-L411			81	
	Debian-Ubuntu FSE Basic Support 3Y	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years	x	x	x	x	x	S26361-F2346-L412			195	
	Debian-Ubuntu FSE Standard Support 1Y	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-Year	x	x	x	x	x	S26361-F2346-L415			209	
	Debian-Ubuntu FSE Standard Support 3Y	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3-Years	x	x	x	x	x	S26361-F2346-L416			502	
	Debian-Ubuntu FSE Priority Support 1Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year	x	x	x	x	x	S26361-F2346-L417			424	
	Debian-Ubuntu FSE Priority Support 3Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years	x	x	x	x	x	S26361-F2346-L418			1015	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!					x	S26361-F2341-L556			3302	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!					x	S26361-F2341-L557			3302	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 1 year Service Pack needed!					x	S26361-F2341-L558			1087	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 3 year Service Pack needed!					x	S26361-F2341-L559			1087	
OS/Application-SW												
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x					U15355-C720			346	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
OS/Application-SW (Continued)												
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x					U15355-C723			219	
UPS/Power supply												
	APC-UPS WEB Management Adapter	10 / 100 Mbit autosence AP9630 for APC-USV, use one smart slot	x			x	x	S26113-F80-L30			218	
	Cable powercord (D,..), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR	x	x	x	x		T26139-Y1740-L10			13	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x	T26139-Y1742-L10			13	
	Cable powercord (UK, IR), 1.8m, grey	suitable for UK, IR	x	x	x	x		T26139-Y1744-L10			13	
Media												
	DAT160 cleaning cartridge no label	DAT160 cleaning cartridge without label				x		D:CL-DAT160-MX-01			19	
	DAT72 cleaning cartridge no label	DAT72 cleaning cartridge without label	x	x	x	x	x	D:CL-DAT72-MX-01			4	
	LTO cleaning cartridge Fuji no label	Cleaning cartridge without label from Fuji for LTO drives			x	x		D:CL-LTO2-FJ-01			34	
	LTO cleaning cartridge Fuji with label	cleaning cartridge with label from Fuji for LTO drives			x	x		D:CL-LTO2-FJ-01L			35	
	LTO cleaning cartridge IBM no label	Cleaning cartridge without label from IBM for LTO drives			x	x		D:CL-LTO2-IB-01			39	
	LTO cleaning cartridge IBM with label	cleaning cartridge with label from IBM for LTO - drives			x	x		D:CL-LTO2-IB-01L			40	
	LTO cleaning cartridge Maxell no label	cleaning cartridge without label from Maxell for LTO drives			x	x		D:CL-LTO2-MX-01			35	
	LTO cleaning cartridge Maxell with label	cleaning cartridge with label from Maxell for LTO drives			x	x		D:CL-LTO2-MX-01L			36	
	LTO cleaning cartridge Sony no label	Cleaning cartridge without label from Sony for LTO drives			x	x		D:CL-LTO-SY-01			34	
	LTO cleaning cartridge Sony with label	cleaning cartridge with label from Sony for LTO drives			x	x		D:CL-LTO-SY-01L			35	
	LTO cleaning cart. Sony single pack	1x Cleaning cartridge without label from Sony for LTO drives at a single package			x	x		D:CL-LTO-SY-EP01			34	
	LTO cleaning cart. Sony single pkg label	1x Cleaning cartridge with label from Sony for LTO drives at a single package			x	x		D:CL-LTO-SY-EP01L			35	
	VXA cleaning label	Label for VXA cleaning cartridge			x	x		D:CL-VXA2-LAB			1	
	VXA cleaning cartridge	VXA cleaning cartridge			x	x	x	D:CL-VXA2-X-01			19	
	VXA cleaning cartridge with label	VXA cleaning cartridge			x	x	x	D:CL-VXA2-X-01L			20	
	DAT160 data cartridge no label	DAT160 data cartridge without label				x		D:CR-DAT160-MX-01			18	
	DAT72 data cartridge no label	DAT72 data cartridge without label	x	x	x	x	x	D:CR-DAT72-MX-01			12	
	LTO1 data cartridge Fuji no label	LTO-1 data cartridge without label from Fuji, 100 GB native capacity			x	x		D:CR-LTO1-FJ-01			20	Phased out
	LTO1 data cartridge Fuji with label	LTO-1 data cartridge with label from Fuji, 100 GB native capacity			x	x		D:CR-LTO1-FJ-01L			20	Phased out
	LTO1 data cartridge IBM no label	LTO-1 data cartridge without label from IBM, 100 GB native capacity			x	x		D:CR-LTO1-IB-01			28	
	LTO1 data cartridge IBM with label	LTO-1 data cartridge with label from IBM, 100 GB native capacity			x	x		D:CR-LTO1-IB-01L			29	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Media (Continued)												
	LTO1 barcode label horizontal	label for LTO-1 data cartridges			x	x		D:CR-LTO1-LAB			1	
	LTO1 data cartridge Maxell no label	LTO-1 data cartridge without label from Maxell, 100 GB native capacity			x	x		D:CR-LTO1-MX-01			22	Phased out
	LTO1 data cartridge Maxell with label	LTO-1 data cartridge with label from Maxell, 100 GB native capacity			x	x		D:CR-LTO1-MX-01L			23	Phased out
	VXA barcode label	Label for VXA data cartridge			x	x		D:CR-VXA2-LAB			1	
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB			x	x	x	D:CR-VXA2-X10-01			22	
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB			x	x	x	D:CR-VXA2-X10-01L			22	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB			x	x	x	D:CR-VXA2-X23-01			49	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB			x	x	x	D:CR-VXA2-X23-01L			50	
	RDX Cartridge 160/320GB	RDX Cartridge 160GB uncompressed / 320GB compressed	x	x		x		S26361-F3857-L160			89	
	RDX Cartridge Pack 10x 160/320GB	Package 10x RDX Cartridge 160GB uncompressed / 320GB compressed				x		S26361-F3857-L169			855	
	RDX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB compressed	x	x		x		S26361-F3857-L320			139	
	RDX Cartridge Pack 10x 320/640GB	Package 10x RDX Cartridge 320GB uncompressed / 640GB compressed				x		S26361-F3857-L329			1300	
	LTO cleaning label horizontal	label for LTO cleaning cartridges			x	x		D:CL-LTO-LAB			1	
Additional Software												
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x		x			U11081-C157			13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x		x			U11081-C171			987	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x		x			U11081-C177			493	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x		x			U11081-C183			26	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x		x			U11081-C186			987	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x		x			U11081-C192			396	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x		x			U11081-C199			13	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x		x			U11081-C201			26	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x		x			U11081-C202			1075	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x		x			U11081-C204			3468	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Additional Software (Continued)												
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201			x			U11081-C207			623	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x		x			U11081-C212			1075	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x		x			U11081-C214			3468	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x		x			U11081-C217			623	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x		x			U11081-C301			1075	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x		x			U11081-C311			1075	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x		x			U11081-C321			439	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x		x			U11081-C302			1734	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x		x			U11081-C312			1734	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x		x			U11081-C322			714	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x		x			U11081-C303			3468	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x		x			U11081-C313			3468	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x		x			U11081-C323			1428	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x		x			U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x		x			U11081-C299			13	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x		x			U10987-C501			1075	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x		x			U10987-C513			1075	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x		x			U10987-C525			439	

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Additional Software (Continued)												
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x		x			U10987-C502			1734	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x		x			U10987-C514			1734	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x		x			U10987-C526			714	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x		x			U10987-C503			3468	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x		x			U10987-C515			3468	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x		x			U10987-C527			1428	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x		x			U10987-C504			4016	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x		x			U10987-C516			4016	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x		x			U10987-C528			1639	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x		x			U10987-C505			5202	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x		x			U10987-C517			5202	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x		x			U10987-C529			2123	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x		x			U10987-C500			31	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x		x			U10987-C499			13	

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix										
Software Services										
	SP 1y L1,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E601	x	x		FSP:G-SP1L160PRL63			382	
	SP 1y L1,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E601	x	x		FSP:G-SP1L163PRL63			822	
	SP 1y L2,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611			x	FSP:G-SP1L260PRL63			382	
	SP 1y L2,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611			x	FSP:G-SP1L263PRL63			822	
	SP 1y vCenter FND,5x9	, Service Pack 1 year VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	FSP:G-SP1VC00PRV09			368	
	SP 1y vCenter FND,7x24	, Service Pack 1 year VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	FSP:G-SP1VC03PRV09			424	
	SP 1y vCenter STD,5x9	, Service Pack 1 year VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	FSP:G-SP1VS00PRV09			714	
	SP 1y vCenter STD,7x24	, Service Pack 1 year VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	FSP:G-SP1VS03PRV09			847	
	SP 3y L1,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E602	x	x		FSP:G-SP3L160PRL63			956	
	SP 3y L1,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E602	x	x		FSP:G-SP3L163PRL63			2056	
	SP 3y L2,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612			x	FSP:G-SP3L260PRL63			956	

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix										
Software Services (Continued)										
	SP 3y L2,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612			x	FSP:G-SP3L263PRL63			2056	
	SP 3y vCenter FND,5x9	, Service Pack 3 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	FSP:G-SP3VC00PRV09			941	
	SP 3y vCenter FND,7x24	, Service Pack 3 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	FSP:G-SP3VC03PRV09			1119	
	SP 3y vCenter STD,5x9	, Service Pack 3 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	FSP:G-SP3VS00PRV09			1821	
	SP 3y vCenter STD,7x24	, Service Pack 3 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	FSP:G-SP3VS03PRV09			2163	
	SP Xtend of 12m vCenter FND,5x9	SP Prolongation of 12 months VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	FSP:G-SPTVC00PRV09			368	
	SP Xtend of 12m vCenter FND,7x24	SP Prolongation of 12 months VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	FSP:G-SPTVC03PRV09			424	
	SP Xtend of 12m vCenter STD,5x9	SP Prolongation of 12 months VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	FSP:G-SPTVS00PRV09			714	
	SP Xtend of 12m vCenter STD,7x24	SP Prolongation of 12 months VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	FSP:G-SPTVS03PRV09			847	

Positioning PRIMERGY Tower Servers

PRIMERGY TX100 S1

PRIMERGY TX120

PRIMERGY TX150 S6

PRIMERGY TX200 S4

PRIMERGY TX300 S4

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY MX130 S1							
	PY MX130 S1 /SEMP 140/2 GB/DVD/	PY MX130 S1 /SEMP 140/2 GB/DVD/ KB400PS2GB/POW.CORD/ ,	VFY:M1301SC040GB			199	
	PY MX130 S1 /ATH II X2 220/2 GB/DVD/	PY MX130 S1 /ATH II X2 220/2 GB/DVD/ KB400PS2GB/POW.CORD/ ,	VFY:M1301SC050GB			221	

PRIMERGY TX100 S1&S2 — Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY TX100 S1 & S2 are your entry to the world of servers. It is the perfect system for SMEs looking to centralize their IT infrastructure, and offers a great price-performance ratio. Moreover, the TX100 S1&S2 are very silent and energy efficient making it an excellent choice for any office environment. The 85% efficient power supply unit minimizes costs, as well as the environmental impact. The use of data

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY TX100 S2							
	PY TX100S2/2XLFF /PENTIUM G6950/	PY TX100S2/2XLFF /PENTIUM G6950/ 2GB 1333 ECC U/DVD-RW SM/ HD SATA 250GB 3.5"/NO POWERCORD/ ,	VFY:T1002SC010IN			429	
	PY TX100S2/2XLFF /CORE I3-540/	PY TX100S2/2XLFF /CORE I3-540/ 2x2GB 1333 ECC U/DVD-RW SM/ 2xHD SATA 250GB 3.5"/NO POWERCORD/ ,	VFY:T1002SX010IN			460	
	PY TX100S2/4XLFF /XEON X3430/	PY TX100S2/4XLFF /XEON X3430/ 2x2GB 1333 ECC U/DVD-RW SM/ 2xHD SATA 500GB 3.5"/KB400USBGBGREY/ POW.CORD/,	VFY:T1002SX150GB			575	
PRIMERGY TX120 S2							
	PY TX120 S2 /C2D P8400/2GB ECC/	PY TX120 S2 /C2D P8400/2GB ECC/ DVD-RW SM SLIM/KB400USBGBGREY/POW.CORD/ ,	VFY:T1202SF020GB			749	
PRIMERGY TX140 S1							
	PY TX140S1F/LFF/STANDARD PSU /	PY TX140S1F/LFF/STANDARD PSU / XEON E3-1220/2 GB/DVD-RW SM/KIT/ KB400USBGBGREY/POW.CORD/ ,	VFY:T1401SC030GB			741	Orderable from: 14/06/2011
	PY TX140S1F/LFF/STANDARD PSU /	PY TX140S1F/LFF/STANDARD PSU / XEON E3-1220/4 GB/DVD-RW SM/ 2x500GB 7.2K/KIT/KB400USBGBGREY/ POW.CORD/,	VFY:T1401SC040GB			941	Orderable from: 14/06/2011
PRIMERGY TX150 S7							
	PY TX150S7F/LFF/STANDARD PSU /	PY TX150S7F/LFF/STANDARD PSU / XEON X3430/2x2GB 1333 ECC U/DVD-RW SM/ KB400USBGBGREY/POW.CORD/ ,	VFY:T1507SX100GB			753	
	PY TX150S7F/LFF/HOT PLUG PSU /	PY TX150S7F/LFF/HOT PLUG PSU / XEON X3430/4GB 1333 ECC R/DVD-RW SM/ 2x250GB/KB400USBGBGREY/POW.CORD/ ,	VFY:T1507SX110GB			941	
	PY TX150S7F/LFF/HOT PLUG PSU /	PY TX150S7F/LFF/HOT PLUG PSU / XEON X3450/2x4GB 1333 ECC R/DVD-RW SM/ 2x146GB 15K/RAID 6G 5/6 512MB/ KB400USBGBGREY/POW.CORD/,	VFY:T1507SX120GB			1424	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY TX120 S2							
	PY TX120 S2 /C2D P8400/2GB ECC/	PY TX120 S2 /C2D P8400/2GB ECC/ DVD-RW SM SLIM/KB400USBGBGREY/POW.CORD/ ,	VFY:T1202SF020GB			749	

PRIMERGY TX150 S7 — Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY TX150 S7 tower server delivers new levels of energy efficient performance with Intel® Xeon® Quad-Core processor 3200 / 3300 series. This is achieved with a 1066 / 1333 MHz FSB clock rate and with Intel's new state-of-the-art multi-core optimized microarchitecture. A server with this processor proves to be a particularly powerful system that can respond quickly to your requirements.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY TX150 S7							
	PY TX150S7F/LFF/STANDARD PSU /	PY TX150S7F/LFF/STANDARD PSU / XEON X3430/2x2GB 1333 ECC U/DVD-RW SM/ KB400USBGBGREY/POW.CORD/ ,	VFY:T1507SX100GB			753	
	PY TX150S7F/LFF/HOT PLUG PSU /	PY TX150S7F/LFF/HOT PLUG PSU / XEON X3430/4GB 1333 ECC R/DVD-RW SM/ 2x250GB/KB400USBGBGREY/POW.CORD/ ,	VFY:T1507SX110GB			941	
	PY TX150S7F/LFF/HOT PLUG PSU /	PY TX150S7F/LFF/HOT PLUG PSU / XEON X3450/2x4GB 1333 ECC R/DVD-RW SM/ 2x146GB 15K/RAID 6G 5/6 512MB/ KB400USBGBGREY/POW.CORD/,	VFY:T1507SX120GB			1424	

PRIMERGY TX200 S6 — Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY TX200 S6 is ideal for offices or branch infrastructures which need dual processor performance, high expandability and top manageability at the right price. With up to 96GB of RAM and redundancy features, you can make a great start into virtualization. The TX200 S6 also lends itself as a departmental server for business critical applications or as an email or web server. A tower to rack conversion kit protects your investment's lifetime.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY TX200 S6							
	PY TX200S6F/LFF/HOT PLUG PSU /	PY TX200S6F/LFF/HOT PLUG PSU / XEON E5620/4 GB/DVD-RW SM/2x146GB 15K/ BBU UPG. FSC RAID/RAID 6G 5/6 512MB/ KB400USBGBGREY/2xPOW.CORD/MOUSEM480GREY/,	VFY:T2006SF010GB			1941	
	PY TX200S6F/LFF/STANDARD PSU /	PY TX200S6F/LFF/STANDARD PSU / XEON DP E5506/4 GB/DVD-RW SM/ KB400USBGBGREY/POW.CORD/ ,	VFY:T2006SF020GB			966	

Model	Processor	Operating System	Cabinet	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW/DualCD, DVD RAM	FDD	Tape Drives	LAN	Mouse	Keyboards	SCSI Controller	RAID Controller	Power pack	RAID Options	SAS Controller	FC Controller	System Options	Miscellaneous	Cables	Graphics	Product Code			Web Order Price (AMVP)	Comments
Standard products																													
PRIMERGY TX300 S6																													
	Intel® Xeon® E5620		Tower	4 GB, DDR3, 1333 MHz								2 x Gbits Ethernet		GER		Integrated RAID SAS Ctrl., HDD SAS 6 GB, Fujitsu , 8 ports int.RAID level: 0, 1, 10, 5, 50, 6, 60, 512 MB Cache, optional BBU (based on LSI SAS2108) + Integrated RAID 0/1 or RAID 5/6 controller for SAS base units (option, occupies one PCIe slot).See	2 x Cable powercord (UK, S), 1.8m, grey							VFY:T3006SF030GB			2209	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Processor																																				
	Intel® Xeon® E5502 2C/2T 1.86 GHz 4 MB	Intel® Xeon® processor E5502 (2C/2T, 1.86 GHz, SLC: 2 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																			x							x					S26361-F3277-L186			338	Phased out
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																				x							x				S26361-F3277-L200			253	
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB	Intel® Xeon® processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																			x							x					S26361-F3278-L200			388	Phased out
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																			x	x						x	x				S26361-F3278-L213			364	Phased out
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																				x							x				S26361-F3278-L226			427	Phased out
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																			x							x					S26361-F3279-L226			639	Phased out
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																			x							x					S26361-F3279-L240			880	Phased out
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																			x							x					S26361-F3279-L253			1222	Phased out
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																			x							x					S26361-F3280-L267			1582	Phased out
	Intel® Xeon® X5570 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X5570 (4C/8T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																			x							x					S26361-F3280-L293			2262	Phased out
	Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink																			x							x					S26361-F3281-L226			880	Phased out
	Intel® Xeon® W5590 4C/8T 3.33 GHz 8 MB	Intel® Xeon® processor W5590 (4C/8T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/1/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																										x					S26361-F3337-L333			2605	Phased out
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																				x							x				S26361-F3618-L240			474	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																				x							x				S26361-F3618-L253			821	Phased out
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																				x							x				S26361-F3618-L266			924	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																				x							x				S26361-F3619-L266			1069	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																				x							x				S26361-F3619-L280			1282	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																				x							x				S26361-F3619-L293			1907	Phased out
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																										x					S26361-F3619-L306			1522	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																										x					S26361-F3619-L333			2189	Phased out
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																										x					S26361-F3619-L346			1753	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink																										x					S26361-F3620-L293			924	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																										x					S26361-F3620-L360			1753	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink																				x							x				S26361-F3621-L186			531	Phased out
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																				x							x				S26361-F3622-L213			659	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																				x							x				S26361-F3622-L226			1069	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																				x							x				S26361-F3648-L160			253	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																				x							x				S26361-F3648-L213			291	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																				x							x				S26361-F3649-L253			924	
Memory																																				
	MEM 1GB DDR2-533 PC2-4200 ub ECC(1mod)	1 module, unbuffered DDR2-533											x	x																				S26361-F3000-L514			81	Phased out
	MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod)	1 module, unbuffered DDR2-533											x	x																				S26361-F3000-L515			141	Phased out
	4GB 2x2GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz																								x								S26361-F3072-L523			427	Phased out
	MEM 8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																		x							x						S26361-F3230-L524			488	Phased out
	2GB DDR2-667 PC2-5300 ub d ECC	1 module, unbuffered DDR2 667MHz				x																												S26361-F3237-L515			141	Phased out

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Memory (Continued)																																				
	1 GB DDR3 1333 MHz PC3-10600 ub s ECC	1 GB (1 module(s) 1 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x												x																	S26361-F3335-L513			39	
	2 GB DDR3 1333 MHz PC3-10600 ub s/d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x												x																	S26361-F3335-L514			44	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x												x																	S26361-F3335-L515			86	
	2 GB DDR3 1333 MHz PC3-10600 ub s ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM						x	x																								S26361-F3335-L524			42	Orderable from: 14/07/2011
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM						x	x																								S26361-F3335-L525			86	Orderable from: 14/07/2011
	8 GB DDR3 1333 MHz PC3-10600 ub d ECC	8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM						x	x																								S26361-F3335-L526			727	Orderable from: 14/07/2011
	1GB DDR2-800 PC2-6400 ub d ECC 1 MODUL	1 modul, unbuffered DDR2 800MHz													x																		S26361-F3870-L514			56	Phased out
	2GB DDR2-800 PC2-6400 ub d ECC 1 MODUL	1 modul, unbuffered DDR2 800MHz													x																		S26361-F3870-L515			89	Phased out
	1GB DDR2-667 PC2-5300 reg ECC 1module	1 Modul, registered single rank DDR2 667MHz					x																										S26361-F3283-L514			56	
	2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																			x						x						S26361-F3263-L522			207	Phased out
	2GB DDR2-667 PC2-5300 reg ECC 1module	1 Modul, registered single rank DDR2 667MHz					x																										S26361-F3283-L515			89	
	2 GB DDR3 1333 MHz PC3-10600 rg s/d ECC	2 GB (1 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM														x																	S26361-F3336-L514			74	
	4GB DDR2-667 PC2-5300 reg d ECC 1 module	1 Modul, registered dual rank DDR2 667MHz					x																										S26361-F3283-L516			193	
	4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																			x						x						S26361-F3263-L523			333	Phased out
	4 GB DDR3 1333 MHz PC3-10600 rg d ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM														x																	S26361-F3336-L515			128	
	8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																			x						x						S26361-F3263-L524			488	Phased out
	8 GB DDR3 1066 MHz PC3-8500 rg q ECC	8 GB (1 module(s) 8 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM														x																	S26361-F3336-L516			620	
	1GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	x																														S26361-F3373-L413			55	
	2GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	x																														S26361-F3373-L414			81	
Memory Modules																																				
	2 GB DDR3 1333 MHz PC3-10600 ub d	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM																					x						x				S26361-F3606-L513			42	
	4 GB DDR3 1333 MHz PC3-10600 rg s ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																					x						x				S26361-F3604-L510			128	
	2 GB DDR3 1333 MHz PC3-10600 rg s	2 GB (1 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																					x						x				S26361-F3604-L513			74	
	8 GB DDR3 1333 MHz PC3-10600 rg d	8 GB (1 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																					x						x				S26361-F3604-L515			239	
	2GB DDR3-1066 PC3-8500 ub ECC 1 module	1 module 2GB 1066MHz, dual rank, unbuffered DDR3 DIMM without SDDC = Chipkill, Single modules for Independent Mode																					x										S26361-F3970-L513			65	Phased out
	2GB DDR3-1066 PC3-8500 rg ECC 1 MODUL	1 module 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																					x						x				S26361-F3284-L513			73	
	MM 4GB 2x2 DDR3-1066 PC3-8500 rg ECC	2 modules 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode																					x						x				S26361-F3284-L523			146	
	SP 6GB 3x2 DDR3-1066 PC3-8500 rg ECC	3 modules 2GB 1066MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode																					x						x				S26361-F3284-L533			218	
	16 GB DDR3 1066 MHz PC3-8500 rg q	16 GB (1 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																												x				S26361-F3604-L516			578	
	4GB DDR3-1066 PC3-8500 rg d ECC 1 MODUL	1 module 4GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																					x						x				S26361-F3284-L514			115	
	MM 8GB 2x4 DDR3-1066 PC3-8500 rg d ECC	2 modules 4GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode																					x						x				S26361-F3284-L524			232	
	SP12GB 3x4 DDR3-1066 PC3-8500 rg d ECC	3 modules 4GB 1066MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode																					x						x				S26361-F3284-L534			346	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg s ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																						x						x				S26361-F3605-L510			115	
	8GB DDR3-1066 PC3-8500 rg d ECC 1 MODUL	1 module 8GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																					x						x				S26361-F3284-L515			620	
	MM 16GB 2x8 DDR3-1066 PC3-8500 rg d ECC	2 modules 8GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode																					x						x				S26361-F3284-L525			1240	
	SP 24GB 3x8 DDR3-1066 PC3-8500 rg d ECC	3 modules 8GB 1066MHz, dual rank, 16GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode																					x						x				S26361-F3284-L535			1860	
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	8 GB (module(s) 8 GB) DDR3 LV, ECC, 1333 MHz, PC3-10600, DIMM																						x						x				S26361-F3605-L515			218	
	2GB DDR3-1333 PC3-10600 rg ECC 1 MODUL	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																					x						x				S26361-F3285-L513			73	
	MM 4GB 2x2 DDR3-1333 PC3-10600 rg ECC	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode																					x						x				S26361-F3285-L523			146	
	SP 6GB 3x2 DDR3-1333 PC3-10600 rg ECC	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode																					x						x				S26361-F3285-L533			218	
	4GB DDR3-1333 PC3-10600 rg d ECC 1 MODUL	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																					x						x				S26361-F3285-L514			128	
	MM 8GB 2x4 DDR3-1333 PC3-10600 rg d ECC	2 modules 4GB 1333MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode																					x						x				S26361-F3285-L524			232	
	SP 12GB 3x4 DDR3-1333 PC3-10600 rg d ECC	3 modules 4GB 1333MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode																					x						x				S26361-F3285-L534			385	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Memory Modules (Continued)																																				
	8GB DDR3-1333 PC3-10600 rg d ECC 1 MODUL	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																				x						x					S26361-F3285-L515			218	
	MM 16GB 2x8 DDR3-1333 PC3-10600 rg d ECC	2 modules 8GB 1333MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode																				x						x					S26361-F3285-L525			436	
	SP 24GB 3x8 DDR3-1333 PC3-10600 rg d ECC	3 modules 8GB 1333MHz, dual rank, 16GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode																				x						x					S26361-F3285-L535			654	
Graphics																																				
	Front-VGA interface	2nd optional VGA interface front side																										x	x				S26361-F2571-L16			18	
	PY VGA Card 256MB PCI-e 1	NVIDIA NVS 290 256MB PCIe-x1 graphic card	x	x											x	x						x	x					x	x				S26361-F2748-L533			115	
	PY LP VGA Card 256MB PCI-e 1	NVIDIA NVS 290 256MB PCIe-x1 graphic card					x																										S26361-F2748-L633			115	
Removable Media Drives																																				
	Tape Kit DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge						x																									S26361-F3325-L2			586	Deliverable from: 16/06/2011,Orderable from: 05/07/2011
	Blu-ray Triple Writer 1.6" SATA	Read: 8x BD-ROM, 16x DVD, 40x CD, Write: 6x BD, 16x DVD, 32x CD, BD DL and all CD/DVD formats, 1.6" fitting height	x	x					x							x							x							x			S26361-F3585-L2			295	
	F-D-L-HDD-Box2	for slim FDD or LocalView and DVD, 2x HDD																			x					x	x						S26361-F2826-L101			86	Phased out
	MountingKit DVD(sl)+LSP/LSD	for slim DVD, 1x Local Service Panel or Display														x						x	x					x	x				S26361-F2826-L204			25	
	F-D-L-HDD-Box2	for slim DVD, 1x Local Service Panel or Display, 2x HDD																										x	x				S26361-F2826-L103			68	
	MountingKit DVD(sl)+LSP/LSD +SAS LFF HDD	for slim DVD, 1x Local Service Panel or Display, 2x HDD																				x	x										S26361-F2826-L104			74	
	F-D-L-HDD-Box2	for slim FDD or LocalView or CSS and DVD, 2x HDD												x	x																		S26361-F2826-L102			86	Phased out
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM,slimline 0.5" fitting height, black					x	x								x						x	x					x	x				S26361-F3269-L2			78	
	Blu-ray Combo slimeline SATA	2x BD-ROM, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height, black					x	x								x						x	x					x	x				S26361-F3531-L2			218	
	SFF 8xSAS HDD Box	Extension Box for 8 pc. 2.5" hotplug HDD																				x	x					x	x				S26361-F2826-L114			141	
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel	x	x				x								x						x	x					x	x				S26361-F3266-L2			34	
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, anthracite													x						x					x							S26361-F3267-L1			68	Phased out
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel	x	x				x								x						x	x					x	x				S26361-F3267-L2			55	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, anthracite													x						x					x							S26361-F3269-L1			98	Phased out
	RDX Drive USB 25MB/s 3.5" int	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)				x	x																										S26361-F3857-L2			136	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)	x	x				x								x						x	x					x	x				S26361-F3857-L4			136	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)						x																									S26361-F3857-L5			136	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with USB cables for Econel, TX150, TX200 and TX300, with description (G/US) and cleaning cartridge	x	x				x				x	x	x	x	x			x	x	x	x			x	x	x	x					S26361-F3324-L4			432	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US) and cleaning cartridge				x	x																										S26361-F3324-L2			432	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US) and cleaning cartridge						x																									S26361-F3324-L5			427	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge	x					x	x							x						x	x					x	x				S26361-F3325-L4			586	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge														x						x	x					x	x				S26361-F4009-L4			1215	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge						x						x	x							x	x					x	x				S26361-F3561-L4			1321	
	Tape Kit LTO4HH 800GB 120MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge												x	x						x	x	x				x	x	x				S26361-F3626-L1			1839	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge						x						x	x						x	x	x				x	x	x				S26361-F3626-L2			1839	Deliverable from: 14/06/2011,Orderable from: 29/06/2011
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge						x								x							x						x				S26361-F3627-L1			2438	
Hard Disks																																				
	HDD Ext. 2x 2.5" hot plug TX120 S1/S2	for 2x 2.5" SAS/SATA HDD hot plug, aktiv termination				x	x																											S26361-F2826-L130			47	
	HD SATA 3GB/s 160GB 7.2k non hot pl 3.5"	SATA, 160 GB, 7200 rpm, 3.5-inch, economic	x	x											x																		S26361-F3219-L160			86	Phased out
	HD SATA 3GB/s 1TB 7.2k hot plug 3.5"	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical													x						x					x							S26361-L3265-L100			253	
	HD SATA 3GB/s 250GB 7.2k hot plug 3.5"	SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, business critical													x						x					x							S26361-F3265-L250			94	
	HD SATA 3GB/s 500GB 7.2k hot plug 3.5"	SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical													x						x					x							S26361-F3265-L500			149	
	HD SAS 3G 600GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise																				x						x					S26361-F3291-L560			621	
	HD SATA 3G 250GB 7.2K HOT PLUG 3.5" ECO	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic													x	x						x	x					x	x				S26361-F3293-L250			68	
	HD SATA 3GB/s 250GB 7.2k non hot pl 3.5"	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, non-hot-plug, 3.5-inch, economic	x																														S26361-F3574-L250			68	
	SSD SATA 3GB/s 32GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise					x	x																									S26361-F3998-L32			560	
	SSD SATA 3GB/s 64GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 64 GB, SLC, hot-plug, 2.5-inch, enterprise					x	x																									S26361-F3998-L64			966	
	HD SAS 6GB/s 146GB 10k hot plug 2.5"	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x																										S26361-F4004-L114			180	
	HD SAS 6GB/s 300GB 10k hot plug 2.5"	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x																										S26361-F4004-L130			287	
	HD SAS 6GB/s 450GB 10k hot plug 2.5"	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x																										S26361-F4004-L145			440	
	HD SAS 6GB/s 600GB 10k hot plug 2.5"	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x																										S26361-F4004-L160			552	
	HD SAS 6GB/s 146GB 15k hot plug 2.5"	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise					x	x																									S26361-F4004-L514			256	
	HD SAS 6GB/s 73GB 15k hot plug 2.5"	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise					x	x																									S26361-F4004-L573			196	
	HD SATA 3G 250GB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, non-hot-plug, 3.5-inch, business critical	x	x				x																									S26361-F3334-L250			94	
	HD SATA 3G 160GB 5.4K HOT PLUG 2.5" ECO	SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic						x	x							x						x	x					x	x				S26361-F3297-L160			141	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Hard Disks (Continued)																																				
	HD SATA 3G 500GB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, non-hot-plug, 3.5-inch, business critical	x	x			x																										S26361-F3334-L500			151	
	HD SATA 3GB/s 160GB 5.4k hot plug 2.5"	SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic				x																											S26361-F3515-L160			142	
	HD SAS 3G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																				x						x				S26361-F3292-L114			212	
	HD SAS 3G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																				x						x				S26361-F3292-L130			385	
	HD SATA 3G 320GB 5.4K HOT PLUG 2.5" ECO	SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic					x	x								x						x	x					x	x			S26361-F3297-L320			167	
	HD SATA 3G 1TB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 1000 GB, 7200 rpm, non-hot-plug, 3.5-inch, business critical	x	x			x																										S26361-F3334-L100			253	
	HD SATA 3GB/s 320GB 5.4k hot plug 2.5"	SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch				x																											S26361-F3515-L320			167	
	HD SAS 3G 450GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																				x						x				S26361-F3292-L145			509	
	HD SATA 3G 2TB 7.2K NON HOT PL 3.5" BC			x			x																										S26361-F3334-L200			394	
	HD SATA 3GB/s 1TB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical				x																											S26361-F3600-L100			329	Deliverable from: 15/06/2011,Orderable from: 22/06/2011
	HD SAS 3G 600GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																				x						x				S26361-F3292-L160			624	
	HD SATA 3G 500GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic					x									x						x	x					x	x			S26361-F3297-L500			184	
	HD SATA 3GB/s 160GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical				x																											S26361-F3600-L160			167	
	HD SAS 3G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																				x						x				S26361-F3292-L573			272	
	HD SAS 3G 146GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																				x						x				S26361-F3292-L514			392	
	HD SATA 3GB/s 500GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical				x																											S26361-F3600-L500			196	
	HD SATA 3G 250GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, business critical						x								x						x	x					x	x			S26361-F3294-L250			95	
	HD SATA 3G 500GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical						x								x						x	x					x	x			S26361-F3294-L500			160	
	HD SATA 3G 1TB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical						x								x						x	x					x	x			S26361-F3294-L100			255	
	HD SATA 3G 2TB 7.2K HOT PLUG 3.5" BC	7.200 rpm, fitting height 1"						x								x						x	x					x	x			S26361-F3294-L200			398	
	SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise														x						x							x			S26361-F3298-L32			560	
	SSD SATA 3G 64GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 64 GB, SLC, hot-plug, 2.5-inch, enterprise														x						x							x			S26361-F3298-L64			966	
	HD SATA 3G 160GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical														x						x	x					x	x			S26361-F3601-L160			168	
	HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical					x	x								x						x	x					x	x			S26361-F3601-L500			198	
	HD SATA 3G 1TB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical					x	x								x						x	x					x	x			S26361-F3601-L100			329	Deliverable from: 15/06/2011,Orderable from: 22/06/2011
	HD SAS 3G 146GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise						x								x						x	x					x	x			S26361-F3291-L514			262	
	HD SAS 3G 300GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise																				x						x				S26361-F3291-L530			495	
	HD SAS 3G 450GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise																				x						x				S26361-F3291-L545			592	
	HD SAS 6G 300GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise						x								x						x	x						x			S26361-F4005-L530			315	
	HD SAS 6G 450GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise						x								x						x	x						x			S26361-F4005-L545			414	
	HD SAS 6G 600GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise						x								x						x	x						x			S26361-F4005-L560			449	
	HD SAS 3GB/s 146GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise												x	x						x	x				x	x						S26361-F3204-L514			260	Phased out
	HD SAS 3GB/s 300GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise												x	x						x	x				x	x						S26361-F3204-L530			495	Phased out
	HD SAS 3GB/s 450GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise												x	x						x					x	x						S26361-F3204-L545			586	Phased out
	HD SAS 6G 146GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x	x								x							x						x			S26361-F4482-L114			181	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x									x							x						x			S26361-F4482-L130			308	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x	x								x							x						x			S26361-F4482-L145			440	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x	x								x							x						x			S26361-F4482-L160			556	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise						x								x							x						x			S26361-F4482-L573			218	
	HD SAS 3GB/s 600GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise												x	x						x	x				x	x						S26361-F3204-L560			616	Phased out
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise						x								x							x						x			S26361-F4482-L514			269	
	HDD SAS 146GB 10k 3GB/s hot plug 2.5"	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise				x	x								x						x						x						S26361-F3208-L114			212	
	HD SAS 3GB/s 300GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise				x	x														x						x						S26361-F3208-L130			381	
	HD SAS 3GB/s 450GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise				x	x														x						x						S26361-F3208-L145			509	
	HD SAS 3GB/s 600GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise				x	x														x						x						S26361-F3208-L160			624	
	HDD SAS 73GB 15k 3GB/s hot plug 2.5"	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise					x														x						x						S26361-F3208-L573			269	
	HD SAS 3GB/s 146GB 15k hot plug 2.5"	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise					x														x						x						S26361-F3208-L514			388	
SCSI/RAID/SAS controller																																				
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI							x	x	x	x	x			x	x	x	x				x	x	x					x	x	x	S26361-F2399-L1			253	Phased out
	SCSI Ctrl U160 1- ch int/ext lp	Adaptec 29160LP, 1x U160 SCSI			x															x						x	x	x				S26361-F2737-L201			253	Phased out
	68-Pin Kit for int. access. SCSI drives	Cable with terminator																		x						x	x	x				S26361-F2814-L12			55	Phased out
	68-Pin Kit for accessible drives	Cable with terminator							x	x	x	x	x			x	x					x	x		x								S26361-F2814-L6			56	Phased out
	BBU Modul for RAID Controller	BBU modul for RAID controller								x	x	x	x							x	x												S26361-F3085-L10			132	Phased out
	SCSI-Cable for internal Tapes x600 Sx	for connetion of internal Tapes																													x	x	S26361-F3128-L101			86	Phased out
	RAID Ctrl SAS 8 Port 256MB LSI	RAID-Ctrl, LSI MegaRAID SAS8344ELP, PCIe x4, 256MB Cache, 4 external ports, 4 internal ports, optional BBU, . >>>exclusive for external attachment of FibreCAT SX40 !!!. This SAS RAID controller supports SAS and SATA disks.												x								x	x				x	x			x	x	S26361-F3215-L1			660	Phased out
	RAID Ctrl BBU Upgrade 8344ELP LSI	BBU Upgrade for LSI 8344ELP												x								x					x				x	x	S26361-F3215-L10			188	Phased out
	RAID5 Embedded MegaRAID SW LSI	key for software RAID5, only for attachment of SATA disks												x	x							x	x										S26361-F3217-L100			147	Phased out
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for Fujitsu SAS/SATA RAID Controller for RAID Ctrl. F3257 256MB and 512MB													x							x						x					S26361-F3257-L10			201	Phased out
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for LSI SAS1078 and LSI SAS2108 incl. cable 16cm, 55cm, 70cm					x									x							x	x					x	x			S26361-F3257-L110			142	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports					x		x							x	x						x	x	x								S26361-F3257-L4			95	
	RAID 5/6 SAS based on LSI MegaRAID 512MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 512MB Cache, 8 internal ports, optional BBU														x							x	x					x	x			S26361-F3257-L512			453	Phased out
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports					x	x								x	x						x	x					x	x			S26361-F3257-L8			115	
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI														x	x						x	x	x								S26361-F3270-L1			168	
	SCSI Ctrl U320 1ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile					x																										S26361-F3270-L201			168	
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R														x	x						x	x	x								S26361-F3271-L1			181	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
SCSI/RAID/SAS controller (Continued)																																				
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile					x																										S26361-F3271-L201			180	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal port		x			x	x	x							x					x	x						x				S26361-F3554-L512			333	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports					x	x	x							x					x	x						x				S26361-F3554-L8			142	
	RAID Ctrl SAS 6G 8Port ex 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID based on Controller SAS2108, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU														x					x	x						x	x				S26361-F3593-L501			505	
	SAS Ctrl 6G 8ext PCIe FH/LP	SAS Controller 6GB/s 8 port, based on chip LSI SAS2008					x									x						x						x				S26361-F3628-L501			222	
	RAID Ctrl SAS 8Port opt remote BBU LSI	optional BBU for LSI MegaRAID SAS8880E													x						x						x						S26361-F3890-L11			188	Phased out
	RAID Ctrl SAS 8Port opt remote BBU LSI	optional BBU for LSI MegaRAID SAS8880E																				x						x					S26361-F3890-L13			149	
	RAID Ctrl SAS 8Port 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, without iBBU													x						x	x					x	x					S26361-F3890-L501			633	Phased out
	RAID CABLE TX100 S2	für nachträgliche Hochrüstung mit einem RAID Kontroller		x																													S26361-F3659-L1			21	
Fibre Channel																																				
	FC Ctrl 4GBit/s QLE2460 MMF LC	QLE2460 , 4GBit/s, 1 channel FC controller, PCIe x4, full height, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.																		x	x	x	x			x	x	x				x	S26361-F3483-L1			842	Phased out
	FC Ctrl 4GBit/s QLE2462 MMF LC	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, full height, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.																		x	x	x	x			x	x	x				x	S26361-F3483-L2			1295	Phased out
	FC Ctrl 8GB/s 1 Kanal QLE2560 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																					x						x				S26361-F3631-L1			876	
	FC Ctrl 8GB/s 2 Kanal QLE2562 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																					x						x				S26361-F3631-L2			1420	
	FC Ctrl 4GBit/s LPe1150 MMF LC	LPe1150, 4GBit/s, 1-channel FC controller, PCIe x4, MMF LC inferface																		x	x	x	x			x	x	x		x	x	x	S26361-F3306-L1			800	Phased out
	FC Ctrl 2x4GBit/s LPe11002 MMF LC	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, MMF LC inferface																		x	x	x	x			x	x	x		x	x	x	S26361-F3306-L2			1227	Phased out
	FC CTRL 8GBIT/S LPE1250 MMF LC FH	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																				x	x	x				x	x	x				S26361-F3961-L1			876	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																				x	x	x				x	x	x				S26361-F3961-L2			1420	
Connection Blades																																				
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter D2755., For multi-mode short-range fiber optic cables up to 300m.							x	x						x							x						x				S26361-F3986-L3			346	
Communication/Network																																				
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter											x	x	x				x	x	x				x	x	x						S26361-F3142-L2			65	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu	Intel Pro 1000PT 2 Port Server Adapter	x										x	x						x	x	x									x	x	S26361-F3228-L1			149	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter				x																											S26361-F3228-L201			151	Phased out
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel® Pro 1000PT 1 Port Server Adapter	x	x									x	x	x					x	x	x	x			x	x	x				x	S26361-F3241-L1			78	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel® Pro 1000PT 1 Port Server Adapter				x	x																										S26361-F3241-L201			78	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel® Pro 1000PF 1 Port Server Adapter											x	x	x					x	x	x	x			x	x	x				x	S26361-F3242-L1			315	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp	Intel® Pro 1000PF 1 Port Server Adapter					x																										S26361-F3242-L201			312	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full hight bracket													x					x	x	x				x	x	x				x	S26361-F3462-L1			419	Phased out
	Eth Ctrl 4x1GBit PCIex4 PRO/1000PT Cu lp	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket				x																											S26361-F3462-L201			422	Phased out
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel® GBit CT 1 Port Desktop Adapter	x	x				x							x	x					x	x	x				x	x	x				S26361-F3516-L1			52	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu lp	Intel® GBit CT 1 Port Desktop Adapter lp					x	x																									S26361-F3516-L201			52	
	Eth Ctrl 2x1GBit PCIe x4 D2735 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit		x												x							x						x				S26361-F3610-L501			133	Phased out
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit		x			x	x	x							x							x						x				S26361-F3610-L502			132	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu, Based on Intel® LAN controller chip 82580EB, Usable with original Intel® driver kit						x	x							x							x						x				S26361-F3611-L501			324	
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+							x							x							x						x				S26361-F3629-L502			427	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8, SFP+ for opt. module or Twinax cable																												x				S26361-F3592-L2			1008	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102																												x				S26361-F3592-L108			342	
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables														x							x						x	x			S26361-F3555-L501			693	Phased out
	Intel SFP+ Module MMF 10GBE LC	Intel® Ethernet SFP+ Optics - SR, SFP+ Module Multi Mode Fiber 10GBE LC							x							x													x	x			S26361-F3555-L900			505	Phased out
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter								x	x	x	x				x	x	x	x				x	x	x					x	x	x	S26361-F3011-L1			193	Phased out
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x	x																														S26361-F2542-L30			8	
Rack-Infrastructure																																				
	Conversion kit 3 Floor -> Rack	for conversion of a floorstand BU to rack BU																	x	x					x	x	x						S26361-F1729-L230			107	Phased out
	Conversion kit TX300S5 Floor -> Rack	for conversion of a floorstand BU to rack BU																										x					S26361-F1729-L240			104	Phased out
	Conversion kit TX300 S6 Floor -> Rack	for conversion of a floorstand BU to rack BU																											x				S26361-F1729-L250			86	
	Conversion kit 4 Floor -> Rack	for conversion of a floorstand BU to rack BU																				x											S26361-F1729-L330			104	Phased out
	Conversionkit PRY TX150 S6 Floor -> Rack	for conversion of a floorstand BU to rack BU											x	x	x																		S26361-F2618-L250			68	Phased out
	Conversionkit PRY TX200 S5 Floor -> Rack	for conversion of a floorstand BU to rack BU							x							x						x	x										S26361-F2618-L260			86	
	RMK TX150 s4 telescopic rails	1 pair telescopic rails depth 704-790mm, DIP\3rd P Racks incl.vario carrier and cable management											x	x																			S26361-F2734-L32			193	Phased out
	RMK-TX200-S4	Special-Rackmount-Kit with Rack brackets and base tub, incl. full extraction and cable management																			x												S26361-F2734-L90			188	Phased out
	RMK-F2_TX300-S4	telescopic full extraction, 1-hand mount vario-carrier, pre-assem, centre screw, max. load 50 kg																	x	x					x	x	x	x	x				S26361-F2735-L103			76	Phased out
	RMK-F1_TX150-S6	full extraction with vario-carrier, pre-assembled with centre screw											x	x	x																		S26361-F2735-L105			76	Phased out

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Rack-Infrastructure (Continued)																																				
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	Telescopic full extract. drop-in mount.; vario-carrier for toolless mounting, max. load 50 kg, , Rack installation depth (19" pillar distance) between 714mm and 785mm							x							x						x	x					x				S26361-F2735-L202			56	
	cage nut set, M5, t=2.5mm	Content: 50 pieces											x	x					x	x					x	x	x					x	S26361-F2735-L500			42	
	Cable magmt. for 19" PC- Rack	cable management for adding a server or storage subsystem from a 3rd party rack into the PRIMECENTER rack 2							x						x	x						x	x				x	x	x				S26361-F2735-L7			25	
	1 U cable arm, dragged	cable arm for PRIMERGY server, dragged for PRIMECENTER- and 3rd-party racks											x	x					x	x					x	x						x	S26361-F2735-L8			25	
	Cable management arm for 3rd party racks	all-purpose for PY server in 3rd party and classic racks							x	x					x	x		x	x		x	x	x	x	x		x	x	x	x			S26361-F2201-L20			42	
PRIMERGY-Software																																				
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection				x							x							x						x							S26361-F1790-L240			256	
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection					x								x	x					x	x	x				x	x	x				S26361-F1790-L241			259	
	iRMC S3 advanced pack							x	x																								S26361-F1790-L242			259	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L318			21	Phased out
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L328			21	Phased out
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L340			20	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L341			99	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L342			20	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L343			99	
	Win SBS 2008 CAL (1 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite (1 Device); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)	x	x	x	x	x								x	x					x	x	x				x	x	x				S26361-F2565-L346			48	Phased out
	Win SBS 2008 CAL (1 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite (1 User); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)	x	x	x	x	x								x	x					x	x	x				x	x	x				S26361-F2565-L347			49	Phased out
	Win SBS 2008 CAL (5 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite (5 Device); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)	x	x	x	x	x								x	x					x	x	x				x	x	x				S26361-F2565-L348			232	Phased out
	Win SBS 2008 CAL (5 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite (5 User); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)	x	x	x	x	x								x	x					x	x	x				x	x	x				S26361-F2565-L349			233	Phased out
	Win SBS 2008 Standard ROK, GB	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x	x								x	x					x	x	x				x	x	x				S26361-F2565-L350			534	Phased out
	Win SBS 2008 Standard ROK, D	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x	x								x	x					x	x	x				x	x	x				S26361-F2565-L351			534	Phased out
	Win SBS 2008 Standard ROK, I	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x	x								x	x					x	x	x				x	x	x				S26361-F2565-L352			534	Phased out

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
PRIMERGY-Software (Continued)																																				
	Win SBS 2008 Standard ROK, F	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x	x								x	x						x	x	x				x	x	x				S26361-F2565-L353			534	Phased out
	Win SBS 2008 Standard ROK, E	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x	x								x	x						x	x	x				x	x	x				S26361-F2565-L354			534	Phased out
	Win SBS 2008 Standard ROK, CZ	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x	x								x	x						x	x	x				x	x	x				S26361-F2565-L355			534	Phased out
	Win SBS 2008 Premium ROK, GB	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edition for Small Business., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x	x								x	x						x	x	x				x	x	x				S26361-F2565-L360			924	Phased out
	Win SBS 2008 Premium ROK, D	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edition for Small Business., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x	x								x	x						x	x	x				x	x	x				S26361-F2565-L361			924	Phased out
	Win SBS 2008 Premium ROK, I	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., The Premium Edition contains SQL Server 2008 Standard Edition for Small Business., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x	x								x	x						x	x	x				x	x	x				S26361-F2565-L362			924	Phased out
	Win SBS 2008 Premium CAL (1 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite for Premium Users or Devices (1 Device); multi-language CAL; for use on SBS 2008 Premium required for SQL.	x	x	x	x	x								x	x						x	x	x				x	x	x				S26361-F2565-L368			111	Phased out

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																					
PRIMERGY-Software (Continued)																																					
	Win SBS 2008 Premium CAL (1 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite for Premium Users or Devices (1 User); multi-language CAL; for use on SBS 2008 Premium required for SQL.	x	x	x	x	x								x	x					x	x	x				x	x	x				S26361-F2565-L369			111	Phased out
	MS SysCtr VMM 2008 R2 WorkGroupEdtn ROK	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. ROK DVD, License.	x	x	x		x	x	x						x	x					x	x					x	x	x				S26361-F2567-L20			325	
	MS SysCtr Essntls 2010 ROK	MS System Center Essentials 2010. English. ROK DVD, License.	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2567-L30			98	
	Win Svr 2008 R2 SP1 Foundation 1CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x		x	x	x							x																	S26361-F2567-L301			146	
	Win Srv 2008 R2 Foundation 1CPU MULI ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA, CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.	x	x			x	x	x						x	x																	S26361-F2567-L306			141	
	Win Srv 2008 R2 Foundation 1CPU PRC ROK	Only for Fujitsu distributors for distribution in People's Republic of China. Win Srv 2008 R2 Fnd (1 CPU) Simplified Chinese. ROK DVD, License.	x	x	x		x	x	x						x	x																	S26361-F2567-L308			132	
	MS SysCtr Essntls 2010 Server ML 1-OSE	MS System Center Essentials 2010 Managed Server License 1 OSE Pack., OSE = Operating System Environment	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2567-L31			76	
	Win Srv 2008 R2 Standard 5CAL MULI ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.	x	x			x	x	x						x	x						x	x					x	x				S26361-F2567-L310			459	
	Win Srv 2008 R2 SP1 Standard w/5CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and woldwide language packs. ROK DVD, License.	x	x	x		x	x	x							x																	S26361-F2567-L311			440	
	Win Srv 2008 R2 Standard 5CAL PRC ROK	Only for Fujitsu distributors for distribution in People's Republic of China. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) Simplified Chinese. ROK DVD, License.	x	x	x		x	x	x							x								x						x			S26361-F2567-L318			360	
	MS SysCtr Essntls 2010 Server ML 5-OSE	MS System Center Essentials 2010 Managed Server License 5 OSE Pack., OSE = Operating System Environment	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2567-L32			367	
	Win Srv 2008 R2 Enterprise 10CAL MUL ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.	x	x			x	x	x						x	x						x	x					x	x				S26361-F2567-L320			1482	
	Win Srv 2008 R2 SP1 Enterpr w/10CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.	x	x	x		x	x	x							x								x						x			S26361-F2567-L321			1451	
	MS SysCtr Essntls 2010 Client ML 5-Pack	MS System Center Essentials 2010 Managed Client License 5 Pack.	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2567-L33			65	
	Win Srv 2008 R2 Datacenter 2CPU MUL ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x			x	x	x						x	x						x	x					x	x				S26361-F2567-L330			2369	
	Win Svr 2008 R2 SP1 Datactr 2CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.	x	x	x		x	x	x							x								x						x			S26361-F2567-L331			2300	
	MS SysCtr Essntls 2010 Client ML 20-Pack	MS System Center Essentials 2010 Managed Client License 20 Pack.	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2567-L34			253	
	Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License für 1 device, License.	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2567-L340			73	
	Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License für 5 devices, License.	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2567-L341			329	
	Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License für 1 user, License.	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2567-L342			73	
	Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License für 5 users, License.	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2567-L343			329	
	Win SBS Standard 2011 w/5CAL ROK EN	Windows Small Business Server Standard 2011 with 5 CAL, ROK, English, DVD Media set, COA, License		x	x		x		x							x							x						x				S26361-F2567-L350			506	
	Win SBS Standard 2011 w/5CAL ROK DE	Windows Small Business Server Standard 2011 with 5 CAL, ROK, German, DVD Media set, COA, License			x		x		x							x							x						x				S26361-F2567-L351			495	
	Win SBS Standard 2011 w/5CAL ROK IT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Italian, DVD Media set, COA, License			x		x		x							x							x						x				S26361-F2567-L352			495	
	Win SBS Standard 2011 w/5CAL ROK FR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, French, DVD Media set, COA, License			x		x		x							x							x						x				S26361-F2567-L353			495	
	Win SBS Standard 2011 w/5CAL ROK ES	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Spanish, DVD Media set, COA, License			x		x		x							x							x						x				S26361-F2567-L354			495	
	Win SBS Standard 2011 w/5CAL ROK CS	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Czech, DVD Media set, COA, License			x		x		x							x							x						x				S26361-F2567-L355			495	
	Win SBS Standard 2011 w/5CAL ROK PT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Portuguese, DVD Media set, COA, License			x		x		x							x							x						x				S26361-F2567-L356			495	
	Win SBS Standard 2011 w/5CAL ROK NL	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Dutch, DVD Media set, COA, License			x		x		x							x							x						x				S26361-F2567-L357			495	
	Win SBS Standard 2011 w/5CAL ROK TR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Turkish, DVD Media set, COA, License			x		x		x							x							x						x				S26361-F2567-L358			495	
	Win SBS Standard 2011 w/5CAL ROK HU	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Hungarian, DVD Media set, COA, License			x		x		x							x							x						x				S26361-F2567-L359			495	
	Win HPC Srv 2008 R2 Suite ROK	Only for Fujitsu Distributors. Win HPC Srv 2008 R2 Suite (1-4 CPU) ROK EN, JA, XT. ROK Recovery DVD Media Kit, COA, License																												x			S26361-F2567-L360			641	
	Win SBS 2011 Prem Add-On w/5CAL ROK EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, English, DVD Media set, COA, License			x		x		x							x							x						x				S26361-F2567-L370			753	
	Win SBS 2011 Prem Add-On w/5CAL ROK DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, German, DVD Media set, COA, License			x		x		x							x							x						x				S26361-F2567-L371			758	
	Win SBS 2011 Prem Add-On w/5CAL ROK IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Italian, DVD Media set, COA, License			x		x		x							x							x						x				S26361-F2567-L372			758	
	Win SBS 2011 Prem Add-On w/5CAL ROK FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, French, DVD Media set, COA, License			x		x		x							x							x						x				S26361-F2567-L373			758	
	Win SBS 2011 Prem Add-On w/5CAL ROK ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Spanish, DVD Media set, COA, License			x		x		x							x							x						x				S26361-F2567-L374			758	
	Win SBS Essentials 2011 ROK MUL-Set1	Windows Small Business Server Essentials 2011, ROK, MUL set 1, DVD Media, COA, License		x	x																												S26361-F2567-L378			233	Orderable from: 11/07/2011
	Win SBS Essentials 2011 ROK MUL-Set2	Windows Small Business Server Essentials 2011, ROK, MUL set 2, DVD Media, COA, License		x	x																												S26361-F2567-L379			232	Orderable from: 15/08/2011

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
PRIMERGY-Software (Continued)																																				
	Win SBS 2011 CAL Suite (1 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 Device); multi-language CAL;			x		x		x							x							x						x				S26361-F2567-L380			39	
	Win SBS 2011 CAL Suite (1 User)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 User); multi-language CAL;			x		x		x							x							x						x				S26361-F2567-L381			39	
	Win SBS 2011 CAL Suite (5 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Devices); multi-language CAL;			x		x		x							x							x						x				S26361-F2567-L382			167	
	Win SBS 2011 CAL Suite (5 User)	Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Users); multi-language CAL;			x		x		x							x							x						x				S26361-F2567-L383			167	
	Win SBS 2011 Prem Add-on CAL (1 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 Device); multi-language CAL;			x		x		x							x							x						x				S26361-F2567-L384			47	
	Win SBS 2011 Prem Add-on CAL (1 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 User); multi-language CAL;			x		x		x							x							x						x				S26361-F2567-L385			47	
	Win SBS 2011 Prem Add-on CAL (5 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Devices); multi-language CAL;			x		x		x							x							x						x				S26361-F2567-L386			201	
	Win SBS 2011 Prem Add-on CAL (5 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Users); multi-language CAL;			x		x		x							x							x						x				S26361-F2567-L387			209	
	Win Svs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.	x	x	x		x	x	x							x							x						x				S26361-F2567-L390			21	
	Win Svs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.	x	x	x		x	x	x							x							x						x				S26361-F2567-L391			21	
	PRIMERGY MultiPath MPIO Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO. CD-ROM and License.	x	x	x	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L592			376	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L593			748	
	PRIMERGY MultiPath Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath. CD-ROM and License.	x	x	x	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L594			376	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L595			748	
	PRIMERGY ServerView Suite subscription.	Subscription for 1 year, ca. 10 releases, The subscription is licensed only for PRIMERGY servers.	x	x	x	x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				U15000-C176			184	
	ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager	x	x	x			x	x	x						x	x	x	x	x	x	x	x	x	x	x	x	x				U15000-C289			21	
	ServerView Deployment Manager V5	Software CD Full version, software only - no license	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C299			25	
	ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15000-C300			120	
	ServerView Depl. Mgr. 5 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C301			52	
	SUSE Linux ES 1-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server with 1-CPU sockets 1-Year subscription renewal	x	x	x		x	x	x						x	x																	S26361-F2346-L601			125	
	SUSE Linux ES 32-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1-Year subscription renewal																			x	x	x				x	x	x				S26361-F2346-L611			215	
	SUSE Linux E 11 HAE 32-CPU +1Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 1-Year subscription renewal	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2346-L621			427	
	SUSE Linux ES SAP All-in-One 3Y	SUSE Linux Enterprise Server for SAP Business All-in-One Basic Subscription 3-Years																										x	x				S26361-F2346-L669			874	
	Debian-Ubuntu FSE Basic Support 1Y	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year	x			x	x							x	x			x		x	x	x			x	x	x						S26361-F2346-L411			81	
	Debian-Ubuntu FSE Basic Support 3Y	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years	x			x	x							x	x			x		x	x	x			x	x	x						S26361-F2346-L412			195	
	Debian-Ubuntu FSE Standard Support 1Y	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-Year	x			x	x							x	x			x		x	x	x			x	x	x						S26361-F2346-L415			209	
	Debian-Ubuntu FSE Standard Support 3Y	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3-Years	x			x	x							x	x			x		x	x	x			x	x	x						S26361-F2346-L416			502	
	Debian-Ubuntu FSE Priority Support 1Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year	x			x	x							x	x			x		x	x	x			x	x	x						S26361-F2346-L417			424	
	Debian-Ubuntu FSE Priority Support 3Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years	x			x	x							x	x			x		x	x	x			x	x	x						S26361-F2346-L418			1015	
	VMware ESXi 4.1 Single SRV w/o SP-1yr	VMware ESXi 4 Single Server for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L500			8	
	VMware Upgrade ESXi to STD w/o SP-1yr	VMware Upgrade ESXi to STD for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L504			659	
	VMware Upgrade ESXi to STD w/o SP-3yr	VMware Upgrade ESXi to STD for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L505			659	
	VMware Upgrade ESXi to ADV w/o SP-1yr	VMware Upgrade ESXi to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L508			1486	
	VMware Upgrade ESXi to ADV w/o SP-3yr	VMware Upgrade ESXi to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L509			1486	
	VMware Upgrade ESXi to ENT-PL w/o SP-1yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L512			2314	
	VMware Upgrade ESXi to ENT-PL w/o SP-3yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L513			2314	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L514			721	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L515			721	
	VMware vSphere ADV w/o SP-1yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L518			1627	
	VMware vSphere 4 Media Kit OEM	VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore , ESX 3.5,vCenter 2.5 - No License						x	x							x						x	x	x			x	x	x			x	S26361-F2341-L300			68	
	VMware vSphere ADV w/o SP-3yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L519			1627	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L520			2084	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																					
PRIMERGY-Software (Continued)																																					
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L521			2084	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L522			2534	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L523			2534	
	VMware Upgrade STD to ADV w/o SP-1yr	VMware Upgrade vSphere STD to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L530			911	
	VMware Upgrade STD to ADV w/o SP-3yr	VMware Upgrade vSphere STD to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L531			911	
	VMware Upgrade STD to ENT-PL w/o SP-1yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L540			1821	
	VMware Upgrade STD to ENT-PL w/o SP-3yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L541			1821	
	VMware Upgrade ADV to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ADV to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L542			911	
	VMware Upgrade ADV to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ADV to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L543			911	
	VMware Upgrade ENT to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L544			456	
	VMware Upgrade ENT to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L545			456	
	VMware Upgrade VC FND to STD w/o SP-1yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L546			2568	
	VMware Upgrade VC FND to STD w/o SP-3yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L547			2568	
	VMware ADV AK(6CPU+VC-FND)w/o SP-1yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 1 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L550			7640	
	VMware ADV AK(6CPU+VC-FND)w/o SP-3yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 3 year Service Pack needed!						x	x							x						x	x				x	x	x				S26361-F2341-L551			7640	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!						x	x							x												x	x	x				S26361-F2341-L570			12915	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!						x	x							x												x	x	x				S26361-F2341-L571			12915	
	VMware UG ESS-PL to ADV-AK w/0 SP-1yr	VMware Upgrade ESS-PL to ADV-AK for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 1 year Service Pack needed!						x	x							x												x	x	x				S26361-F2341-L572			5099	
	VMware UG ESS-PL to ADV-AK w/0 SP-3yr	VMware Upgrade ESS-PL to ADV-AK for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 3 year Service Pack needed!						x	x							x												x	x	x				S26361-F2341-L573			5099	
	VMware UG ESS-PL to ENT-AK w/0 SP-1yr	VMware Upgrade ESS-PL to ENT-AK for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!						x	x							x												x	x	x				S26361-F2341-L574			10405	
	VMware UG ESS-PL to ENT-AK w/0 SP-3yr	VMware Upgrade ESS-PL to ENT-AK for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!						x	x							x												x	x	x				S26361-F2341-L575			10405	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!						x	x							x							x	x				x	x	x				S26361-F2341-L554			19129	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!						x	x							x							x	x				x	x	x				S26361-F2341-L555			19129	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!				x	x	x	x						x	x						x	x	x				x	x	x				S26361-F2341-L556			3302	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!				x	x	x	x						x	x						x	x	x				x	x	x				S26361-F2341-L557			3302	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 1 year Service Pack needed!				x	x	x	x						x	x						x	x	x				x	x	x				S26361-F2341-L558			1087	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 3 year Service Pack needed!				x	x	x	x						x	x						x	x	x				x	x	x				S26361-F2341-L559			1087	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 1 year Service Pack needed!						x	x							x							x	x				x	x	x				S26361-F2341-L562			2535	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 3 year Service Pack needed!						x	x							x							x	x				x	x	x				S26361-F2341-L563			2535	
	VMware ESXi 4.1 Embedded UFM Device DIS	VMware ESXi 4 Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Singel SRV Lic. (w/o SP)					x	x	x							x							x	x					x	x				S26361-F2341-D431			52	
OS/Application-SW																																					
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX, works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x				x	x	x						x	x	x				x						x						x	U15355-C720			346	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																					
OS/Application-SW (Continued)																																					
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x				x	x	x						x	x	x					x									x	U15355-C723			219	
	ManageNow® for ITCM ManagedObjectsLicens			x	x		x	x	x							x						x	x						x			U24533-C400			1681	
UPS/Power supply																																					
	Power Supply Module 450W (hot plug)	for PS redundancy									x	x	x	x	x																		S26113-F483-L11			188	Phased out
	Power Supply Upgrade 400W (hot plug)	for optional PS redundancy, incl. mounting kit cable and 1st power supply module									x	x	x	x	x																		S26113-F483-L6			333	Phased out
	conversion kit standard to hot plug PSU	conversion standard into hot plug PSU and conversion standard into redundant fans														x																	S26113-F540-L1			220	
	Power Supply Module 450W (hot plug)	for optional PS redundancy														x																	S26113-F540-L11			147	
	Power Supply Module 800W (hot plug)	for optional PS redundancy																				x						x					S26113-F541-L10			184	
	Fan and PSU upgrade kit	conversion standard into hot plug PSU and conversion standard into redundant fans																				x	x										S26113-F541-L11			453	
	Power Supply Module 800W HE (hot plug)	2nd gold PS hp for redundancy																					x						x				S26113-F556-L10			186	
	APC-UPS WEB Management Adapter	10 / 100 Mbit autosence AP9630 for APC-USV, use one smart slot	x				x					x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	S26113-F80-L30			218	
	Cable powercord (D,..), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y1740-L10			13	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y1742-L10			13	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C19->C20																													x	x	S26361-F3151-L300			25	
	Cable powercord (UK, IR), 1.8m, grey	suitable for UK, IR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y1744-L10			13	
	Power cord 16A IEC320 C19->CEE 7/7	with connector IEC320 C19->CEE 7/7 (Schuko)																													x	x	S26361-F3151-L100			25	
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C19->16A CEE (IEC309)																													x	x	S26361-F3151-L200			25	
Miscellaneous																																					
	Fan upgrade kit hot-plug redundancy	consists of two additional fans/boxes for fan redundancy																										x	x				S26361-F2544-L83			111	
	LocalView Option Kit S2	LCD display with adapter							x							x					x	x						x	x				S26361-F2557-L105			60	
	LocalView Option Kit S2	LCD display with installation kit																											x				S26361-F2557-L106			61	
	Customer Self Service Modul TX Server	Support for Customer Self Service (CSS), incl. adapter							x							x					x	x						x	x				S26361-F2557-L202			21	
	Customer Self Service Module RX Server	Support for Customer Self Service (CSS), incl. mounting kit																			x	x						x	x				S26361-F2557-L205			21	
	cable Serial port option	Cable for 2nd RS-232-C 9 pin interface						x													x	x											S26361-F3120-L3			34	
	TPM Module add-on kit	Trusted Platform Module on motherboard, be aware of import restrictions!		x	x			x								x					x	x						x	x				S26361-F3552-L1			42	
	Serial port option	Cable with 9 pin D-SUB interface												x	x	x																	S26361-F2571-L10			25	
	Parallelport Option Centronics	Cable with 25 pin Centronics interface												x	x			x					x										S26361-F2571-L8			21	Phased out
	ServerView Local Service Panel	Support for Customer Self Service (CSS)													x						x												S26361-F2557-L201			39	Phased out
	ServerView Local Service Panel Kit	Support for Customer Self Service (CSS)													x						x						x						S26361-F2557-L204			34	
Keyboard /Mouse																																					
	KBPC PX ECO GB	keyboard professional USB, Great Britain, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED						x	x																									S26381-K341-L165			29	
Media																																					
	DAT160 cleaning cartridge no label	DAT160 cleaning cartridge without label	x					x	x					x	x	x				x	x	x	x			x	x	x					D:CL-DAT160-MX-01			19	
	DAT72 cleaning cartridge no label	DAT72 cleaning cartridge without label	x				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-DAT72-MX-01			4	
	LTO cleaning cartridge Fuji no label	Cleaning cartridge without label from Fuji for LTO drives						x	x		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-FJ-01			34	
	LTO cleaning cartridge Fuji with label	cleaning cartridge with label from Fuji for LTO drives						x	x		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-FJ-01L			35	
	LTO cleaning cartridge IBM no label	Cleaning cartridge without label from IBM for LTO drives						x	x		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-IB-01			39	
	LTO cleaning cartridge IBM with label	cleaning cartridge with label from IBM for LTO - drives						x	x		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-IB-01L			40	
	LTO cleaning cartridge Maxell no label	cleaning cartridge without label from Maxell for LTO drives						x	x		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-MX-01			35	
	LTO cleaning cartridge Maxell with label	cleaning cartridge with label from Maxell for LTO drives						x	x		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-MX-01L			36	
	LTO cleaning cartridge Sony no label	Cleaning cartridge without label from Sony for LTO drives						x	x		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO-SY-01			34	
	LTO cleaning cartridge Sony with label	cleaning cartridge with label from Sony for LTO drives						x	x		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO-SY-01L			35	
	LTO cleaning cart. Sony single pack	1x Cleaning cartridge without label from Sony for LTO drives at a single package						x	x		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO-SY-EP01			34	
	LTO cleaning cart. Sony single pkg label	1x Cleaning cartridge with label from Sony for LTO drives at a single package						x	x		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO-SY-EP01L			35	
	VXA cleaning label	Label for VXA cleaning cartridge								x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CL-VXA2-LAB			1	
	VXA cleaning cartridge	VXA cleaning cartridge								x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CL-VXA2-X-01			19	
	VXA cleaning cartridge with label	VXA cleaning cartridge								x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CL-VXA2-X-01L			20	
	DAT160 data cartridge no label	DAT160 data cartridge without label	x					x	x					x	x	x				x	x	x				x	x	x					D:CR-DAT160-MX-01			18	
	DAT72 data cartridge no label	DAT72 data cartridge without label	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-DAT72-MX-01			12	
	LTO1 data cartridge Fuji no label	LTO-1 data cartridge without label from Fuji, 100 GB native capacity									x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-FJ-01			20	Phased out
	LTO1 data cartridge Fuji with label	LTO-1 data cartridge with label from Fuji, 100 GB native capacity									x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-FJ-01L			20	Phased out
	LTO1 data cartridge IBM no label	LTO-1 data cartridge without label from IBM, 100 GB native capacity									x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-IB-01			28	
	LTO1 data cartridge IBM with label	LTO-1 data cartridge with label from IBM, 100 GB native capacity									x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-IB-01L			29	
	LTO1 barcode label horizontal	label for LTO-1 data cartridges									x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-LAB			1	
	LTO1 data cartridge Maxell no label	LTO-1 data cartridge without label from Maxell, 100 GB native capacity									x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-MX-01			22	Phased out
	LTO1 data cartridge Maxell with label	LTO-1 data cartridge with label from Maxell, 100 GB native capacity									x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-MX-01L			23	Phased out
	LTO2 data cartridge Fuji no label	LTO-2 data cartridge without label from Fuji, 200 GB native capacity						x	x				x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-FJ-01			20	
	LTO2 data cartridge Fuji with label	LTO-2 data cartridge with label from Fuji, 200 GB native capacity						x	x				x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-FJ-01L			20	
	LTO2 data cartridge IBM no label	LTO-2 data cartridge without label from IBM, 200 GB native capacity											x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-LTO2-IB-01			25	
	LTO2 data cartridge IBM with label	LTO 2 data cartridge with label from IBM, 200 GB native capacity						x	x				x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-IB-01L			26	
	LTO2 barcode label horizontal	label for LTO-2 data cartridges						x	x				x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-LAB			1	
	LTO2 data cartridge Maxell no label	LTO-2 data cartridge without label from Maxell, 200 GB native capacity						x	x				x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-MX-01			19	
	LTO2 data cartridge Maxell with label	LTO-2 data cartridge with label from Maxell, 200 GB native capacity						x	x				x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-MX-01L			19	
	VXA barcode label	Label for VXA data cartridge								x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-LAB			1	
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB								x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-X10-01			22	
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB								x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-X10-01L			22	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB								x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-X23-01			49	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB								x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-X23-01L			50	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Media (Continued)																																				
	RDX Cartridge 160/320GB	RDX Cartridge 160GB uncompressed / 320GB compressed	x	x	x	x	x	x	x					x	x	x				x	x	x	x			x	x	x	x			x	S26361-F3857-L160			89	
	RDX Cartridge Pack 10x 160/320GB	Package 10x RDX Cartridge 160GB uncompressed / 320GB compressed	x	x	x	x	x	x	x					x	x	x				x	x	x	x			x	x	x	x			x	S26361-F3857-L169			855	
	RDX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB compressed	x	x	x	x	x	x	x					x	x	x				x	x	x	x			x	x	x	x			x	S26361-F3857-L320			139	
	RDX Cartridge Pack 10x 320/640GB	Package 10x RDX Cartridge 320GB uncompressed / 640GB compressed	x	x	x	x	x	x	x					x	x	x				x	x	x	x			x	x	x	x			x	S26361-F3857-L329			1300	
	RDX Cartridge 500GB/1000GB	RDX Cartridge 500GB uncompressed / 1000GB compressed	x	x	x	x	x	x	x					x	x	x				x	x	x	x			x	x	x	x			x	S26361-F3857-L500			175	
	RDX Cartridge 1TB	RDX Cartridge 1TB uncompressed / 2TB compressed	x	x	x	x	x	x	x					x	x	x				x	x	x	x			x	x	x	x			x	S26361-F3857-L600			256	
	LTO3 data cartridge Fuji no label	LTO-3 data cartridge without label from Fuji, 400 GB native capacity						x	x					x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-FJ-01			19	
	LTO4 data cartridge Fuji no label	LTO-4 data cartridge without label from Fuji, 800 GB native capacity						x	x						x	x					x	x	x				x	x	x				D:CR-LTO4-FJ-01			21	
	LTO5 data cartridge Fuji no label	LTO-5 data cartridge without label from Fuji, 1500 GB native capacity						x	x							x						x						x				D:CR-LTO5-FJ-01			55	
	LTO3 data cartridge IBM no label	LTO-3 data cartridge without label from IBM, 400 GB native capacity						x	x					x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-IB-01			23	
	LTO4 data cartridge IBM no label	LTO-4 data cartridge without label from IBM, 800 GB native capacity						x	x				x			x					x	x	x				x	x	x				D:CR-LTO4-IB-01			24	
	LTO5 data cartridge Maxell no label	LTO-5 data cartridge without label from Maxell, 1500 GB native capacity						x	x							x						x						x				D:CR-LTO5-MX-01			59	
	LTO3 data cartridge Sony no label	LTO-3 data cartridge without label from Sony, 400 GB native capacity						x	x					x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-SY-01			21	
	LTO4 data cartridge Sony no label	LTO-4 data cartridge without label from Sony, 800 GB native capacity						x	x				x			x					x	x	x				x	x	x				D:CR-LTO4-SY-01			23	
	LTO3 data cartridge Sony single pack	1x LTO-3 data cartridges without label from Sony at a single package , 400 GB native capacity						x	x					x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-SY-EP01			22	
	LTO4 data cartridge Sony single pack	1x LTO-4 data cartridges without label from Sony at a single package , 800 GB native capacity						x	x							x						x						x				D:CR-LTO4-SY-EP01			23	
	LTO3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity						x	x					x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-FJ-01L			20	
	LTO4 data cartridge Fuji with label	LTO-4 data cartridge with label from Fuji, 800 GB native capacity											x								x						x						D:CR-LTO4-FJ-01L			22	
	LTO5 data cartridge Fuji with label	LTO-5 data cartridge with label from Fuji, 1500 GB native capacity						x	x							x						x						x				D:CR-LTO5-FJ-01L			55	
	LTO3 data cartridge IBM with label	LTO-3 data cartridge with label from IBM, 400 GB native capacity												x	x				x	x	x				x	x	x				x	x	D:CR-LTO3-IB-01L			24	
	LTO4 data cartridge IBM with label	LTO-4-- Data cartridges with Label from IBM, Kapazity 800 GByte native						x	x				x			x					x	x	x				x	x	x				D:CR-LTO4-IB-01L			25	
	LTO5 data cartridge Maxell with label	LTO-5 data cartridge with label from Maxell, 1500 GB native capacity						x	x							x						x						x				D:CR-LTO5-MX-01L			59	
	LTO3 data cartridge Sony with label	LTO-3 data cartridge with label from Sony, 400 GB native capacity						x	x					x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-SY-01L			22	
	LTO4 data cartridge Sony with label	LTO-4-- Data cartridges with Label from Sony, Kapazity 800 GByte native						x	x				x			x					x	x	x				x	x	x				D:CR-LTO4-SY-01L			23	
	LTO3 data cart. Sony single pack label	LTO-3 data cartridge with label from Sony, 400 GB native capacity, at single package						x	x					x	x	x				x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-SY-EP01L			22	
	LTO4 data cartrid. Sony single pkg label	1x LTO-4 data cartridges with label from Sony at a single package , 800 GB native capacity						x	x							x						x						x				D:CR-LTO4-SY-EP01L			23	
	LTO3 WORM data cartridge Fuji no label	LTO-3 WORM data cartridge without label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data												x	x				x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-FJ-01W			23	
	LTO4 WORM data cartridge Fuji no label	LTO-4 WORM data cartridge without label from Fuji, 800 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data											x								x	x	x				x	x	x				D:CR-LTO4-FJ-01W			30	
	LTO3 WORM data cartridge Fuji with label	LTO-3 WORM data cartridge with label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data												x	x				x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-FJ-01WL			23	
	LTO4 WORM data cartridge Fuji with label	LTO-4 WORM data cartridge with label from Fuji, 800 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries											x								x	x	x				x	x	x				D:CR-LTO4-FJ-01WL			30	
	LTO cleaning label horizontal	label for LTO cleaning cartridges									x	x	x	x	x			x	x	x	x			x	x	x	x				x	x	x	D:CL-LTO-LAB			1	
	LTO3 barcode label horizontal	label for LTO-3 data cartridges						x	x					x	x	x				x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-LAB			1	
	LTO4 barcode label horizontal	label for LTO-4 data cartridges						x	x				x			x					x	x	x				x	x	x				D:CR-LTO4-LAB			1	
	LTO5 WORM data cartridge Fuji no label	LTO-5 WORM data cartridge without label from Fuji, 1500 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries											x								x	x	x				x	x	x				D:CR-LTO5-FJ-01W			71	
	LTO5 WORM data cartridge Fuji with label	LTO-5 WORM data cartridge with label from Fuji, 1500 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries											x								x	x	x				x	x	x				D:CR-LTO5-FJ-01WL			71	
	LTO5 barcode label horizontal	label for LTO-5 data cartridges						x	x				x			x					x	x	x				x	x	x				D:CR-LTO5-LAB			1	
Cables																																				
	Cable powercord rack, 4m	with Euro socket connector								x								x	x					x	x						x			T26139-Y1968-L10			13	
Additional Software																																				
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C157			13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C171			987	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C177			493	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C183			26	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C186			987	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C192			396	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C199			13	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C201			26	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C202			1075	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C204			3468	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Additional Software (Continued)																																				
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201								x	x	x	x				x	x	x				x	x					x	x		U11081-C207			623	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U11081-C212			1075	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U11081-C214			3468	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U11081-C217			623	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U11081-C301			1075	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U11081-C311			1075	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U11081-C321			439	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U11081-C302			1734	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U11081-C312			1734	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U11081-C322			714	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U11081-C303			3468	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U11081-C313			3468	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U11081-C323			1428	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299			13	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U10987-C501			1075	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U10987-C513			1075	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U10987-C525			439	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U10987-C502			1734	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U10987-C514			1734	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U10987-C526			714	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U10987-C503			3468	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U10987-C515			3468	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U10987-C527			1428	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U10987-C504			4016	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U10987-C516			4016	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U10987-C528			1639	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U10987-C505			5202	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U10987-C517			5202	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x					x	x	x	x				x	x	x				x	x					x	x		U10987-C529			2123	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x		U10987-C500			31	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x		U10987-C499			13	

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services																									
	SP 1y ENT (6 CPU+VC_STD) Acc Kit,5x9	SP 1 year VMware ENT (6 CPU+VC_STD) Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase					x	x	x			x			x	x		x	x	x	FSP:G-SP1A300PRV06			2551	
	SP 1y ENT (6 CPU+VC_STD) Acc Kit,7x24	SP 1 year VMware ENT (6 CPU+VC_STD) Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase					x	x	x			x			x	x		x	x	x	FSP:G-SP1A303PRV06			3035	
	SP 1y ADV Acceleration Kit,5x9	, Service Pack 1 year VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV					x	x	x			x			x	x		x	x	x	FSP:G-SP1AD00PRV05			1501	
	SP 1y ADV Acceleration Kit,7x24	, Service Pack 1 year VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV					x	x	x			x			x	x		x	x	x	FSP:G-SP1AD03PRV05			1785	
	SP 1y Upgrade ADV to ENT PL,5x9	, Service Pack 1 year VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP1AE00PRV07			499	
	SP 1y Upgrade ADV to ENT PL,7x24	, Service Pack 1 year VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP1AE03PRV07			595	
	SP 1y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C100PRXD1			86	
	SP 1y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C103PRXD1			116	
	SP 1y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C200PRXD1			430	
	SP 1y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C203PRXD1			581	
	SP 1y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C300PRXD1			861	
	SP 1y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C303PRXD1			1162	
	SP 1y 1,2,3 lev sup Ent Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C400PRXD1			204	
	SP 1y 1,2,3 level Ent Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C403PRXD1			276	
	SP 1y 1,2,3 lev sup Ent Edi,50U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C500PRXD1			1022	
	SP 1y 1,2,3 level Ent Edi,50U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C503PRXD1			1379	
	SP 1y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C600PRXD1			2044	
	SP 1y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C603PRXD1			2759	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP 1y 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C700PRXD1			323	
	SP 1y 1,2,3 level Pla Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C703PRXD1			436	
	SP 1y 1,2,3 lev sup Pla Edi,50U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C800PRXD1			1613	
	SP 1y 1,2,3 level Pla Edi,50U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C803PRXD1			2178	
	SP 1y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C900PRXD1			3227	
	SP 1y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C903PRXD1			4356	
	SP 1y ENT PL 8 Acceleration Kit,5x9	, Service Pack 1 year VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL					x	x	x			x			x	x		x	x	x	FSP:G-SP1E800PRV07			3771	
	SP 1y ENT PL 8 Acceleration Kit,7x24	, Service Pack 1 year VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL					x	x	x			x			x	x		x	x	x	FSP:G-SP1E803PRV07			4487	
	SP 1y Upgrade ESXi to ADV,5x9	, Service Pack 1 year VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV						x	x			x			x	x		x	x	x	FSP:G-SP1EA00PRV05			321	
	SP 1y Upgrade ESXi to ADV,7x24	, Service Pack 1 year VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV						x	x			x			x	x		x	x	x	FSP:G-SP1EA03PRV05			373	
	SP 1y Upgrade ENT to ENT PL,5x9	, Service Pack 1 year VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP1EE00PRV07			499	
	SP 1y Upgrade ENT to ENT PL,7x24	, Service Pack 1 year VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP1EE03PRV07			595	
	SP 1y Essentials PL,5x9	, Service Pack 1 year VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL					x	x	x			x			x	x		x	x	x	FSP:G-SP1EP00PRV08			428	
	SP 1y Essentials PL,7x24	, Service Pack 1 year VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL					x	x	x			x			x	x		x	x	x	FSP:G-SP1EP03PRV08			504	
	SP 1y ESXi 4.0 Single Server,5x9	, Service Pack 1 year VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR					x	x	x			x			x	x		x	x	x	FSP:G-SP1EX00PRV01			340	
	SP 1y ESXi 4.0 Single Server,7x24	, Service Pack 1 year VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR					x	x	x			x			x	x		x	x	x	FSP:G-SP1EX03PRV01			403	
	SP 1y L1,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E601	x	x	x		x	x	x		x	x									FSP:G-SP1L160PRL63			382	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP 1y L1,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E601	x	x	x		x	x	x		x	x									FSP:G-SP1L163PRL63			822	
	SP 1y L2,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611						x	x			x		x	x	x		x	x	x	FSP:G-SP1L260PRL63			382	
	SP 1y L2,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611						x	x			x		x	x	x		x	x	x	FSP:G-SP1L263PRL63			822	
	SP 1y ROR 1Serv 4CPU,5x9	SP 1 year ServerView ROR support (1 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP1R500PRRC1			224	
	SP 1y ROR 10Serv 4CPU,5x9	SP 1 year ServerView ROR support (10 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP1R600PRRC1			2080	
	SP 1y ROR 18Serv 4CPU,5x9	SP 1 year ServerView ROR support (18 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP1R700PRRC1			3744	
	SP 1y Upgrade STD to ADV,5x9	, Service Pack 1 year VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV						x	x			x			x	x		x	x	x	FSP:G-SP1SA00PRV05			321	
	SP 1y Upgrade STD to ADV,7x24	, Service Pack 1 year VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV						x	x			x			x	x		x	x	x	FSP:G-SP1SA03PRV05			373	
	SP 1y vSphere ADV,5x9	, Service Pack 1 year VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV					x	x	x			x			x	x		x	x	x	FSP:G-SP1SD00PRV05			321	
	SP 1y vSphere ADV,7x24	, Service Pack 1 year VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV					x	x	x			x			x	x		x	x	x	FSP:G-SP1SD03PRV05			373	
	SP 1y vSphere ENT,5x9	, Service Pack 1 year VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT					x	x	x			x			x	x		x	x	x	FSP:G-SP1SE00PRV06			410	
	SP 1y vSphere ENT,7x24	, Service Pack 1 year VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT					x	x	x			x			x	x		x	x	x	FSP:G-SP1SE03PRV06			484	
	SP 1y vSphere ENT PL,5x9	, Service Pack 1 year VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL					x	x	x			x			x	x		x	x	x	FSP:G-SP1SL00PRV07			499	
	SP 1y vSphere ENT PL,7x24	, Service Pack 1 year VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL					x	x	x			x			x	x		x	x	x	FSP:G-SP1SL03PRV07			595	
	SP 1y vSphere STD,5x9	, Service Pack 1 year VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD					x	x	x			x			x	x		x	x	x	FSP:G-SP1ST00PRV04			185	
	SP 1y vSphere STD,7x24	, Service Pack 1 year VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD					x	x	x			x			x	x		x	x	x	FSP:G-SP1ST03PRV04			220	
	SP 1y S&U, 1Man.,5x9	Service Pack 1 year Support & Update Subscription 1 Manager, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE						x	x		x	x		x	x	x		x	x	x	FSP:G-SP1U500PRRC1			397	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP 1y S&U, 1Ag.,5x9	Service Pack 1 year Support & Update Subscription 1 Agent, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE						x	x		x	x		x	x	x		x	x	x	FSP:G-SP1U600PRRC1			87	
	SP 1y S&U, 10Ag.,5x9	Service Pack 1 year Support & Update Subscription 10 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE						x	x		x	x		x	x	x		x	x	x	FSP:G-SP1U700PRRC1			677	
	SP 1y S&U, 18Ag.,5x9	Service Pack 1 year Support & Update Subscription 18 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE						x	x		x	x		x	x	x		x	x	x	FSP:G-SP1U800PRRC1			1323	
	SP 1y Upgrade STD to ENT PL,5x9	, Service Pack 1 year VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP1US00PRV07			499	
	SP 1y Upgrade STD to ENT PL,7x24	, Service Pack 1 year VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP1US03PRV07			595	
	SP 1y Upgrade VC FND to STD,5x9	, Service Pack 1 year VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND						x	x			x			x	x		x	x	x	FSP:G-SP1UV00PRV09			714	
	SP 1y Upgrade VC FND to STD,7x24	, Service Pack 1 year VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND						x	x			x			x	x		x	x	x	FSP:G-SP1UV03PRV09			847	
	SP 1y vCenter FND,5x9	, Service Pack 1 year VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP1VC00PRV09			368	
	SP 1y vCenter FND,7x24	, Service Pack 1 year VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP1VC03PRV09			424	
	SP 1y vCenter STD,5x9	, Service Pack 1 year VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP1VS00PRV09			714	
	SP 1y vCenter STD,7x24	, Service Pack 1 year VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP1VS03PRV09			847	
	SP 1y 1,2,3 x10sure base,5x9	SP 1 year 1st, 2nd & 3rd level support and updates for x10sure base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x	x	x	x	x	x	x	x	x	x	x	x	FSP:G-SP1X300PRXTN			259	
	SP 1y 1,2,3 x10sure 1 Ap-or SpNode,5x9	SP 1 year 1st, 2nd & 3rd level support and updates x10sure for 1 additional Application- or Spare Node, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x	x	x	x	x	x	x	x	x	x	x	x	FSP:G-SP1X500PRXTN			203	
	SP 1y 1,2,3 x10sure IS base,5x9	SP 1 year 1st, 2nd & 3rd level support and updates for x10sure IS base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x					x	FSP:G-SP1X700PRXTN			462	
	SP 1y Upgrade ESXi to ENT-PL,5x9	, Service Pack 1 year VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP1XE00PRV07			499	
	SP 1y Upgrade ESXi to ENT-PL,7x24	, Service Pack 1 year VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP1XE03PRV07			595	
	SP 1y Upgrade ESXi to STD,5x9	, Service Pack 1 year VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD						x	x			x			x	x		x	x	x	FSP:G-SP1XS00PRV04			185	
	SP 1y Upgrade ESXi to STD,7x24	, Service Pack 1 year VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD						x	x			x			x	x		x	x	x	FSP:G-SP1XS03PRV04			217	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP 3y ENT (6 CPU+VC_STD) Acc Kit,5x9	SP 3 years VMware ENT (6 CPU+VC_STD) Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase					x	x	x			x			x	x		x	x	x	FSP:G-SP3A300PRV06			6489	
	SP 3y ENT (6 CPU+VC_STD) Acc Kit,7x24	SP 3 years VMware ENT (6 CPU+VC_STD) Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase					x	x	x			x			x	x		x	x	x	FSP:G-SP3A303PRV06			7714	
	SP 3y ADV Acceleration Kit,5x9	, Service Pack 3 years VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV					x	x	x			x			x	x		x	x	x	FSP:G-SP3AD00PRV05			3827	
	SP 3y ADV Acceleration Kit,7x24	, Service Pack 3 years VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV					x	x	x			x			x	x		x	x	x	FSP:G-SP3AD03PRV05			4538	
	SP 3y Upgrade ADV to ENT PL,5x9	, Service Pack 3 years VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP3AE00PRV07			1274	
	SP 3y Upgrade ADV to ENT PL,7x24	, Service Pack 3 years VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP3AE03PRV07			1513	
	SP 3y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C100PRXD1			258	
	SP 3y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C103PRXD1			349	
	SP 3y 1,2,3 lev sup VDI Edi,50U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C200PRXD1			1291	
	SP 3y 1,2,3 level VDI Edi,50U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C203PRXD1			1743	
	SP 3y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C300PRXD1			2582	
	SP 3y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C303PRXD1			3485	
	SP 3y 1,2,3 lev sup Ent Edi,10U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C400PRXD1			613	
	SP 3y 1,2,3 level Ent Edi,10U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C403PRXD1			828	
	SP 3y 1,2,3 lev sup Ent Edi,50U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C500PRXD1			3066	
	SP 3y 1,2,3 level Ent Edi,50U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C503PRXD1			4138	
	SP 3y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C600PRXD1			6131	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP 3y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP3C603PRXD1			8277	
	SP 3y 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp,5x9	SP 3 years 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP3C700PRXD1			968	
	SP 3y 1,2,3 level Pla Edi,10U/Dev w/o XenApp,7x24	SP 3 years 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP3C703PRXD1			1307	
	SP 3y 1,2,3 lev sup Pla Edi,50U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP3C800PRXD1			4840	
	SP 3y 1,2,3 level Pla Edi,50U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP3C803PRXD1			6534	
	SP 3y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP3C900PRXD1			9681	
	SP 3y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP3C903PRXD1			13069	
	SP 3y ENT PL 8 Acceleration Kit,5x9	, Service Pack 3 years VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL					x	x	x			x			x	x		x	x	x	FSP:G-SP3E800PRV07			9620	
	SP 3y ENT PL 8 Acceleration Kit,7x24	, Service Pack 3 years VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL					x	x	x			x			x	x		x	x	x	FSP:G-SP3E803PRV07			11435	
	SP 3y Upgrade ESXi to ADV,5x9	, Service Pack 3 years VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV						x	x			x			x	x		x	x	x	FSP:G-SP3EA00PRV05			818	
	SP 3y Upgrade ESXi to ADV,7x24	, Service Pack 3 years VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV						x	x			x			x	x		x	x	x	FSP:G-SP3EA03PRV05			974	
	SP 3y Upgrade ENT to ENT PL,5x9	, Service Pack 3 years VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP3EE00PRV07			1274	
	SP 3y Upgrade ENT to ENT PL,7x24	, Service Pack 3 years VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP3EE03PRV07			1513	
	SP 3y Essentials PL,5x9	, Service Pack 3 years VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL	x				x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP3EP00PRV08			1092	
	SP 3y Essentials PL,7x24	, Service Pack 3 years VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL	x				x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP3EP03PRV08			1301	
	SP 3y L1,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E602	x	x	x	x	x	x	x		x	x									FSP:G-SP3L160PRL63			956	
	SP 3y L1,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E602	x	x	x	x	x	x	x		x	x									FSP:G-SP3L163PRL63			2056	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP 3y L2,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612						x	x			x		x	x	x		x	x	x	FSP:G-SP3L260PRL63			956	
	SP 3y L2,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612						x	x			x		x	x	x		x	x	x	FSP:G-SP3L263PRL63			2056	
	SP 3y L5,4h Rt,5x9	Service Pack classic 3 years Software Service, 4h remote response time, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux ES SAP All-in-One (1 Server up to 32 CPU). Subscription S26361-F2346-L669 is prerequisite for																	x	x	FSP:G-SP3L560PRL63			1141	
	SP 3y L5,4h Rt,7x24	Service Pack classic 3 years Software Service, 2h remote response time 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux ES SAP All-in-One (1 Server up to 32 CPU). Subscription S26361-F2346-L669 is prerequisite for																	x	x	FSP:G-SP3L563PRL63			2168	
	SP 3y ROR 1Serv 4CPU,5x9	SP 3 years ServerView ROR support (1 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP3R500PRRC1			671	
	SP 3y ROR 10Serv 4CPU,5x9	SP 3 years ServerView ROR support (10 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP3R600PRRC1			6240	
	SP 3y ROR 18Serv 4CPU,5x9	SP 3 years ServerView ROR support (18 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP3R700PRRC1			11232	
	SP 3y Upgrade STD to ADV,5x9	, Service Pack 3 years VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV						x	x			x			x	x		x	x	x	FSP:G-SP3SA00PRV05			818	
	SP 3y Upgrade STD to ADV,7x24	, Service Pack 3 years VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV						x	x			x			x	x		x	x	x	FSP:G-SP3SA03PRV05			974	
	SP 3y vSphere ADV,5x9	, Service Pack 3 years VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV					x	x	x			x			x	x		x	x	x	FSP:G-SP3SD00PRV05			818	
	SP 3y vSphere ADV,7x24	, Service Pack 3 years VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV					x	x	x			x			x	x		x	x	x	FSP:G-SP3SD03PRV05			974	
	SP 3y vSphere ENT,5x9	, Service Pack 3 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT					x	x	x			x			x	x		x	x	x	FSP:G-SP3SE00PRV06			1051	
	SP 3y vSphere ENT,7x24	, Service Pack 3 years VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT					x	x	x			x			x	x		x	x	x	FSP:G-SP3SE03PRV06			1240	
	SP 3y vSphere ENT PL,5x9	, Service Pack 3 years VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL					x	x	x			x			x	x		x	x	x	FSP:G-SP3SL00PRV07			1274	
	SP 3y vSphere ENT PL,7x24	, Service Pack 3 years VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL					x	x	x			x			x	x		x	x	x	FSP:G-SP3SL03PRV07			1513	
	SP 3y vSphere STD,5x9	, Service Pack 3 years VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD					x	x	x			x			x	x		x	x	x	FSP:G-SP3ST00PRV04			471	
	SP 3y vSphere STD,7x24	, Service Pack 3 years VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD					x	x	x			x			x	x		x	x	x	FSP:G-SP3ST03PRV04			560	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP 3y S&U, 1Man.,5x9	SP 3 years Support & Update Subscription 1 Manager, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP3U500PRRC1			1192	
	SP 3y S&U, 1Ag.,5x9	SP 3 years Support & Update Subscription 1 Agent, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP3U600PRRC1			260	
	SP 3y S&U, 10Ag.,5x9	SP 3 years Support & Update Subscription 10 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP3U700PRRC1			2032	
	SP 3y S&U, 18Ag.,5x9	SP 3 years Support & Update Subscription 18 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP3U800PRRC1			3968	
	SP 3y Upgrade STD to ENT PL,5x9	Service Pack 3 years VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP3US00PRV07			1274	
	SP 3y Upgrade STD to ENT PL,7x24	, Service Pack 3 years VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP3US03PRV07			1513	
	SP 3y Upgrade VC FND to STD,5x9	, Service Pack 3 years VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND						x	x			x			x	x		x	x	x	FSP:G-SP3UV00PRV09			1821	
	SP 3y Upgrade VC FND to STD,7x24	, Service Pack 3 years VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND						x	x			x			x	x		x	x	x	FSP:G-SP3UV03PRV09			2163	
	SP 3y vCenter FND,5x9	, Service Pack 3 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP3VC00PRV09			941	
	SP 3y vCenter FND,7x24	, Service Pack 3 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP3VC03PRV09			1119	
	SP 3y vCenter STD,5x9	, Service Pack 3 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP3VS00PRV09			1821	
	SP 3y vCenter STD,7x24	, Service Pack 3 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP3VS03PRV09			2163	
	SP 3y 1,2,3 x10sure base,5x9	SP 3 years 1st, 2nd & 3rd level support and updates for x10sure base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x	x	x	x	x	x	x	x	x	x	x	x	FSP:G-SP3X300PRXTN			776	
	SP 3y 1,2,3 x10sure 1 Ap-or SpNode,5x9	SP 3 years 1st, 2nd & 3rd level support and updates x10sure for 1 additional Application- or Spare Node, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x	x	x	x	x	x	x	x	x	x	x	x	FSP:G-SP3X500PRXTN			610	
	SP 3y 1,2,3 x10sure IS base,5x9	SP 3 years 1st, 2nd & 3rd level support and updates for x10sure IS base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x					x	FSP:G-SP3X700PRXTN			1387	
	SP 3y Upgrade ESXi to ENT-PL,5x9	, Service Pack 3 years VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP3XE00PRV07			1274	
	SP 3y Upgrade ESXi to ENT-PL,7x24	, Service Pack 3 years VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP3XE03PRV07			1513	
	SP 3y Upgrade ESXi to STD,5x9	, Service Pack 3 years VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD						x	x			x			x	x		x	x	x	FSP:G-SP3XS00PRV04			471	
	SP 3y Upgrade ESXi to STD,7x24	, Service Pack 3 years VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD						x	x			x			x	x		x	x	x	FSP:G-SP3XS03PRV04			560	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP Xtend 1y to 2y ADV Acceleration Kit (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware ADV Acceleration Kit (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAA100PRV05			1501	
	SP Xtend 1y to 2y ADV Acceleration Kit (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware ADV Acceleration Kit (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAA103PRV05			1785	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ADV to ENT PL (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAA200PRV07			499	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ADV to ENT PL (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAA203PRV07			595	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 6 Acceleration Kit (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE100PRV07			2988	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 6 Acceleration Kit (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE103PRV07			3550	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 8 Acceleration Kit (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE200PRV07			3771	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 8 Acceleration Kit (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE203PRV07			4487	
	SP Xtend 1y to 2y Upgrade ESXi to ADV (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ADV (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE300PRV05			321	
	SP Xtend 1y to 2y Upgrade ESXi to ADV (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ADV (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE303PRV05			373	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ENT to ENT PL (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE400PRV07			499	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ENT to ENT PL (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE403PRV07			595	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP Xtend 1y to 2y Essentials PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Essentials PL (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE500PRV08			428	
	SP Xtend 1y to 2y Essentials PL (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Essentials PL (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE503PRV08			504	
	SP Xtend 1y to 2y ESXi 4.0 Single Server (<4.x),5x	Service Pack Prolongation from 1 year to 2 years VMware ESXi 4.0 Single Server (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE700PRV01			340	
	SP Xtend 1y to 2y ESXi 4.0 Single Server (<4.x),7x	Service Pack Prolongation from 1 year to 2 years VMware ESXi 4.0 Single Server (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE703PRV01			403	
	SP Xtend 1y to 2y vSphere ENT (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS100PRV06			410	
	SP Xtend 1y to 2y Upgrade STD to ADV (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ADV (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS300PRV05			321	
	SP Xtend 1y to 2y Upgrade STD to ADV (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ADV (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS303PRV05			373	
	SP Xtend 1y to 2y vSphere ADV (<4.x),5x9	SP Prolongation from 1 year to 2 years VMware vSphere ADV (for available license < V4.x), 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS500PRV05			321	
	SP Xtend 1y to 2y vSphere ADV (<4.x),7x24	SP Prolongation from 1 year to 2 years VMware vSphere ADV (for available license < V4.x), 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS503PRV05			373	
	SP Xtend 1y to 2y vSphere ENT (<4.x),7x24	SP Prolongation from 1 year to 2 years VMware vSphere ENT (for available license < V4.x), 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS503PRV06			484	
	SP Xtend 1y to 2y vSphere STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere STD (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS700PRV04			185	
	SP Xtend 1y to 2y vSphere STD (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere STD (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS703PRV04			217	
	SP Xtend 1y to 2y vSphere ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT PL (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS800PRV07			499	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP Xtend 1y to 2y vSphere ENT PL (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT PL (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS803PRV07			595	
	SP Xtend 1y to 2y Upgrade STD to ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ENT PL (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAU200PRV07			499	
	SP Xtend 1y to 2y Upgrade STD to ENT PL (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ENT PL (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAU203PRV07			595	
	SP Xtend 1y to 2y Upgrade VC FND to STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade VC FND to STD (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAU300PRV09			714	
	SP Xtend 1y to 2y Upgrade VC FND to STD (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade VC FND to STD (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAU303PRV09			847	
	SP Xtend 1y to 2y View ENT Add 10 Clients (<4.x),5	Service Pack Prolongation from 1 year to 2 years VMware View ENT Add 10 Clients (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV100PRV10			214	
	SP Xtend 1y to 2y View ENT Add 10 Clients (<4.x),7	Service Pack Prolongation from 1 year to 2 years VMware View ENT Add 10 Clients (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV103PRV10			252	
	SP Xtend 1y to 2y vCenter FND (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV200PRV09			368	
	SP Xtend 1y to 2y vCenter FND (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV203PRV09			424	
	SP Xtend 1y to 2y View ENT 100 Clients (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware View ENT 100 Clients (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV300PRV10			2138	
	SP Xtend 1y to 2y View ENT 100 Clients (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware View ENT 100 Clients (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV303PRV10			2551	
	SP Xtend 1y to 2y vCenter STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV400PRV09			714	
	SP Xtend 1y to 2y vCenter STD (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV403PRV09			847	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP Xtend 1y to 2y View ENT Start 10 Clients (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware View ENT Start 10 Clients (for available license < V4.x, support contract for Vt3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV500PRV10			214	
	SP Xtend 1y to 2y View ENT Start 10 Clients (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware View ENT Start 10 Clients (for available license < V4.x, support contract for Vt3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV503PRV10			252	
	SP Xtend 1y to 2y vSphere Std+VMotion(<V4.x),5x9	SP Prolongation from 1 year to 2 years VMware vSphere Standard + VMotion (for available license < V4.x, support contract for Vt3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase												x	x	x		x	x	x	FSP:G-SPAVN00PRV04			373	
	SP Xtend 1y to 2y vSphere Std+VMotion(<V4.x),7x24	SP Prolongation from 1 year to 2 years VMware vSphere Standard + VMotion (for available license < V4.x, support contract for Vt3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase												x	x	x		x	x	x	FSP:G-SPAVN03PRV04			434	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL (<4.x),5x	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ENT-PL (for available license < V4.x, support contract for Vt3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAX100PRV07			499	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL (<4.x),7x	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ENT-PL (for available license < V4.x, support contract for Vt3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAX103PRV07			595	
	SP Xtend 1y to 2y Upgrade ESXi to STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to STD (for available license < V4.x, support contract for Vt3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAX200PRV04			185	
	SP Xtend 1y to 2y Upgrade ESXi to STD (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to STD (for available license < V4.x, support contract for Vt3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAX203PRV04			217	
	SP Xtend of 12m ENT (6 CPU+VC_STD) Acc Kit,5x9	SP Prolongation of 12 months VMware ENT (6 CPU+VC_STD) Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTA300PRV06			2551	
	SP Xtend of 12m ENT (6 CPU+VC_STD) Acc Kit,7x24	SP Prolongation of 12 months VMware ENT (6 CPU+VC_STD) Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTA303PRV06			3035	
	SP Xtend of 12m ADV Acceleration Kit,5x9	SP Prolongation of 12 months VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTAD00PRV05			1501	
	SP Xtend of 12m ADV Acceleration Kit,7x24	SP Prolongation of 12 months VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTAD03PRV05			1785	
	SP Xtend of 12m Upgrade ADV to ENT PL,5x9	SP Prolongation of 12 months VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTAE00PRV07			499	
	SP Xtend of 12m Upgrade ADV to ENT PL,7x24	SP Prolongation of 12 months VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTAE03PRV07			595	
	SP Xtend of 12m ENT PL 6 Acceleration Kit,5x9	SP Prolongation of 12 months VMware ENT PL 6 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTE600PRV07			2988	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP Xtend of 12m ENT PL 6 Acceleration Kit,7x24	SP Prolongation of 12 months VMware ENT PL 6 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTE603PRV07			3550	
	SP Xtend of 12m ENT PL 8 Acceleration Kit,5x9	SP Prolongation of 12 months VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTE800PRV07			3771	
	SP Xtend of 12m ENT PL 8 Acceleration Kit,7x24	SP Prolongation of 12 months VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTE803PRV07			4487	
	SP Xtend of 12m Upgrade ESXi to ADV,5x9	SP Prolongation of 12 months VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTEA00PRV05			321	
	SP Xtend of 12m Upgrade ESXi to ADV,7x24	SP Prolongation of 12 months VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTEA03PRV05			373	
	SP Xtend of 12m Upgrade ENT to ENT PL,5x9	SP Prolongation of 12 months VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTEE00PRV07			499	
	SP Xtend of 12m Upgrade ENT to ENT PL,7x24	SP Prolongation of 12 months VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTEE03PRV07			595	
	SP Xtend of 12m Essentials PL,5x9	SP Prolongation of 12 months VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTEP00PRV08			428	
	SP Xtend of 12m Essentials PL,7x24	SP Prolongation of 12 months VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTEP03PRV08			504	
	SP Xtend of 12m ESXi 4.0 Single Server,5x9	SP Prolongation of 12 months VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTEX00PRV01			340	
	SP Xtend of 12m ESXi 4.0 Single Server,7x24	SP Prolongation of 12 months VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTEX03PRV01			403	
	SP Xtend of 12m Upgrade STD to ADV,5x9	SP Prolongation of 12 months VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTSA00PRV05			321	
	SP Xtend of 12m Upgrade STD to ADV,7x24	SP Prolongation of 12 months VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTSA03PRV05			373	
	SP Xtend of 12m vSphere ADV,5x9	SP Prolongation of 12 months VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTSD00PRV05			321	
	SP Xtend of 12m vSphere ADV,7x24	SP Prolongation of 12 months VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTSD03PRV05			373	
	SP Xtend of 12m vSphere ENT,5x9	SP Prolongation of 12 months VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTSE00PRV06			410	
	SP Xtend of 12m vSphere ENT,7x24	SP Prolongation of 12 months VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTSE03PRV06			484	
	SP Xtend of 12m vSphere ENT PL,5x9	SP Prolongation of 12 months VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTSL00PRV07			499	
	SP Xtend of 12m vSphere ENT PL,7x24	SP Prolongation of 12 months VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTSL03PRV07			595	
	SP Xtend of 12m vSphere STD,5x9	SP Prolongation of 12 months VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTST00PRV04			185	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP Xtend of 12m vSphere STD,7x24	SP Prolongation of 12 months VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTST03PRV04			217	
	SP Xtend of 12m Upgrade STD to ENT PL,5x9	SP Prolongation of 12 months VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTUS00PRV07			499	
	SP Xtend of 12m Upgrade STD to ENT PL,7x24	SP Prolongation of 12 months VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTUS03PRV07			595	
	SP Xtend of 12m Upgrade VC FND to STD,5x9	SP Prolongation of 12 months VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTUV00PRV09			714	
	SP Xtend of 12m Upgrade VC FND to STD,7x24	SP Prolongation of 12 months VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTUV03PRV09			847	
	SP Xtend of 12m View ENT Add 10 Clients,5x9	SP Prolongation of 12 months VMware View ENT Add 10 Clients, 5x9, service partner specified, contact Fujitsu, valid in country of purchase													x	x		x	x	x	FSP:G-SPTVA00PRV10			214	
	SP Xtend of 12m View ENT Add 10 Clients,7x24	SP Prolongation of 12 months VMware View ENT Add 10 Clients, 7x24, service partner specified, contact Fujitsu, valid in country of purchase													x	x		x	x	x	FSP:G-SPTVA03PRV10			252	
	SP Xtend of 12m vCenter FND,5x9	SP Prolongation of 12 months VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPTVC00PRV09			368	
	SP Xtend of 12m vCenter FND,7x24	SP Prolongation of 12 months VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPTVC03PRV09			424	
	SP Xtend of 12m View ENT 100 Clients,5x9	SP Prolongation of 12 months VMware View ENT 100 Clients, 5x9, service partner specified, contact Fujitsu, valid in country of purchase													x	x		x	x	x	FSP:G-SPTVE00PRV10			2138	
	SP Xtend of 12m View ENT 100 Clients,7x24	SP Prolongation of 12 months VMware View ENT 100 Clients, 7x24, service partner specified, contact Fujitsu, valid in country of purchase													x	x		x	x	x	FSP:G-SPTVE03PRV10			2551	
	SP Xtend of 12m vCenter STD,5x9	SP Prolongation of 12 months VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPTVS00PRV09			714	
	SP Xtend of 12m vCenter STD,7x24	SP Prolongation of 12 months VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPTVS03PRV09			847	
	SP Xtend of 12m View ENT Start 10 Clients,5x9	SP Prolongation of 12 months VMware View ENT Start 10 Clients, 5x9, service partner specified, contact Fujitsu, valid in country of purchase													x	x		x	x	x	FSP:G-SPTVT00PRV10			214	
	SP Xtend of 12m View ENT Start 10 Clients,7x24	SP Prolongation of 12 months VMware View ENT Start 10 Clients, 7x24, service partner specified, contact Fujitsu, valid in country of purchase													x	x		x	x	x	FSP:G-SPTVT03PRV10			252	
	SP Xtend of 12m Upgrade ESXi to ENT-PL,5x9	SP Prolongation of 12 months VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTXE00PRV07			499	
	SP Xtend of 12m Upgrade ESXi to ENT-PL,7x24	SP Prolongation of 12 months VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTXE03PRV07			595	
	SP Xtend of 12m Upgrade ESXi to STD,5x9	SP Prolongation of 12 months VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTXS00PRV04			185	
	SP Xtend of 12m Upgrade ESXi to STD,7x24	SP Prolongation of 12 months VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTXS03PRV04			217	

Positioning PRIMERGY Rack Servers

PRIMERGY RX100 S5

PRIMERGY RX100 S5 is a low-cost, easily-implemented platform with a Dual- or Quad-Core Intel® Xeon® UP 3000 sequence processor, integrated SAS or SATA RAID 0, 1 and a memory of up to 8 GB with a 1U space-saving depth of less than 60 cm. Integrated network and management functions make it ideal for data center infrastructure solutions.

PRIMERGY RX200 S5

More for less with regard to data center energy-efficiency. Energy consumption and cooling in data centers is a “burning” issue. The innovative PRIMERGY Cool-safe™ system design of the new RX200 S5 rack server generation provides the right answers.

PRIMERGY RX300 S5

Virtualized environments are the top application for RX300 systems and their new multicore CPUs in the Intel® Xeon® 5500 series. In this situation, several operating systems plus the installed applications have to run simultaneously on one and the same physical hardware. RX300 S5 provides all the platform features required for efficient virtualization.

PRIMERGY RX330 S1

Corporate applications in data center server farms with central deployment and control demand increasing performance. The cost-efficient PRIMERGY RX330 S1 extends the PRIMERGY Rack portfolio and focuses rather on standard than on full feature set in comparison to RX300. RX330 S1 is offering enough local storage capacity to be used as a stand-alone AMD Opteron Quad-Core based application server and for server farms in scale-out environ-ments with medium needs for availability features and virtualization focus. With 2 Dual-Core AMD Opteron™ proc-essors of the 2000 series and up to 32 Gbytes DDR2-667 direct addressable memory the PRIMERGY RX330 S1 matches your business application requirements perfectly and is ready for next generation AMD Quad-Core processors. Therefore the PRIMERGY RX330 S1 with up to 6 hot-plug SAS or SATA hard disks in combination with disk mirroring function, sufficient free PCI slots for heavy I/O requirements, a redundant power supply option, provides you with a budget saving platform.

PRIMERGY RX600 S4

4 Socket Multi-Core Xeon 7400 series rack server
Performance, capacity and stability for your critical applications. The exceptional extendability of the RX600 enables even more consolidation of servers and applications with state-of-the-art virtualization solutions and an excellent “best-inclass“ efficiency.

PRIMECENTER SME

The PRIMECENTER SME rack is the basis for mounting rack configurations with all Fujitsu products, such as servers, operating devices and storage systems. Based on the industry standards DIN 41494 and IEC 297, the PRIMECENTER SME rack can also accommodate other products on the market that comply with these standards.

PRIMERGY RX100 Sx

Data Sheets: http://ts.fujitsu.com/primergy

Business processes and customer bases are becoming more and more comprehensive as they rely on Internet technology. Consequently, data centers are faced with the challenge of making flexible and fast enhancements to their front-end infrastructure services. Increasingly they are looking for a platform solution that has minimum impact on their budgets, yet is easy to deploy and simple to operate. The PRIMERGY RX100 S6 has the appropriate answer.
The technical developments, such as Quad-Core Intel® Xeon® CPU in the 3200/3300 series, integrated SAS or SATA RAID 0, 1 data protection, easy to replace 2 x 3.5-inch hot-plug SATA or SAS hard disks and 8GB RAM - all make the PRIMERGY RX100 S6 ideal for your business applications. It combines the advantages of cost-optimized SATA or SAS hard disk technology in just one height unit with an installation depth of less than 60 cm. This makes it easy to integrate into any rack enclosures. The standard iRMC S2 (integrated Remote Management Controller) offers comprehensive system management based on IPMI 2.0 technology. The integrated network and management functions make it a good choice for infrastructure solutions even if budgets are limited.

Model	Processor	Operating System	Cabinet	Memory	HDD	CD-ROM	DVD- ROM	CD-RW/DVD	DVD- RW/ Dual DL/ DVD RAM	FDD	Tape Drives	LAN	Mouse	Keyboards	SCSI Controller	RAID Controller	Power pack	RAID Options	SAS Controller	FC Controller	System Option	Miscellaneous	Cable	Graphics	Product Code			End User Price (RRP)	Comments
Special products																													
PRIMERGY RX100 S6																													
	Intel® Core™ i3 i3-540		Rack	2 GB, DDR3, 1333 MHz								2 x GBit/s Ethernet				2 port SATA w ith RAID 0/1for HDD´s									VFY:R100S5P010GB			695	
	Intel® Xeon® X3430		Rack	4 GB, DDR3, 1333 MHz								2 x GBit/s Ethernet				Integrated RAID 0/1 or RAID 5/6 -controller for SAS base units (option, occupies one PCIe slot).See under									VFY:R100S5P030GB			894	
PRIMERGY RX100 S7																													
	PY RX100S7/LFF/STANDARD PSU / XEON E3-1220/4 GB/DVD-RW SM SLIM/ RMK-F1_DI_CMA_QRL/RACK CMA 1U/KIT/ POW.CORD/,																								VFY:R1007SC010IN			776	Orderable from 20/06/2011
	PY RX100S7/LFF/HOT-PLUG PSU / XEON E3-1220/4 GB/DVD-RW SM SLIM/ 2x500GB 7.2K/RMK-F1_DI_CMA_QRL/ RACK CMA 1U/KIT/POW.CORD/,																								VFY:R1007SC020IN			965	Orderable from 20/06/2011

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY RX100 S6							
	PY RX100S6/LFF/Standard PSU	Rack based server 19" (1U), BU w ithout processor and RAM, incl. standard pow er supply module, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard; 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Softw are Pack incl. ServerStart, ServerBooks, management softw are and updates.	S26361-K1264-V101			449	
	PY RX100S6/SFF/Standard PSU	Rack based server 19" (1U), BU w ithout processor and RAM, incl. standard pow er supply module, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard; 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Softw are Pack incl. ServerStart, ServerBooks, management softw are and updates.	S26361-K1264-V201			449	
PRIMERGY RX100 S7							
	PY RX100S7/LFF/Standard PSU	Rack based server 19" (1U), BU w ithout processor and RAM, incl. standard pow er supply module, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard; 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Softw are Pack incl. ServerStart, ServerBooks, management softw are and updates.	S26361-K1385-V101			449	Orderable from 20/06/2011
	PY RX100S7/LFF/Hot-Plug PSU	Rack based server 19" (1U), BU w ithout processor and RAM, incl. hot-plug pow er supply module, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard; 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Softw are Pack incl. ServerStart, ServerBooks, management softw are and updates.	S26361-K1385-V201			484	Orderable from 20/06/2011
	PY RX100S7/SFF/Standard PSU	Rack based server 19" (1U), BU w ithout processor and RAM, incl. standard pow er supply module, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard; 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Softw are Pack incl. ServerStart, ServerBooks, management softw are and updates.	S26361-K1385-V301			458	Orderable from 20/06/2011
	PY RX100S7/SFF/Hot-Plug PSU	Rack based server 19" (1U), BU w ithout processor and RAM, incl. hot-plug pow er supply module, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard; 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Softw are Pack incl. ServerStart, ServerBooks, management softw are and updates.	S26361-K1385-V401			492	Orderable from 20/06/2011

Model	Processor	Operating System	Cabinet	Memory	HDD	CD-ROM	CD-RW Drive	CD-RW/DVD	DVD-RW/DualDL/ DVD RAM	FDD	Tape Drives	LAN	Modem	Peripherals	SCSI Controller	RAID Controller	Power pack	RAID Options	SAS Controller	FC Controller	System Option	Hot Plug Module	Cable	Graphics	Product Code			End User Price (RRP)	Comments
Special products																													
PRIMERGY RX200 S6																													
	Intel® Xeon® E5620		Rack 4 GB, DDR3, 1333 MHz	2 x HDD SAS, 10000 rpm, 146 GB, 2.5", enterprise								2 x Gibits Ethernet				Integrated RAID 0/1 Ctrl., SAS/SATA 6 GB, Fujitsu , 8ports int.RAID level: 0, 1, 10, no BBU support (based on LSI SAS2008) + Integrated RAID 0/1 or RAID 5/6 controller for SAS base units (option, occupies one PCIe slot) See under Components RAID	Power Supply Module 450W gold hp										1961	
	Intel® Xeon® E5620		Rack 4 GB, DDR3, 1333 MHz									2 x Gibits Ethernet				Integrated RAID 0/1 or RAID 5/6 controller for SAS base units (option, occupies one PCIe slot) See under	Power Supply Module 450W gold hp										1824	

Model	Processor	Operating System	Cabinet	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL / DVD RAM	FDD	Tape Drives	LAN	Mouse	Keyboards	SCSI Controller	RAID Controller	Power pack	RAID Options	SAS Controller	FC Controller	System Option	Miscellaneous	Cable	Graphics	Product Code			End User Price (RRP)	Comments
Special products																													
PRIMERGY RX300 S6																													
	Intel® Xeon® E5620		Rack	4 GB, DDR3, 1333 MHz								2 x GBit/s Ethernet				Integrated RAID 0/1 or RAID 5/6 controller for SAS base units (occupies one PCIe slot, if at least 1 HDD is configured).See under									VFY:R3006SF010GB			1824	
	Intel® Xeon® X5650		Rack	1 x + 12 GB, DDR3, 1333 MHz								2 x GBit/s Ethernet				Integrated RAID 0/1 or RAID 5/6 controller for SAS base units (occupies one PCIe slot, if at least 1 HDD is configured).See under									VFY:R3006SF020GB			2565	
	Intel® Xeon® E5506		Rack	4 GB, DDR3, 1333 MHz								2 x GBit/s Ethernet				Integrated RAID 0/1 or RAID 5/6 controller for SAS base units (occupies one PCIe slot, if at least 1 HDD is configured).See under									VFY:R3006SX010IN			1647	

PRIMERGY RX600 S5 — Data Sheets: http://ts.fujitsu.com/primergy

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY RX600 S5							
	PY RX600S5	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules (redundant); 8x hot plug fans (redundant); system board for 4x XEON 7500 CPUs; 2x memory board for max. 4x4 DDR3 DIMM modules; 8 drive bays for hot plug 2.5" SAS/SATA HDDs; iRMC S2 server management with graphics controller and 10/100Mbit Service LAN-port; 2x Dual-Port Ethernet Controller (= 4x GBit LAN Ports) WOL capable; SAS RAID Controller optional; LocalView LCD Display; ServerView Suite Software Package,	S26361-K1287-V400			3113	

PRIMECENTER

Data Sheets: http://ts.fujitsu.com/primergy

PRIMECENTER - 19-inch rack system
19-inch rack technology for all Fujitsu Siemens rack components (PRIMERGY, SPARC Enterprise, PRIMEPOWER, storage products, BS2000) based on the 19-inch rack industry standard
PRIMECENTER Racks for each purpose. Flexible and stackable 12, 24, 38 and 46 horizontal units and the new PRIMECENTER LC (Liquid cooled) Rack. The universal scale-up infrastructure prerequisite for SPARC Enterprise, PRIMEPOWER, PRIMEQUEST, PRIMERGY, Fujitsu storage systems and even most of all existing rackable servers. And - that's not all: often necessary components like uninterruptible power supplies, hubs, routers, (console-) switches and a LAN console are easily to be installed here; this is supported also by the built-in optimal cable management, allowing cost saving serviceability of included components. The installation dimensions of the enclosure make the integration in existing IT environments easy. Thanks to their modular design, the racks can be expanded on-site. All four models are offering the same functionality - only with different sizings and different numbers of horizontal height units behind the secure front door.
New member of the PRIMECENTER family is the new low cost entry PRIMECENTER SME rack, a 42 U rack enclosure capable to host all Fujitsu Siemens servers as well as 3rd party systems at an extremly low price.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY PRIMECENTER Rack							
	PRIMECENTER COM Rack, 38HE	19" rack (38U) for structured network cabling, stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, with add. 100mm side space, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V253			4101	
	PRIMECENTER Rack 12 U, 1000 deep	19" rack (12U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting kit for stack fixing, mounting frame 1x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 670x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V101			1365	
	PRIMECENTER Rack 24 U, 1000 deep	19" rack (24U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 2x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1220x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V102			1493	
	PRIMECENTER Rack 38 U, 1000 deep	19" rack (38U), stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V103			1749	

PRIMECENTER

Data Sheets: http://ts.fujitsu.com/primergy

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY PRIMECENTER Rack (Continued)							
	PRIMECENTER Rack 46 U, 1000 deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD =2220x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V104			2006	
	PRIMECENTER Rack 24U, 1100mm deep	19" rack (24U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 2x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1220x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V212			1621	
	PRIMECENTER Rack 38HU, 1100mm deep	19" rack (38U), stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V213			1878	
	PRIMECENTER Rack 46U, 1100mm deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD =2220x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V214			2134	

PRIMECENTER SME Rack — Data Sheets: http://ts.fujitsu.com/primergy

Industry Standard Rack
19-inch PRIMECENTER SME in Height of 42 and 24 units
The PRIMECENTER SME rack is the basis for mounting rack configurations with all Fujitsu products, such as servers, operating devices and storage systems. Based on the industry standards DIN 41494 and IEC 297, the PRIMECENTER SME rack can also accommodate other products on the market that comply with these standards.

- **Asymmetrical design for ideal cable routing and best air flow**
- **Capacity 24 or 42 height units, no extra vertical height units**
- **Capacity 24 or 42 are now also available in 1100mm depth, instead of only 1000mm.**
- **Full serviceability of servers thanks to telescopic rails for servers with hot-replace components**
- **All released components for PRIMECENTER rack family can be used as well**
- **All Fujitsu Siemens rack servers and subsystems, as well as 3rd party rack servers (which fits into PRIMECENTER Racks) can be installed under the same conditions and restrictions (specially for servers with higher weight)**
- **No anti tilt protection as standard, rack has to be fixed at the ground floor**
- **Options available on demand at supplier**

Anti tilt protection, roll base, combination lock with numbers, etc

Category	Description	Details	Product Code			End User Price (RRP)	Comments
Peripherals							
Rack-Infrastructure							
	Starter-kit 1 for SME rack	PDU, dummy panels, screws, delivery without fixtures es factory	S26361-F2735-L300			167	Phased out
	SME Rack 24 U, 1000mm deep, 700mm wide	SME Rack 24 U, 1000mm deep, 700mm wide, Protection Class IP20, with Sidewalls, delivered without fixtures ex factory, lockable, incl. earthingkit, - Rack checklist necessary! -, http://configurator.ts.fujitsu.com/public/information/Rack-Checkliste.xls	S26361-F3327-L24			662	Phased out
	SME Rack 42 U, 1000mm deep, 700mm wide	SME Rack 42 U, 1000mm deep, 700mm wide, Protection Class IP20, with Sidewalls, delivered without fixtures ex factory, lockable, incl. earthingkit, - Rack checklist necessary! -, http://configurator.ts.fujitsu.com/public/information/Rack-Checkliste.xls	S26361-F3327-L42			748	Phased out

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																						
Processor																																						
	Intel® Xeon® E5502 2C/2T 1.86 GHz 4 MB																			x															S26361-F3277-L186			338	Phased out
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB																				x														S26361-F3277-L200			253	
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB																			x															S26361-F3278-L200			388	Phased out
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB																			x	x														S26361-F3278-L213			364	Phased out
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB																				x														S26361-F3278-L226			427	Phased out
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB																			x															S26361-F3279-L226			639	Phased out
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB																			x															S26361-F3279-L240			880	Phased out
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB																			x															S26361-F3279-L253			1222	Phased out
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB																			x															S26361-F3280-L267			1582	Phased out
	Intel® Xeon® X5570 4C/8T 2.93 GHz 8 MB																			x															S26361-F3280-L293			2262	Phased out
	Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB																			x															S26361-F3281-L226			880	Phased out
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB													x																					S26361-F3286-L200			253	
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB												x																						S26361-F3287-L200			392	Phased out
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB													x																					S26361-F3287-L226			342	Phased out
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB												x																						S26361-F3288-L226			639	Phased out
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB												x																						S26361-F3288-L253			1222	Phased out
	Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB												x																						S26361-F3290-L226			880	Phased out
	Intel® Xeon® W5590 4C/8T 3.33 GHz 8 MB																				x														S26361-F3337-L333			2605	Phased out
	Xeon MP E7220 2.93GHz 2x4MB 1066MHz																										x								S26361-F3487-L220			1878	Phased out
	Xeon MP E7310 1.60GHz 2x2MB 1066MHz																										x								S26361-F3487-L310			1402	Phased out
	Xeon MP E7430 2.13GHz 12MB 1066MHz																										x								S26361-F3487-L430			2220	Phased out
	Xeon MP E7450 2.40GHz 12MB 1066MHz																										x								S26361-F3487-L450			3567	Phased out
	Xeon MP X7460 2.67GHz 16MB 1066MHz																										x								S26361-F3487-L460			4358	Phased out
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB																					x													S26361-F3618-L240			474	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB																					x													S26361-F3618-L253			821	Phased out
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB																					x													S26361-F3618-L266			924	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB																					x													S26361-F3619-L266			1069	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB																					x													S26361-F3619-L280			1282	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB																					x													S26361-F3619-L293			1907	Phased out
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB																					x													S26361-F3619-L306			1522	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB																					x													S26361-F3619-L333			2189	Phased out
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB																					x													S26361-F3619-L346			1753	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB																					x													S26361-F3620-L293			924	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB																					x													S26361-F3620-L360			1753	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB																					x													S26361-F3621-L186			531	Phased out
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB																					x													S26361-F3622-L213			659	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB																					x													S26361-F3622-L226			1069	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB																					x													S26361-F3633-L240			659	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB																					x													S26361-F3648-L160			253	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB																					x													S26361-F3648-L213			291	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB																					x													S26361-F3649-L253			924	
	Xeon LV DP L5420 2.50 GHz 2x6MB 1333MHz																			x															S26361-F3882-L550			599	Phased out
	Intel Xeon E7520 4C/8T 1.86 GHz 18 MB																											x							S26361-F3999-L520			1044	
	Intel Xeon E7530 6C/12T 1.86 GHz 12 MB																											x							S26361-F3999-L530			1659	
	Intel Xeon E7540 6C/12T 2.00 GHz 18 MB																											x							S26361-F3999-L540			2352	
	Intel Xeon X7542 6C/6T 2.66 GHz 18 MB																											x							S26361-F3999-L542			2352	
	Intel Xeon L7545 6C/12T 1.86 GHz 18 MB																											x							S26361-F3999-L545			2566	
	Intel Xeon X7550 8C/16T 2.00 GHz 18 MB																											x							S26361-F3999-L550			3249	
	Intel Xeon L7555 8C/16T 1.86 GHz 24 MB																											x							S26361-F3999-L555			3764	
	Intel Xeon X7560 8C/16T 2.26 GHz 24 MB																											x							S26361-F3999-L560			4361	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB													x																					S26361-F4417-L266			1069	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB													x																					S26361-F4417-L280			1282	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB													x																					S26361-F4417-L293			1522	Phased out
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB													x																					S26361-F4417-L333			1753	Phased out
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB													x																					S26361-F4419-L240			474	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB													x																					S26361-F4419-L253			659	Phased out
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB													x																					S26361-F4419-L266			924	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB													x																					S26361-F4420-L186			531	Phased out
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB													x																					S26361-F4421-L213			659	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB													x																					S26361-F4421-L240			1069	
	CPU MEMORY Riser Board																															x			S26361-F4470-L100			1707	
	Intel Xeon E7540 6C/12T 2.00 GHz 18 MB																															x			S26361-F4471-L540			2352	
	Intel Xeon X7542 6C/6T 2.66 GHz 12 MB																															x			S26361-F4471-L542			2352	
	Intel Xeon X7550 8C/16T 2.00 GHz 18 MB																															x			S26361-F4471-L550			3249	
	Intel Xeon X7560 8C/16T 2.26 GHz 24 MB																															x			S26361-F4471-L560			4361	
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB													x																					S26361-F4479-L213			364	Phased out
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB													x																					S26361-F4483-L160			253	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB													x																					S26361-F4484-L213			291	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB													x																					S26361-F4485-L240			659	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB													x																					S26361-F4486-L253			924	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB													x																					S26361-F4487-L306			1522	
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB													x																					S26361-F4488-L346			1753	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB													x																					S26361-F4489-L293			924	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB													x																					S26361-F4490-L360			1753	
Memory																																						
	MEM 1GB DDR2-533 PC2-4200 ub ECC(1mod)			x	x																													S26361-F3000-L514			81	Phased out
	MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod)			x	x																													S26361-F3000-L515			141	Phased out
	4GB 2x2GB DDR2-400 PC2-3200 rg ECC									x							x																	S26361-F3072-L523			427	Phased out
	Memory Board Kit RX600 S4																										x							S26361-F3125-L440			256	Phased out
	MEM 8GB 2x4GB FBD667 PC2-5300F d ECC										x								x															S26361-F3230-L524			488	Phased out
	1 GB DDR3 1333 MHz PC3-10600 ub s ECC					x																												S26361-F3335-L513			39	
	2 GB DDR3 1333 MHz PC3-10600 ub s/d ECC					x																												S26361-F3335-L514			44	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC					x																												S26361-F3335-L515			86	
	2 GB DDR3 1333 MHz PC3-10600 ub s ECC						x																											S26361-F3335-L524			42	Orderable from: 14/07/2011
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC						x																											S26361-F3335-L525			86	Orderable from: 14/07/2011
	8 GB DDR3 1333 MHz PC3-10600 ub d ECC						x																											S26361-F3335-L526			727	Orderable from: 14/07/2011
	4GB 2x2GB DDR2-800 PC2-6400 rg ECC																						x											S26361-F3550-L512			226	Phased out
	8GB 2x4GB DDR2-800 PC2-6400 rg d ECC																						x											S26361-F3550-L513			522	Phased out
	1GB DDR2-800 PC2-6400 ub d ECC 1 MODUL				x																													S26361-F3870-L514			56	Phased out
	2GB DDR2-800 PC2-6400 ub d ECC 1 MODUL				x																													S26361-F3870-L515			89	Phased out
	Memory Board RX600 S5																											x							S26361-F3990-L100			205	
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg s																															x			S26361-F4472-L643			291	Phased out
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d																															x			S26361-F4472-L644			461	
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d																															x			S26361-F4472-L645			873	
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q																															x			S26361-F4472-L646			2309	
	2GB 2x1GB FBD667 PC2-5300F d ECC											x								x															S26361-F3263-L522			207	Phased out
	4GB 2x2GB FBD667 PC2-5300F d ECC																										x							S26361-F3263-L623			333	Phased out
	4GB 2x2GB FBD667 PC2-5300F d ECC											x								x															S26361-F3263-L523			333	Phased out
	8GB 2x4GB FBD667 PC2-5300F d ECC																										x							S26361-F3263-L624			488	Phased out
	4 GB DDR3 1333 MHz PC3-10600 rg d ECC						x																											S26361-F3336-L515			128	
	16GB 2x8GB FBD667 PC2-5300F d ECC																										x							S26361-F3263-L625			1860	Phased out
	8GB 2x4GB FBD667 PC2-5300F d ECC																			x															S26361-F3263-L524			488	Phased out
	8 GB DDR3 1066 MHz PC3-8500 rg q ECC						x																											S26361-F3336-L516			620	
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg d																											x							S26361-F4003-L643			291	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg s																											x							S26361-F4003-L642			461	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d																											x							S26361-F4003-L644			706	Phased out
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d																											x							S26361-F4003-L645			873	
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q																											x							S26361-F4003-L646			2309	
Memory Modules																																						
	2 GB DDR3 1333 MHz PC3-10600 ub d													x							x															S26361-F3606-L513			42	
	4 GB DDR3 1333 MHz PC3-10600 rg s ECC													x							x															S26361-F3604-L510			128	
	2 GB DDR3 1333 MHz PC3-10600 rg s													x							x															S26361-F3604-L513			74	
	8 GB DDR3 1333 MHz PC3-10600 rg d													x							x															S26361-F3604-L515			239	
	2GB DDR3-1066 PC3-8500 ub ECC 1 module													x																					S26361-F3970-L513			65	Phased out
	2GB DDR3-1066 PC3-8500 rg ECC 1 MODUL													x								x													S26361-F3284-L513			73	
	MM 4GB 2x2 DDR3-1066 PC3-8500 rg ECC													x								x													S26361-F3284-L523			146	
	SP 6GB 3x2 DDR3-1066 PC3-8500 rg ECC													x								x													S26361-F3284-L533			218	
	16 GB DDR3 1066 MHz PC3-8500 rg q														x							x													S26361-F3604-L516			578	
	4GB DDR3-1066 PC3-8500 rg d ECC 1 MODUL													x								x													S26361-F3284-L514			115	
	MM 8GB 2x4 DDR3-1066 PC3-8500 rg d ECC													x								x													S26361-F3284-L524			232	
	SP12GB 3x4 DDR3-1066 PC3-8500 rg d ECC													x								x													S26361-F3284-L534			346	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg s ECC														x							x													S26361-F3605-L510			115	
	8GB DDR3-1066 PC3-8500 rg d ECC 1 MODUL													x								x													S26361-F3284-L515			620	
	MM 16GB 2x8 DDR3-1066 PC3-8500 rg d ECC													x								x													S26361-F3284-L525			1240	
	SP 24GB 3x8 DDR3-1066 PC3-8500 rg d ECC													x								x													S26361-F3284-L535			1860	
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d														x							x													S26361-F3605-L515			218	
	2GB DDR3-1333 PC3-10600 rg ECC 1 MODUL													x							x															S26361-F3285-L513			73	
	MM 4GB 2x2 DDR3-1333 PC3-10600 rg ECC													x							x															S26361-F3285-L523			146	
	SP 6GB 3x2 DDR3-1333 PC3-10600 rg ECC													x							x															S26361-F3285-L533			218	
	4GB DDR3-1333 PC3-10600 rg d ECC 1 MODUL													x							x															S26361-F3285-L514			128	
	MM 8GB 2x4 DDR3-1333 PC3-10600 rg d ECC													x							x															S26361-F3285-L524			232	
	SP 12GB 3x4 DDR3-1333 PC3-10600 rg d ECC													x							x															S26361-F3285-L534			385	
	8GB DDR3-1333 PC3-10600 rg d ECC 1 MODUL													x							x															S26361-F3285-L515			218	
	MM 16GB 2x8 DDR3-1333 PC3-10600 rg d ECC													x							x															S26361-F3285-L525			436	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																						
Memory Modules (Continued)																																						
	SP 24GB 3x8 DDR3-1333 PC3-10600 rg d ECC												x							x															S26361-F3285-L535			654	
Graphics																																						
	Front-VGA interface																			x	x														S26361-F2571-L16			18	
	PY VGA Card 256MB PCI-e 1												x	x																					S26361-F2748-L533			115	
	PY LP VGA Card 256MB PCI-e 1					x	x													x	x	x													S26361-F2748-L633			115	
Removable Media Drives																																						
	DVD-RW supermulti slimline SATA						x	x					x	x							x	x					x				x	x			S26361-F3269-L2			78	
	Blu-ray Combo slimeline SATA						x	x					x	x							x	x					x				x	x			S26361-F3531-L2			218	
	DVD-RW supermulti slimline SATA					x						x							x							x									S26361-F3269-L1			98	Phased out
	RDX Drive USB 25MB/s 5.25" internal																										x								S26361-F3857-L4			136	
	RDX Drive USB 25MB/s 3.5" internal																				x	x													S26361-F3857-L5			136	
	RDX Drive USB 25MB/s 3.5" internal																				x	x													S26361-F3857-L7			180	
	Tape Kit DDS Gen5 36GB USB 5.25" int.																										x								S26361-F3324-L4			432	
	Tape Kit DDS Gen5 36GB USB 3.5" int.																				x	x													S26361-F3324-L5			427	
	Tape Kit DDS Gen5 36GB USB 3.5" int.																				x	x													S26361-F3324-L7			474	
	Tape Kit DDS Gen6 80GB USB 5.25" int.													x																					S26361-F3325-L4			586	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS																										x								S26361-F4009-L4			1215	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS																										x								S26361-F3561-L4			1321	
	Tape Kit LTO4HH 800GB 120MB/s SAS																									x	x								S26361-F3626-L1			1839	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2																									x	x								S26361-F3626-L2			1839	Deliverable from: 14/06/2011,Orderable from: 29/06/2011
	Tape Kit LTO5HH 1500GB 140MB/s SAS																										x								S26361-F3627-L1			2438	
Hard Disks																																						
	HD SATA 3GB/s 160GB 7.2k non hot pl 3.5"			x	x										x																				S26361-F3219-L160			86	Phased out
	HD SATA 3GB/s 1TB 7.2k hot plug 3.5"					x						x								x		x													S26361-F3265-L100			253	
	HD SATA 3GB/s 250GB 7.2k hot plug 3.5"					x						x								x		x													S26361-F3265-L250			94	
	HD SATA 3GB/s 500GB 7.2k hot plug 3.5"					x						x								x		x													S26361-F3265-L500			149	
	HD SATA 3GB/s 1TB 7.2k non hot pl 3.5"					x																													S26361-F3272-L100			253	
	HD SATA 3GB/s 250GB 7.2k non hot pl 3.5"					x																													S26361-F3272-L250			94	
	HD SATA 3GB/s 500GB 7.2k non hot pl 3.5"					x																													S26361-F3272-L500			149	
	HD SAS 3G 600GB 15K HOT PLUG 3.5" EP																				x														S26361-F3291-L560			621	
	8x 2.5" HDD Upgrade Option												x	x																					S26361-F3317-L500			91	
	PCIe-SSD 320GB MLC																										x					x	x		S26361-F4522-L321			5431	
	HD SATA 3G 160GB 5.4K HOT PLUG 2.5" ECO							x													x														S26361-F3297-L160			141	
	HD SATA 3GB/s 160GB 5.4k hot plug 2.5"									x																									S26361-F3515-L160			142	
	PCIe-SSD 640GB MLC																										x					x	x		S26361-F4522-L641			8339	
	HD SAS 3G 146GB 10K HOT PLUG 2.5" EP												x								x														S26361-F3292-L114			212	
	HD SAS 3G 300GB 10K HOT PLUG 2.5" EP												x								x														S26361-F3292-L130			385	
	HD SATA 3G 320GB 5.4K HOT PLUG 2.5" ECO							x													x														S26361-F3297-L320			167	
	HD SATA 3GB/s 320GB 5.4k hot plug 2.5"									x																									S26361-F3515-L320			167	
	HD SAS 3G 450GB 10K HOT PLUG 2.5" EP												x								x														S26361-F3292-L145			509	
	HD SAS 3G 600GB 10K HOT PLUG 2.5" EP												x								x														S26361-F3292-L160			624	
	HD SATA 3G 500GB 5.4K HOT PLUG 2.5" ECO							x													x														S26361-F3297-L500			184	
	HD SAS 3G 73GB 15K HOT PLUG 2.5" EP												x								x														S26361-F3292-L573			272	
	HD SAS 3G 146GB 15K HOT PLUG 2.5" EP												x								x														S26361-F3292-L514			392	
	HD SATA 3G 250GB 7.2K HOT PLUG 3.5" BC						x	x													x	x													S26361-F3294-L250			95	
	HD SATA 3G 500GB 7.2K HOT PLUG 3.5" BC						x	x													x	x													S26361-F3294-L500			160	
	HD SATA 3G 1TB 7.2K HOT PLUG 3.5" BC						x	x													x	x													S26361-F3294-L100			255	
	HD SATA 3G 2TB 7.2K HOT PLUG 3.5" BC						x	x													x	x													S26361-F3294-L200			398	
	SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP						x	x					x	x							x	x					x				x	x			S26361-F3298-L32			560	
	SSD SATA 3G 64GB SLC HOT PLUG 2.5" EP						x	x					x	x							x	x					x				x	x			S26361-F3298-L64			966	
	HD SATA 3G 160GB 7.2K HOT PLUG 2.5" BC						x	x					x	x							x	x					x								S26361-F3601-L160			168	
	HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC						x	x					x	x							x	x					x								S26361-F3601-L500			198	
	HD SATA 3G 1TB 7.2K HOT PLUG 2.5" BC						x	x					x	x							x	x					x								S26361-F3601-L100			329	Deliverable from: 15/06/2011,Orderable from: 22/06/2011
	HD SAS 3G 146GB 15K HOT PLUG 3.5" EP						x	x													x	x													S26361-F3291-L514			262	
	HD SAS 3G 300GB 15K HOT PLUG 3.5" EP																				x														S26361-F3291-L530			495	
	HD SAS 3G 450GB 15K HOT PLUG 3.5" EP																				x														S26361-F3291-L545			592	
	HD SAS 6G 300GB 15K HOT PLUG 3.5" EP						x	x													x	x													S26361-F4005-L530			315	
	HD SAS 6G 450GB 15K HOT PLUG 3.5" EP						x	x													x	x													S26361-F4005-L545			414	
	HD SAS 6G 600GB 15K HOT PLUG 3.5" EP						x	x													x	x													S26361-F4005-L560			449	
	HD SAS 3GB/s 146GB 15k hot plug 3.5"				x	x					x	x						x	x			x													S26361-F3204-L514			260	Phased out
	HD SAS 3GB/s 300GB 15k hot plug 3.5"				x	x					x	x						x	x			x													S26361-F3204-L530			495	Phased out
	HD SAS 3GB/s 450GB 15k hot plug 3.5"				x	x					x	x						x	x			x													S26361-F3204-L545			586	Phased out
	HD SAS 6G 146GB 10K HOT PL 2.5" EP						x	x						x							x	x						x	x			x	x		S26361-F4482-L114			181	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP						x	x						x							x	x						x	x			x	x		S26361-F4482-L130			308	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP						x	x						x							x	x						x	x			x	x		S26361-F4482-L145			440	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP						x	x						x							x	x						x	x			x	x		S26361-F4482-L160			556	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP						x	x						x							x	x						x	x			x	x		S26361-F4482-L573			218	
	HD SAS 3GB/s 600GB 15k hot plug 3.5"				x	x					x	x						x	x			x													S26361-F3204-L560			616	Phased out
	HD SAS 6G 146GB 15K HOT PL 2.5" EP						x	x						x							x	x						x	x			x	x		S26361-F4482-L514			269	
	HDD SAS 146GB 10k 3GB/s hot plug 2.5"										x	x						x	x						x	x									S26361-F3208-L114			212	
	HD SAS 3GB/s 300GB 10k hot plug 2.5"										x	x						x	x						x	x									S26361-F3208-L130			381	
	HD SAS 3GB/s 450GB 10k hot plug 2.5"										x	x						x	x						x	x									S26361-F3208-L145			509	
	HD SAS 3GB/s 600GB 10k hot plug 2.5"										x	x						x	x						x	x									S26361-F3208-L160			624	
	HDD SAS 73GB 15k 3GB/s hot plug 2.5"										x	x						x	x						x	x									S26361-F3208-L573			269	
	HD SAS 3GB/s 146GB 15k hot plug 2.5"																			x							x									S26361-F3208-L514			388	
SCSI/RAID/SAS controller																																						
	SCSI Ctrl U160 1- ch int/ext														x	x	x				x	x	x	x			x	x	x					x	S26361-F2399-L1			253	Phased out
	SCSI Ctrl U160 1- ch int/ext lp	x	x	x	x					x	x					x	x	x																	S26361-F2737-L201			253	Phased out
	BBU Modul for RAID Controller									x											x														S26361-F3085-L10			132	Phased out
	SCSI-Cable for internal Tapes x600 Sx																						x	x	x										S26361-F3128-L101			86	Phased out
	BBU Module RAID Contr. RX600 S4																									x									S26361-F3128-L420			222	Phased out
	RAID Ctrl SAS 8 Port 256MB LSI											x										x		x	x	x									S26361-F3215-L1			660	Phased out
	RAID Ctrl BBU Upgrade 8344ELP LSI																					x		x	x	x									S26361-F3215-L10			188	Phased out
	RAID Ctrl SAS 8 Port 256MB LP LSI																x	x																	S26361-F3215-L201			654	Phased out
	RAID Ctrl BBU Upgrade 8344ELP LP LSI																x	x																	S26361-F3215-L210			191	Phased out
	RAID Contr BBU Upgrade for RAID 5/6											x								x			x												S26361-F3257-L10			201	Phased out
	RAID Contr BBU Upgrade for RAID 5/6						x							x	x						x	x					x					x	x		S26361-F3257-L110			142	
	4-Port SAS cable for ports 5 and 6													x	x																				S26361-F3257-L250			21	
	RAID 0/1 SAS based on LSI MegaRAID 4Port						x	x					x	x	x												x	x							S26361-F3257-L4			95	
	RAID 5/6 SAS based on LSI MegaRAID 512MB												x	x						x	x														S26361-F3257-L512			453	Phased out
	RAID 0/1 SAS based on LSI MegaRAID 8Port													x						x	x	x													S26361-F3257-L8			115	
	SCSI Ctrl U320 1ch int/ext PCIe																										x	x							S26361-F3270-L1			168	
	SCSI Ctrl U320 1ch int/ext PCIe lp					x	x	x					x	x	x						x	x	x												S26361-F3270-L201			168	
	SAS Ctrl 3GB/s 4int/4ext PCIe																										x	x							S26361-F3271-L1			181	
	SAS Ctrl 3GB/s 8 port PCIe FH EFI																															x	x		S26361-F3271-L2			180	
	SAS Ctrl 3GB/s 4int/4ext PCIe lp					x	x	x					x	x	x						x	x	x	x											S26361-F3271-L201			180	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)						x	x						x							x	x						x				x	x		S26361-F3554-L512			333	
	RAID Ctrl SAS 6G 0/1 (D2607)						x	x						x							x	x						x							S26361-F3554-L8			142	
	RAID Ctrl SAS 6G 8Port ex 512M FH/LP LSI						x	x						x							x	x						x	x			x	x		S26361-F3593-L501			505	
	SAS Ctrl 6G 8ext PCIe FH/LP						x	x						x							x							x							S26361-F3628-L501			222	
	RAID Ctrl SAS 8Port opt remote BBU LSI												x							x															S26361-F3890-L11			188	Phased out
	RAID Ctrl SAS 8Port opt Onboard BBU LSI																										x								S26361-F3890-L12			149	
	RAID Ctrl SAS 8Port opt remote BBU LSI													x							x															S26361-F3890-L13			149	
	RAID Ctrl SAS 8Port 512M FH/LP LSI												x	x						x	x							x								S26361-F3890-L501			633	Phased out
	RAID Upgrade Kit RX100 S6						x																												S26361-F4414-L1			39	
	RAID Upgrade Kit RX100 S7							x																											S26361-F4414-L2			42	Orderable from: 20/06/2011
Fibre Channel																																						
	FC Ctrl 4GBit/s QLE2460 MMF LC																				x		x	x	x										S26361-F3483-L1			842	Phased out
	FC Ctrl 4GBit/s QLE2462 MMF LC																				x		x	x	x										S26361-F3483-L2			1295	Phased out
	FC Ctrl 4GBit/s QLE2460 MMF LC LP										x	x	x	x				x	x	x	x	x													S26361-F3483-L201			842	Phased out
	FC Ctrl 4GBit/s QLE2462 MMF LC LP										x	x	x	x				x	x	x	x	x													S26361-F3483-L202			1295	Phased out
	FC Ctrl 8GB/s 1 Kanal QLE2560 MMF LC																										x					x	x		S26361-F3631-L1			876	
	FC Ctrl 8GB/s 2 Kanal QLE2562 MMF LC																										x					x	x		S26361-F3631-L2			1420	
	FC Ctrl 8GB/s 1 Kanal QLE2560 MMF LC LP														x							x													S26361-F3631-L201			876	
	FC Ctrl 8GB/s 2 Kanal QLE2562 MMF LC LP														x							x													S26361-F3631-L202			1420	
	FC Ctrl 4GBit/s LPe1150 MMF LC															x							x	x	x	x									S26361-F3306-L1			800	Phased out
	FC Ctrl 2x4GBit/s LPe11002 MMF LC															x							x	x	x	x									S26361-F3306-L2			1227	Phased out
	FC Ctrl 4GBit/s LPe1150 MMF LC LP										x	x	x	x				x	x	x	x	x													S26361-F3306-L201			807	Phased out
	FC Ctrl 2x4GBit/s LPe11002 MMF LC LP										x	x	x	x				x	x	x	x	x													S26361-F3306-L202			1227	Phased out
	FC CTRL 8GBIT/S LPE1250 MMF LC FH																										x	x					x	x	S26361-F3961-L1			876	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC																										x	x					x	x	S26361-F3961-L2			1420	
	FC CTRL 8GBIT/S LPE1250 MMF LC LP										x	x	x							x	x	x													S26361-F3961-L201			876	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP										x	x	x							x	x	x													S26361-F3961-L202			1420	
Connection Blades																																						
	SFP+ Module Multi Mode Fiber 10GBE LC						x	x						x							x							x					x	x		S26361-F3986-L3			346	
	Infiniband Cu Cable 40GB, 4x QSFP, 1m													x							x							x								S26361-F3996-L101			81	
	Infiniband Cu Cable 40GB, 4x QSFP, 3m													x							x							x								S26361-F3996-L103			104	
Communication/Network																																						
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu								x					x			x					x								x						S26361-F3142-L2			65	Phased out
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu lp			x	x				x	x						x	x	x																	S26361-F3227-L202			193	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu														x								x	x	x	x									S26361-F3228-L1			149	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp				x	x	x			x	x	x					x	x	x				x												S26361-F3228-L201			151	Phased out
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu														x								x				x								S26361-F3241-L1			78	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp				x	x	x			x	x	x	x				x	x	x	x	x														S26361-F3241-L201			78	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Accessories & services matrix

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Communication/Network (Continued)																																						
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC														x							x			x	x	x				x	x			S26361-F3242-L1			315	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp				x	x	x	x			x	x	x	x				x	x	x	x	x													S26361-F3242-L201			312	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu																								x	x									S26361-F3462-L1			419	Phased out
	Eth Ctrl 4x1GBit PCIex4 PRO/1000PT Cu lp					x						x	x					x	x	x		x													S26361-F3462-L201			422	Phased out
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu																					x													S26361-F3516-L1			52	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu lp					x	x	x				x	x	x					x	x	x	x													S26361-F3516-L201			52	
	Eth Ctrl 2x1GBit PCIe x4 D2735 Cu						x						x								x											x	x		S26361-F3610-L501			133	Phased out
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu						x	x					x								x						x					x	x		S26361-F3610-L502			132	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu						x	x					x								x						x					x	x		S26361-F3611-L501			324	
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+						x	x					x								x											x	x		S26361-F3629-L502			427	
	IB HCA 40GB 1 Kanal QDR												x								x						x								S26361-F4475-L102			748	
	IB HCA 40GB 2 Kanal QDR												x								x						x								S26361-F4475-L202			984	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF						x							x	x						x	x													S26361-F3592-L202			1008	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF																										x	x							S26361-F3592-L2			1008	
	SFP+ Modul Multi Mode Fibre 10GB FCoE						x							x	x						x	x					x	x					x	x		S26361-F3592-L108			342	
	Eth Ctrl 2x10GBit PCIe x8 XF SR LC lp													x	x						x	x	x													S26361-F3505-L201			3955	Phased out
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+						x								x							x						x				x	x		S26361-F3555-L501			693	Phased out
	Intel SFP+ Module MMF 10GBE LC						x								x							x						x				x	x		S26361-F3555-L900			505	Phased out
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	x							x							x	x	x	x				x	x	x				x	x	x			x	x	S26361-F3011-L1			193	Phased out
Rack-Infrastructure																																								
	RMK-F1 1-2U Server					x	x					x	x	x						x	x	x	x													S26361-F2735-L101			47	
	RMK-F1 RX600 S4																									x										S26361-F2735-L106			81	Phased out
	Rack Mount Kit for RX900																															x	x			S26361-F2735-L109			154	
	RMK-P_1-2U servers					x	x					x	x	x						x	x	x	x													S26361-F2735-L110			47	
	Cable carrying plate DC-/PC-racks																						x									x				S26361-F2735-L20			34	
	RMK-F2 3-xU-Servers 13mm-Drop-in Rails																											x								S26361-F2735-L202			56	
	Adapter angle PC/DC-Rack, 3U till 200Kg																															x	x			S26361-F2735-L31			25	
	cage nut set, M5, t=2,5mm			x	x					x					x			x				x			x	x			x							S26361-F2735-L500			42	
	Cable magmt. for 19" PC- Rack					x	x	x				x								x	x	x	x				x	x					x	x			S26361-F2735-L7			25	
	1 U cable arm, dragged			x	x	x	x				x	x	x	x	x				x				x			x			x								S26361-F2735-L8			25	
	Rack Cable Arm 1U							x																			x	x									S26361-F2735-L81			18	Orderable from: 20/06/2011
	Cable management arm for 3rd party racks	x							x							x				x	x	x		x			x	x				x	x		x	S26361-F2201-L20			42	
PRIMERGY-Software																																								
	iRMC advanced pack				x						x							x				x															S26361-F1790-L240			256	
	iRMC S2 advanced pack					x	x					x	x	x						x	x	x					x	x				x	x			S26361-F1790-L241			259	
	iRMC S3 advanced pack							x																													S26361-F1790-L242			259	
	Win Srv 2008 SP2 Standard DVD Media Only					x	x	x					x	x						x	x	x	x				x	x				x	x			S26361-F2565-L318			21	Phased out
	Win Srv 2008 SP2 Enterprise DVD Media On					x	x	x					x	x						x	x	x	x				x	x				x	x			S26361-F2565-L328			21	Phased out
	Win Server 2008 CAL (1 Device)					x	x	x				x	x	x						x	x	x	x				x	x			x	x	x			S26361-F2565-L340			20	
	Win Server 2008 CAL (5 Device)					x	x	x				x	x	x						x	x	x	x				x	x			x	x	x			S26361-F2565-L341			99	
	Win Server 2008 CAL (1 User)					x	x	x				x	x	x						x	x	x	x				x	x			x	x	x			S26361-F2565-L342			20	
	Win Server 2008 CAL (5 User)					x	x	x				x	x	x						x	x	x	x				x	x			x	x	x			S26361-F2565-L343			99	
	Win SBS 2008 CAL (1 Device)					x	x						x	x						x	x	x	x													S26361-F2565-L346			48	Phased out
	Win SBS 2008 CAL (1 User)					x	x						x	x						x	x	x	x													S26361-F2565-L347			49	Phased out
	Win SBS 2008 CAL (5 Device)					x	x						x	x						x	x	x	x													S26361-F2565-L348			232	Phased out
	Win SBS 2008 CAL (5 User)					x	x						x	x						x	x	x	x													S26361-F2565-L349			233	Phased out
	Win SBS 2008 Standard ROK, GB					x	x						x	x						x	x	x	x													S26361-F2565-L350			534	Phased out
	Win SBS 2008 Standard ROK, D					x	x						x	x						x	x	x	x													S26361-F2565-L351			534	Phased out
	Win SBS 2008 Standard ROK, I					x	x						x	x						x	x	x	x													S26361-F2565-L352			534	Phased out
	Win SBS 2008 Standard ROK, F					x	x						x	x						x	x	x	x													S26361-F2565-L353			534	Phased out
	Win SBS 2008 Standard ROK, E					x	x						x	x						x	x	x	x													S26361-F2565-L354			534	Phased out
	Win SBS 2008 Standard ROK, CZ					x	x						x	x						x	x	x	x													S26361-F2565-L355			534	Phased out
	Win SBS 2008 Premium ROK, GB					x	x						x	x						x	x	x	x													S26361-F2565-L360			924	Phased out
	Win SBS 2008 Premium ROK, D					x	x						x	x						x	x	x	x													S26361-F2565-L361			924	Phased out
	Win SBS 2008 Premium ROK, I					x	x						x	x						x	x	x	x													S26361-F2565-L362			924	Phased out
	Win SBS 2008 Premium CAL (1 Device)					x	x						x	x						x	x	x	x													S26361-F2565-L368			111	Phased out
	Win SBS 2008 Premium CAL (1 User)					x	x						x	x						x	x	x	x													S26361-F2565-L369			111	Phased out
	iSCSI SW Target 3.2 (64-bit) EMB																					x	x													S26361-F2565-L564			8	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn ROK					x	x	x				x	x	x						x	x	x	x				x	x				x	x			S26361-F2567-L20			325	
	MS SysCtr Essntls 2010 ROK					x	x	x				x	x	x						x	x	x	x				x	x				x	x			S26361-F2567-L30			98	
	Win Svr 2008 R2 SP1 Foundation 1CPU ROK																																			S26361-F2567-L301			146	
	Win Srv 2008 R2 Foundation 1CPU MULI ROK					x	x																													S26361-F2567-L306			141	
	Win Srv 2008 R2 Foundation 1CPU PRC ROK					x	x	x																												S26361-F2567-L308			132	
	MS SysCtr Essntls 2010 Server ML 1-OSE					x	x	x				x	x	x						x	x	x	x				x	x				x	x			S26361-F2567-L31			76	
	Win Srv 2008 R2 Standard 5CAL MULI ROK					x	x	x				x	x	x							x	x	x				x	x				x				S26361-F2567-L310			459	
	Win Srv 2008 R2 SP1 Standard w/5CAL ROK						x	x						x							x		x					x					x			S26361-F2567-L311			440	
	Win Srv 2008 R2 Standard 5CAL PRC ROK						x	x						x							x	x						x				x				S26361-F2567-L318			360	
	MS SysCtr Essntls 2010 Server ML 5-OSE					x	x	x				x	x	x						x	x	x	x				x	x				x	x			S26361-F2567-L32			367	
	Win Srv 2008 R2 Enterprise 10CAL MUL ROK					x	x	x				x	x	x							x	x	x				x	x				x				S26361-F2567-L320			1482	
	Win Srv 2008 R2 SP1 Enterpr w/10CAL ROK						x	x						x							x		x					x					x	x		S26361-F2567-L321			1451	
	MS SysCtr Essntls 2010 Client ML 5-Pack					x	x	x				x	x	x						x	x	x	x				x	x				x	x			S26361-F2567-L33			65	
	Win Srv 2008 R2 Datacenter 2CPU MULI ROK					x	x	x				x	x	x							x	x	x				x	x								S26361-F2567-L330			2369	
	Win Svr 2008 R2 SP1 Datactr 2CPU ROK						x	x						x							x		x					x				x	x			S26361-F2567-L331			2300	
	Win Svr 2008 R2 SP1 Datactr 4CPU ROK																				x											x	x			S26361-F2567-L333			4601	
	MS SysCtr Essntls 2010 Client ML 20-Pack					x	x	x				x	x	x						x	x	x	x				x	x				x	x			S26361-F2567-L34			253	
	Win Server 2008 RDS CAL (1 Device)					x	x	x				x	x	x						x	x	x	x				x	x				x	x			S26361-F2567-L340			73	
	Win Server 2008 RDS CAL (5 Device)					x	x	x				x	x	x						x	x	x	x				x	x				x	x			S26361-F2567-L341			329	
	Win Server 2008 RDS CAL (1 User)					x	x	x				x	x	x						x	x	x	x				x	x				x	x			S26361-F2567-L342			73	
	Win Server 2008 RDS CAL (5 User)					x	x	x				x	x	x						x	x	x	x				x	x				x	x			S26361-F2567-L343			329	
	Win SBS Standard 2011 w/5CAL ROK EN						x	x						x							x	x														S26361-F2567-L350			506	
	Win SBS Standard 2011 w/5CAL ROK DE						x	x						x							x	x														S26361-F2567-L351			495	
	Win SBS Standard 2011 w/5CAL ROK IT						x	x						x							x	x														S26361-F2567-L352			495	
	Win SBS Standard 2011 w/5CAL ROK FR						x	x						x							x	x														S26361-F2567-L353			495	
	Win SBS Standard 2011 w/5CAL ROK ES						x	x						x							x	x														S26361-F2567-L354			495	
	Win SBS Standard 2011 w/5CAL ROK CS						x	x						x							x	x														S26361-F2567-L355			495	
	Win SBS Standard 2011 w/5CAL ROK PT						x	x						x							x	x														S26361-F2567-L356			495	
	Win SBS Standard 2011 w/5CAL ROK NL						x	x						x							x	x														S26361-F2567-L357			495	
	Win SBS Standard 2011 w/5CAL ROK TR						x	x						x							x	x														S26361-F2567-L358			495	
	Win SBS Standard 2011 w/5CAL ROK HU						x	x						x							x	x														S26361-F2567-L359			495	
	Win HPC Srv 2008 R2 Suite ROK													x							x															S26361-F2567-L360			641	
	Win SBS 2011 Prem Add-On w/5CAL ROK EN						x	x						x							x	x														S26361-F2567-L370			753	
	Win SBS 2011 Prem Add-On w/5CAL ROK DE						x	x						x							x	x														S26361-F2567-L371			758	
	Win SBS 2011 Prem Add-On w/5CAL ROK IT						x	x						x							x	x														S26361-F2567-L372			758	
	Win SBS 2011 Prem Add-On w/5CAL ROK FR						x	x						x							x	x														S26361-F2567-L373			758	
	Win SBS 2011 Prem Add-On w/5CAL ROK ES						x	x						x							x	x														S26361-F2567-L374			758	
	Win SBS 2011 CAL Suite (1 Device)						x	x						x							x	x														S26361-F2567-L380			39	
	Win SBS 2011 CAL Suite (1 User)						x	x						x							x	x														S26361-F2567-L381			39	
	Win SBS 2011 CAL Suite (5 Device)						x	x						x							x	x														S26361-F2567-L382			167	
	Win SBS 2011 CAL Suite (5 User)						x	x						x							x	x														S26361-F2567-L383			167	
	Win SBS 2011 Prem Add-on CAL (1 Device)						x	x						x							x	x														S26361-F2567-L384			47	
	Win SBS 2011 Prem Add-on CAL (1 User)						x	x						x							x	x														S26361-F2567-L385			47	
	Win SBS 2011 Prem Add-on CAL (5 Device)						x	x						x							x	x														S26361-F2567-L386			201	
	Win SBS 2011 Prem Add-on CAL (5 User)						x	x						x							x	x														S26361-F2567-L387			209	
	Win Svrs 2008 R2 SP1 Language Pack DVD						x	x						x								x						x				x	x			S26361-F2567-L390			21	
	Win Svrs 2008 R2 SP1 Service Pack DVD						x	x						x								x						x				x	x			S26361-F2567-L391			21	
	USB Flash Module 16GB intern																					x														S26361-F3299-L16			295	
	FF4O-RE-AN Mono Server 2-Core											x							x	x								x	x			x	x			U26004-C401			1739	
	FF4O-RE-AN Mono Server 4-Core											x							x	x								x	x			x	x			U26004-C402			3478	
	FF4O-RE-AN Dual Server 2-Core											x							x	x								x	x			x	x			U26004-C403			3478	
	FF4O-RE-AN Dual Server 4-Core											x							x	x								x	x			x	x			U26004-C404			6087	
	FF4O-RE Spare Mono Server 2-Core											x							x	x								x	x			x	x			U26004-C405			877	
	FF4O-RE Spare Mono Server 4-Core											x							x	x								x	x			x	x			U26004-C406			1739	
	FF4O-RE Spare Dual Server 2-Core											x							x	x								x	x			x	x			U26004-C407			1739	
	FF4O-RE Spare Dual Server 4-Core											x							x	x								x	x			x	x			U26004-C408			3043	
	PRIMERGY MultiPath MPIO Upgrade to 5.01					x	x	x				x	x	x						x	x	x	x				x	x				x	x			S26361-F2565-L592			376	
	PRIMERGY MultiPath MPIO 5.01					x	x	x				x	x	x						x	x	x	x				x	x				x	x			S26361-F2565-L593			748	
	PRIMERGY MultiPath Upgrade to 5.01					x	x	x				x	x	x						x	x	x	x				x	x				x	x			S26361-F2565-L594			376	
	PRIMERGY MultiPath 5.01					x	x	x				x	x	x						x	x	x	x				x	x				x	x			S26361-F2565-L595			748	
	PRIMERGY ServerView Suite subscription.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x				x	x			U15000-C176			184	
	ServerView Suite, latest version	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					x					x			U15000-C289			21	
	ServerView Deployment Manager V5	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	U15000-C299			25	
	ServerView Deployment Mgr 5 Single Lic.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	U15000-C300			120	
	ServerView Depl. Mgr. 5 Single Upgrade	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	U15000-C301			52	
	SUSE Linux ES 1-CPU 1Y					x	x	x																												S26361-F2346-L601			125	
	SUSE Linux ES 32-CPU 1Y											x	x	x						x	x	x	x				x	x				x	x			S26361-F2346-L611			215	
	SUSE Linux E 11 HAE 32-CPU +1Y					x	x	x				x	x	x						x	x	x	x				x	x				x	x			S26361-F2346-L621			427	
	SUSE Linux ES SAP All-in-One 3Y																			x																S26361-F2346-L669			874	
	Debian-Ubuntu FSE Basic Support 1Y				x	x				x	x	x							x	x	x		x													S26361-F2346-L411			81	
	Debian-Ubuntu FSE Basic Support 3Y				x	x				x	x	x							x	x	x		x													S26361-F2346-L412			195	
	Debian-Ubuntu FSE Standard Support 1Y				x	x				x	x	x							x	x	x		x													S26361-F2346-L415			209	
	Debian-Ubuntu FSE Standard Support 3Y				x	x				x	x	x							x	x	x		x													S26361-F2346-L416			502	
	Debian-Ubuntu FSE Priority Support 1Y				x	x				x	x	x							x	x	x		x													S26361-F2346-L417			424	
	Debian-Ubuntu FSE Priority Support 3Y				x	x				x	x	x							x	x	x		x													S26361-F2346-L418			1015	
	VMware ESXi 4.1 Single SRV w/o SP-1yr						x	x					x	x						x	x	x	x				x	x				x	x			S26361-F2341-L500			8	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																						
PRIMERGY-Software (Continued)																																						
	VMware Upgrade ESXi to STD w/o SP-1yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L504			659	
	VMware Upgrade ESXi to STD w/o SP-3yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L505			659	
	VMware Upgrade ESXi to ADV w/o SP-1yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L508			1486	
	VMware Upgrade ESXi to ADV w/o SP-3yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L509			1486	
	VMware Upgrade ESXi to ENT-PL w/o SP-1yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L512			2314	
	VMware Upgrade ESXi to ENT-PL w/o SP-3yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L513			2314	
	VMware vSphere STD w/o SP-1yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L514			721	
	VMware vSphere STD w/o SP-3yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L515			721	
	VMware vSphere ADV w/o SP-1yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L518			1627	
	VMware vSphere 4 Media Kit OEM								x		x	x	x	x				x	x	x					x	x	x			x	x	x	x			S26361-F2341-L300			68	
	VMware vSphere ADV w/o SP-3yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L519			1627	
	VMware vSphere ENT w/o SP-1yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L520			2084	
	VMware vSphere ENT w/o SP-3yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L521			2084	
	VMware vSphere ENT-PL w/o SP-1yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L522			2534	
	VMware vSphere ENT-PL w/o SP-3yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L523			2534	
	VMware Upgrade STD to ADV w/o SP-1yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L530			911	
	VMware Upgrade STD to ADV w/o SP-3yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L531			911	
	VMware Upgrade STD to ENT-PL w/o SP-1yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L540			1821	
	VMware Upgrade STD to ENT-PL w/o SP-3yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L541			1821	
	VMware Upgrade ADV to ENT-PL w/o SP-1yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L542			911	
	VMware Upgrade ADV to ENT-PL w/o SP-3yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L543			911	
	VMware Upgrade ENT to ENT-PL w/o SP-1yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L544			456	
	VMware Upgrade ENT to ENT-PL w/o SP-3yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L545			456	
	VMware Upgrade VC FND to STD w/o SP-1yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L546			2568	
	VMware Upgrade VC FND to STD w/o SP-3yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L547			2568	
	VMware ADV AK(6CPU+VC-FND)w/o SP-1yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L550			7640	
	VMware ADV AK(6CPU+VC-FND)w/o SP-3yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L551			7640	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L570			12915	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L571			12915	
	VMware UG ESS-PL to ADV-AK w/0 SP-1yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L572			5099	
	VMware UG ESS-PL to ADV-AK w/0 SP-3yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L573			5099	
	VMware UG ESS-PL to ENT-AK w/0 SP-1yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L574			10405	
	VMware UG ESS-PL to ENT-AK w/0 SP-3yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L575			10405	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-1yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L554			19129	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-3yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L555			19129	
	VMware vCenter STD w/o SP-1yr				x		x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L556			3302	
	VMware vCenter STD w/o SP-3yr				x		x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L557			3302	
	VMware vCenter FND w/o SP-1yr				x		x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L558			1087	
	VMware vCenter FND w/o SP-3yr				x		x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L559			1087	
	VMware Essentials-PL w/o SP-1yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L562			2535	
	VMware Essentials-PL w/o SP-3yr						x	x				x	x	x					x	x	x						x	x				x	x			S26361-F2341-L563			2535	
	VMware ESXi 4.1 Embedded UFM Device DIS						x	x					x	x							x	x						x	x							S26361-F2341-D431			52	
OS/Application-SW																																						
	ARCserve r11.5 WIN Client Agent UNIX					x	x					x								x			x				x									U15355-C720			346	
	ARCserve r11.5 WIN Client Agent Windows					x	x					x								x			x				x									U15355-C723			219	
	ManageNow® for ITCM ManagedObjectsLicens						x	x						x							x	x						x				x	x			U24533-C400			1681	
UPS/Power supply																																						
	Power Supply Module 770W silver hp												x	x																						S26113-F539-L1			181	
	Power Supply Module 800W (hot plug)																				x															S26113-F543-L10			164	Phased out
	RX100 S7 conversion kit to hot-plug PSU							x																												S26113-F547-L10			162	Orderable from: 01/07/2011
	Power Supply Module 800W gold hp																				x	x														S26113-F555-L10			198	
	Power Supply Module 850W																											x								S26113-F561-L10			308	
	Power Supply Module 450W gold hp													x																						S26113-F570-L1			139	
	Power Supply Module 2.000W																																x			S26113-F573-L10			752	
	Modular PSU 450W platinum hp							x																												S26113-F575-L10			136	Orderable from: 01/07/2011
	Power Supply Module DC -48V 800W gold hp																				x															S26113-F576-L50			561	
	APC-UPS WEB Management Adapter		x	x	x	x	x			x	x	x	x	x			x	x	x	x	x	x			x	x	x			x	x					S26113-F80-L30			218	
	Cable powercord (D,..), 1.8m, grey					x	x	x					x	x						x	x	x					x	x									T26139-Y1740-L10			13	
	Cable powercord (USA), 1.8m, grey	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x			x	x	T26139-Y1742-L10			13	
	Cable powercord (UK, IR), 1.8m, grey					x	x	x					x	x						x	x	x					x	x									T26139-Y1744-L10			13	
Miscellaneous																																						
	LocalView Option Kit S2																				x	x														S26361-F2557-L106			61	
	Customer Self Service Module RX Server																				x	x														S26361-F2557-L205			21	
	Opt. Front VGA + Service LAN							x																												S26361-F2571-L37			42	Orderable from: 20/06/2011
	Fan upgrade kit hot-plug redundancy																				x															S26361-F2621-L5			98	Phased out
	cable Serial port option																x	x	x																	S26361-F3120-L3			34	
	TPM Module add-on kit						x	x					x	x							x	x						x					x	x			S26361-F3552-L1			42	
	Opt. Front VGA + add. USB						x																													S26361-F3577-L1			31	
	T-HANDLES RX300S6																					x														S26361-F4000-L1			18	
	Fan upgrade kit hot-plug redundancy																x	x	x																	S26361-F2621-L4			81	Phased out
	Parallelport Option Centronics															x																				S26361-F2571-L8			21	Phased out
	ServerView Local Service Panel Kit						x	x				x								x																S26361-F2557-L204			34	
Keyboard /Mouse																																						
	Laser Mouse Combo USB PS2																															x	x			S26381-K430-L100			15	
	MOUSE M440 ECO																															x	x			S26381-K450-L100			11	
Media																																						
	DAT160 cleaning cartridge no label																											x	x			x	x			D:CL-DAT160-MX-01			19	
	DAT72 cleaning cartridge no label															x	x	x	x	x	x	x	x	x	x	x	x					x	x			D:CL-DAT72-MX-01			4	
	LTO cleaning cartridge Fuji no label																								x	x	x					x	x			D:CL-LTO2-FJ-01			34	
	LTO cleaning cartridge Fuji with label																								x	x	x					x	x			D:CL-LTO2-FJ-01L			35	
	LTO cleaning cartridge IBM no label																								x	x	x					x	x			D:CL-LTO2-IB-01			39	
	LTO cleaning cartridge IBM with label																								x	x	x					x	x			D:CL-LTO2-IB-01L			40	
	LTO cleaning cartridge Maxell no label																								x	x	x					x	x			D:CL-LTO2-MX-01			35	
	LTO cleaning cartridge Maxell with label																								x	x	x					x	x			D:CL-LTO2-MX-01L			36	
	LTO cleaning cartridge Sony no label																								x	x	x					x	x			D:CL-LTO-SY-01			34	
	LTO cleaning cartridge Sony with label																								x	x	x					x	x			D:CL-LTO-SY-01L			35	
	LTO cleaning cart. Sony single pack																								x	x	x					x	x			D:CL-LTO-SY-EP01			34	
	LTO cleaning cart. Sony single pkg label																								x	x	x					x	x			D:CL-LTO-SY-EP01L			35	
	VXA cleaning label																									x	x										D:CL-VXA2-LAB			1	
	VXA cleaning cartridge																								x		x										D:CL-VXA2-X-01			19	
	VXA cleaning cartridge with label																								x		x										D:CL-VXA2-X-01L			20	
	DAT160 data cartridge no label																											x	x			x	x			D:CR-DAT160-MX-01			18	
	DAT72 data cartridge no label															x	x	x	x	x	x	x	x	x	x	x	x					x	x			D:CR-DAT72-MX-01			12	
	LTO2 data cartridge Fuji no label																								x											D:CR-LTO2-FJ-01			20	
	LTO2 data cartridge Fuji with label																								x											D:CR-LTO2-FJ-01L			20	
	LTO2 data cartridge IBM no label													x	x						x	x			x											D:CR-LTO2-IB-01			25	
	LTO2 data cartridge IBM with label																								x											D:CR-LTO2-IB-01L			26	
	LTO2 barcode label horizontal																								x											D:CR-LTO2-LAB			1	
	LTO2 data cartridge Maxell no label																								x											D:CR-LTO2-MX-01			19	
	LTO2 data cartridge Maxell with label																								x											D:CR-LTO2-MX-01L			19	
	VXA barcode label																									x	x										D:CR-VXA2-LAB			1	
	VXA-2/320 data cartridge 40/80GB																									x	x										D:CR-VXA2-X10-01			22	
	VXA-2/320 data cartr. 40/80GB with label																							x		x	x										D:CR-VXA2-X10-01L			22	
	VXA-2/320 data cartridge 80/160GB																							x		x	x										D:CR-VXA2-X23-01			49	
	VXA-2/320 data cartr 80/160GB with label																							x		x	x										D:CR-VXA2-X23-01L			50	
	RDX Cartridge 160/320GB																	x	x	x	x						x	x				x					S26361-F3857-L160			89	
	RDX Cartridge Pack 10x 160/320GB																	x	x	x	x						x	x				x					S26361-F3857-L169			855	
	RDX Cartridge 320/640GB																	x	x	x	x						x	x				x					S26361-F3857-L320			139	
	RDX Cartridge Pack 10x 320/640GB																	x	x	x	x						x	x				x					S26361-F3857-L329			1300	
	RDX Cartridge 500GB/1000GB																	x	x	x	x						x	x				x					S26361-F3857-L500			175	
	RDX Cartridge 1TB																	x	x	x	x						x	x				x					S26361-F3857-L600			256	
	LTO3 data cartridge Fuji no label																	x									x	x				x	x			D:CR-LTO3-FJ-01			19	
	LTO4 data cartridge Fuji no label																										x	x				x	x			D:CR-LTO4-FJ-01			21	
	LTO5 data cartridge Fuji no label																											x								D:CR-LTO5-FJ-01			55	
	LTO3 data cartridge IBM no label																										x	x				x	x			D:CR-LTO3-IB-01			23	
	LTO4 data cartridge IBM no label																											x				x	x			D:CR-LTO4-IB-01			24	
	LTO5 data cartridge Maxell no label																											x								D:CR-LTO5-MX-01			59	
	LTO3 data cartridge Sony no label																				x							x				x	x			D:CR-LTO3-SY-01			21	
	LTO4 data cartridge Sony no label																											x	x			x	x			D:CR-LTO4-SY-01			23	
	LTO3 data cartridge Sony single pack																										x	x				x	x			D:CR-LTO3-SY-EP01			22	
	LTO4 data cartridge Sony single pack																											x								D:CR-LTO4-SY-EP01			23	
	LTO3 data cartridge with label																										x	x				x	x			D:CR-LTO3-FJ-01L			20	
	LTO4 data cartridge Fuji with label												x	x							x	x						x				x	x			D:CR-LTO4-FJ-01L			22	
	LTO5 data cartridge Fuji with label																											x								D:CR-LTO5-FJ-01L			55	
	LTO3 data cartridge IBM with label												x	x							x	x						x	x			x	x			D:CR-LTO3-IB-01L			24	
	LTO4 data cartridge IBM with label																											x	x			x	x			D:CR-LTO4-IB-01L			25	
	LTO5 data cartridge Maxell with label																											x								D:CR-LTO5-MX-01L			59	
	LTO3 data cartridge Sony with label																										x	x	x			x	x			D:CR-LTO3-SY-01L			22	
	LTO4 data cartridge Sony with label																											x	x			x	x			D:CR-LTO4-SY-01L			23	
	LTO3 data cart. Sony single pack label																										x	x	x			x	x			D:CR-LTO3-SY-EP01L			22	
	LTO4 data cartrid. Sony single pkg label																												x							D:CR-LTO4-SY-EP01L			23	
	LTO3 WORM data cartridge Fuji no label												x	x							x	x						x	x			x	x			D:CR-LTO3-FJ-01W			23	
	LTO4 WORM data cartridge Fuji no label												x	x														x	x			x	x			D:CR-LTO4-FJ-01W			30	
	LTO3 WORM data cartridge Fuji with label												x	x							x	x						x	x			x	x			D:CR-LTO3-FJ-01WL			23	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																						
Media (Continued)																																						
	LTO4 WORM data cartridge Fuji with label												x	x							x	x					x	x				x	x			D:CR-LTO4-FJ-01WL			30	
	LTO cleaning label horizontal																								x	x	x				x	x			D:CL-LTO-LAB			1	
	LTO3 barcode label horizontal																								x	x	x				x	x			D:CR-LTO3-LAB			1	
	LTO4 barcode label horizontal																										x	x			x	x			D:CR-LTO4-LAB			1	
	LTO5 WORM data cartridge Fuji no label												x	x							x	x					x	x				x	x			D:CR-LTO5-FJ-01W			71	
	LTO5 WORM data cartridge Fuji with label												x	x							x	x					x	x				x	x			D:CR-LTO5-FJ-01WL			71	
	LTO5 barcode label horizontal																										x	x				x	x			D:CR-LTO5-LAB			1	
Cables																																						
	Cable powercord rack, 4m	x	x	x	x			x							x	x																			T26139-Y1968-L10			13	
Additional Software																																						
	OPENFT-CR (WINDOWS) V8.0	x	x	x					x	x					x	x	x							x	x				x	x				x	x	U11081-C157			13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	x	x	x					x	x					x	x	x							x	x				x	x				x	x	U11081-C171			987	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	x	x	x					x	x					x	x	x							x	x				x	x				x	x	U11081-C177			493	
	OPENFT-SW-CD (WINDOWS) V8.1	x	x	x					x	x					x	x	x							x	x				x	x				x	x	U11081-C183			26	
	OPENFT-2 (WINDOWS) V8.1	x	x	x					x	x					x	x	x							x	x				x	x				x	x	U11081-C186			987	
	OPENFT-2-U (WINDOWS) V8.1	x	x	x					x	x					x	x	x							x	x				x	x				x	x	U11081-C192			396	
	OPENFT-CR (WINDOWS) V10.0	x	x	x					x	x					x	x	x							x	x				x	x				x	x	U11081-C199			13	
	OPENFT-SW-CD (WINDOWS) V10.0	x	x	x					x	x					x	x	x				x	x		x	x				x	x				x	x	U11081-C201			26	
	OPENFT-1 (WINDOWS) V10.0	x	x	x					x	x					x	x	x							x	x				x	x				x	x	U11081-C202			1075	
	OPENFT-3 (WINDOWS) V10.0	x	x	x					x	x					x	x	x							x	x				x	x				x	x	U11081-C204			3468	
	OPENFT-1-U (WINDOWS) V10.0	x	x	x					x	x					x	x	x							x	x				x	x				x	x	U11081-C207			623	
	OPENFT-FTAM-1 (WINDOWS) V10.0	x	x	x					x	x					x	x	x							x	x				x	x				x	x	U11081-C212			1075	
	OPENFT-FTAM-3 (WINDOWS) V10.0	x	x	x					x	x					x	x	x							x	x				x	x				x	x	U11081-C214			3468	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	x	x	x					x	x					x	x	x							x	x				x	x				x	x	U11081-C217			623	
	OPENFT-1 (WINDOWS) V11.0	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x				x	x				x	x	U11081-C301			1075	
	OPENFT-FTAM-1 (WINDOWS) V11.0	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x				x	x				x	x	U11081-C311			1075	
	OPENFT-FTP-1 (WINDOWS) V11.0	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x				x	x				x	x	U11081-C321			439	
	OPENFT-2 (WINDOWS) V11.0	x	x	x					x	x					x	x	x				x			x	x				x	x				x	x	U11081-C302			1734	
	OPENFT-FTAM-2 (WINDOWS) V11.0	x	x	x					x	x					x	x	x				x			x	x				x	x				x	x	U11081-C312			1734	
	OPENFT-FTP-2 (WINDOWS) V11.0	x	x	x					x	x					x	x	x				x			x	x				x	x				x	x	U11081-C322			714	
	OPENFT-3 (WINDOWS) V11.0	x	x	x					x	x					x	x	x							x	x				x	x				x	x	U11081-C303			3468	
	OPENFT-FTAM-3 (WINDOWS) V11.0	x	x	x					x	x					x	x	x							x	x	x	x	x	x	x			x	x	x	U11081-C313			3468	
	OPENFT-FTP-3 (WINDOWS) V11.0	x	x	x					x	x					x	x	x							x	x	x	x	x	x	x			x	x	x	U11081-C323			1428	
	OPENFT-SW-CD (WINDOWS) V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	U11081-C299			13	
	OPENFT-1 (UNIX systems) V11.0	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x				x	x				x	x	U10987-C501			1075	
	OPENFT-FTAM-1 (UNIX systems) V11.0	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x				x	x				x	x	U10987-C513			1075	
	OPENFT-FTP-1 (UNIX systems) V11.0	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x				x	x				x	x	U10987-C525			439	
	OPENFT-2 (UNIX systems) V11.0	x	x	x					x	x					x	x	x				x			x	x				x	x				x	x	U10987-C502			1734	
	OPENFT-FTAM-2 (UNIX systems) V11.0	x	x	x					x	x					x	x	x				x			x	x				x	x				x	x	U10987-C514			1734	
	OPENFT-FTP-2 (UNIX systems) V11.0	x	x	x					x	x					x	x	x				x			x	x				x	x				x	x	U10987-C526			714	
	OPENFT-3 (UNIX systems) V11.0	x	x	x					x	x					x	x	x							x	x	x	x	x	x	x			x	x	x	U10987-C503			3468	
	OPENFT-FTAM-3 (UNIX systems) V11.0	x	x	x					x	x					x	x	x							x	x	x	x	x	x	x			x	x	x	U10987-C515			3468	
	OPENFT-FTP-3 (UNIX systems) V11.0	x	x	x					x	x					x	x	x							x	x	x	x	x	x	x			x	x	x	U10987-C527			1428	
	OPENFT-4 (UNIX systems) V11.0	x	x	x					x	x					x	x	x							x	x				x	x					x	x	U10987-C504			4016	
	OPENFT-FTAM-4 (UNIX systems) V11.0	x	x	x					x	x					x	x	x							x	x				x	x					x	x	U10987-C516			4016	
	OPENFT-FTP-4 (UNIX systems) V11.0	x	x	x					x	x					x	x	x							x	x				x	x					x	x	U10987-C528			1639	
	OPENFT-5 (UNIX systems) V11.0	x	x	x					x	x					x	x	x							x	x				x	x					x	x	U10987-C505			5202	
	OPENFT-FTAM-5 (UNIX systems) V11.0	x	x	x					x	x					x	x	x							x	x				x	x					x	x	U10987-C517			5202	
	OPENFT-FTP-5 (UNIX systems) V11.0	x	x	x					x	x					x	x	x							x	x				x	x					x	x	U10987-C529			2123	
	OPENFT-SW-CD (UNIX systems) V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	U10987-C500			31	
	OPENFT-CR (UNIX systems) V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	U10987-C499			13	
Software Services																																						
	SP 1y ENT (6 CPU+VC_STD) Acc Kit,5x9						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1A300PRV06			2551	
	SP 1y ENT (6 CPU+VC_STD) Acc Kit,7x24						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1A303PRV06			3035	
	SP 1y ADV Acceleration Kit,5x9						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1AD00PRV05			1501	
	SP 1y ADV Acceleration Kit,7x24						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1AD03PRV05			1785	
	SP 1y Upgrade ADV to ENT PL,5x9						x	x				x	x	x						x	x	x	x	x			x	x	x			x	x			FSP:G-SP1AE00PRV07			499	
	SP 1y Upgrade ADV to ENT PL,7x24						x	x				x	x	x						x	x	x	x	x			x	x	x			x	x			FSP:G-SP1AE03PRV07			595	
	SP 1y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9				x					x	x	x			x	x	x				x	x	x	x				x	x				x	x			FSP:G-SP1C100PRXD1			86	
	SP 1y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24				x					x	x	x			x	x	x				x	x	x	x				x	x				x	x			FSP:G-SP1C103PRXD1			116	
	SP 1y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9				x					x	x	x			x	x	x				x	x	x	x				x	x				x	x			FSP:G-SP1C200PRXD1			430	
	SP 1y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24				x					x	x	x			x	x	x				x	x	x	x				x	x				x	x			FSP:G-SP1C203PRXD1			581	
	SP 1y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,5x9				x					x	x	x			x	x	x				x	x	x	x				x	x				x	x			FSP:G-SP1C300PRXD1			861	
	SP 1y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,7x24				x					x	x	x			x	x	x				x	x	x	x				x	x				x	x			FSP:G-SP1C303PRXD1			1162	
	SP 1y 1,2,3 lev sup Ent Edi,10U/Dev w/o XenApp,5x9				x					x	x	x			x	x	x				x	x	x	x				x	x				x	x			FSP:G-SP1C400PRXD1			204	
	SP 1y 1,2,3 level Ent Edi,10U/Dev w/o XenApp,7x24				x					x	x	x			x	x	x				x	x	x	x				x	x				x	x			FSP:G-SP1C403PRXD1			276	
	SP 1y 1,2,3 lev sup Ent Edi,50U/Dev w/o XenApp,5x9				x					x	x	x			x	x	x				x	x	x	x				x	x				x	x			FSP:G-SP1C500PRXD1			1022	
	SP 1y 1,2,3 level Ent Edi,50U/Dev w/o XenApp,7x24				x					x	x	x			x	x	x				x	x	x	x				x	x				x	x			FSP:G-SP1C503PRXD1			1379	
	SP 1y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,5x9				x					x	x	x			x	x	x				x	x	x	x				x	x				x	x			FSP:G-SP1C600PRXD1			2044	
	SP 1y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,7x24				x					x	x	x			x	x	x				x	x	x	x				x	x				x	x			FSP:G-SP1C603PRXD1			2759	
	SP 1y 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp,5x9				x					x	x	x			x	x	x				x	x	x	x				x	x				x	x			FSP:G-SP1C700PRXD1			323	
	SP 1y 1,2,3 level Pla Edi,10U/Dev w/o XenApp,7x24				x					x	x	x			x	x	x				x	x	x	x				x	x				x	x			FSP:G-SP1C703PRXD1			436	
	SP 1y 1,2,3 lev sup Pla Edi,50U/Dev w/o XenApp,5x9				x					x	x	x			x	x	x				x	x	x	x				x	x				x	x			FSP:G-SP1C800PRXD1			1613	
	SP 1y 1,2,3 level Pla Edi,50U/Dev w/o XenApp,7x24				x					x	x	x			x	x	x				x	x	x	x				x	x				x	x			FSP:G-SP1C803PRXD1			2178	
	SP 1y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,5x9				x					x	x	x			x	x	x				x	x	x	x				x	x				x	x			FSP:G-SP1C900PRXD1			3227	
	SP 1y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,7x24				x					x	x	x			x	x	x				x	x	x	x				x	x				x	x			FSP:G-SP1C903PRXD1			4356	
	SP 1y ENT PL 8 Acceleration Kit,5x9						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1E800PRV07			3771	
	SP 1y ENT PL 8 Acceleration Kit,7x24						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1E803PRV07			4487	
	SP 1y Upgrade ESXi to ADV,5x9						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1EA00PRV05			321	
	SP 1y Upgrade ESXi to ADV,7x24						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1EA03PRV05			373	
	SP 1y Upgrade ENT to ENT PL,5x9						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1EE00PRV07			499	
	SP 1y Upgrade ENT to ENT PL,7x24						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1EE03PRV07			595	
	SP 1y Essentials PL,5x9						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1EP00PRV08			428	
	SP 1y Essentials PL,7x24						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1EP03PRV08			504	
	SP 1y ESXi 4.0 Single Server,5x9						x	x					x	x						x	x	x	x				x	x				x	x			FSP:G-SP1EX00PRV01			340	
	SP 1y ESXi 4.0 Single Server,7x24						x	x					x	x						x	x	x	x				x	x				x	x			FSP:G-SP1EX03PRV01			403	
	SP 1y Citrix XS AE,5x9												x	x							x	x					x	x				x	x			FSP:G-SP1F100PRXD2			86	
	SP 1y Citrix XS AE,7x24												x	x							x	x					x	x				x	x			FSP:G-SP1F103PRXD2			116	
	SP 1y Citrix XS EE,5x9												x	x							x	x					x	x				x	x			FSP:G-SP1F200PRXD2			234	
	SP 1y Citrix XS EE,7x24												x	x							x	x					x	x				x	x			FSP:G-SP1F203PRXD2			316	
	SP 1y Citrix XS PE,5x9												x	x							x	x					x	x				x	x			FSP:G-SP1F300PRXD2			465	
	SP 1y Citrix XS PE,7x24												x	x							x	x					x	x				x	x			FSP:G-SP1F303PRXD2			628	
	SP 1y HPC 2 hn + 4 cn,4h Rt,5x9													x								x														FSP:G-SP1H160PRV11			294	
	SP 1y HPC 2 hn + 8 cn,4h Rt,5x9													x								x														FSP:G-SP1H260PRV11			529	
	SP 1y HPC 2 hn + 16 cn,4h Rt,5x9													x								x														FSP:G-SP1H360PRV11			1000	
	SP 1y HPC 2 hn + 32 cn,4h Rt,5x9													x								x														FSP:G-SP1H460PRV11			1941	
	SP 1y HPC 2 hn + 64 cn,4h Rt,5x9													x								x														FSP:G-SP1H560PRV11			3824	
	SP 1y HPC 2 hn + 128 cn,4h Rt,5x9													x								x														FSP:G-SP1H660PRV11			7588	
	SP 1y L1,4h Rt,5x9					x	x	x																												FSP:G-SP1L160PRL63			382	
	SP 1y L1,4h Rt,7x24					x	x	x																												FSP:G-SP1L163PRL63			822	
	SP 1y L2,4h Rt,5x9					x						x	x	x				x	x	x	x	x					x	x				x	x			FSP:G-SP1L260PRL63			382	
	SP 1y L2,4h Rt,7x24					x						x	x	x				x	x	x	x	x					x	x				x	x			FSP:G-SP1L263PRL63			822	
	SP 1y ROR 1Serv 4CPU,5x9					x	x	x				x	x	x						x	x	x					x	x				x	x			FSP:G-SP1R500PRRC1			224	
	SP 1y ROR 1Serv 4CPU,5x9					x	x	x				x	x	x						x	x	x					x	x				x	x			FSP:G-SP1R600PRRC1			2080	
	SP 1y ROR 1Serv 4CPU,5x9					x	x	x				x	x	x						x	x	x					x	x				x	x			FSP:G-SP1R700PRRC1			3744	
	SP 1y ROR 1Serv 8CPU,5x9																																			FSP:G-SP1R800PRRC1			447	
	SP 1y Upgrade STD to ADV,5x9						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1SA00PRV05			321	
	SP 1y Upgrade STD to ADV,7x24						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1SA03PRV05			373	
	SP 1y vSphere ADV,5x9						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1SD00PRV05			321	
	SP 1y vSphere ADV,7x24						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1SD03PRV05			373	
	SP 1y vSphere ENT,5x9						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1SE00PRV06			410	
	SP 1y vSphere ENT,7x24						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1SE03PRV06			484	
	SP 1y vSphere ENT PL,5x9						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1SL00PRV07			499	
	SP 1y vSphere ENT PL,7x24						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1SL03PRV07			595	
	SP 1y vSphere STD,5x9						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1ST00PRV04			185	
	SP 1y vSphere STD,7x24						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1ST03PRV04			220	
	SP 1y S&U, 1Man..5x9					x	x	x				x	x	x						x	x	x					x	x				x	x			FSP:G-SP1U500PRRC1			397	
	SP 1y S&U, 1Ag..5x9					x	x	x				x	x	x						x	x	x					x	x				x	x			FSP:G-SP1U600PRRC1			87	
	SP 1y S&U, 10Ag..5x9					x	x	x				x	x	x						x	x	x					x	x				x	x			FSP:G-SP1U700PRRC1			677	
	SP 1y S&U, 18Ag..5x9					x	x	x				x	x	x						x	x	x					x	x				x	x			FSP:G-SP1U800PRRC1			1323	
	SP 1y Upgrade STD to ENT PL,5x9						x	x				x	x	x						x	x	x					x	x				x	x			FSP:G-SP1US00PRV07			499	
	SP 1y Upgrade STD to ENT PL,7x24						x	x				x	x	x						x	x	x					x	x				x	x			FSP:G-SP1US03PRV07			595	
	SP 1y Upgrade VC FND to STD,5x9						x	x				x	x	x						x	x	x					x	x				x	x			FSP:G-SP1UV00PRV09			714	
	SP 1y Upgrade VC FND to STD,7x24						x	x				x	x	x						x	x	x					x	x				x	x			FSP:G-SP1UV03PRV09			847	
	SP 1y vCenter FND,5x9					x	x	x				x	x	x						x	x	x					x	x				x	x			FSP:G-SP1VC00PRV09			368	
	SP 1y vCenter FND,7x24					x	x	x				x	x	x						x	x	x					x	x				x	x			FSP:G-SP1VC03PRV09			424	
	SP 1y vCenter STD,5x9					x	x	x				x	x	x						x	x	x					x	x				x	x			FSP:G-SP1VS00PRV09			714	
	SP 1y vCenter STD,7x24					x	x	x				x	x	x						x	x	x					x	x				x	x			FSP:G-SP1VS03PRV09			847	
	SP 1y 1,2,3 x10sure base,5x9		x	x	x	x			x	x	x	x	x	x		x	x	x	x	x				x	x	x							x	x			FSP:G-SP1X300PRXTN			259	
	SP 1y 1,2,3 x10sure 1 Ap-or SpNode,5x9		x	x	x	x			x	x	x	x	x	x		x	x	x	x	x				x	x	x							x	x			FSP:G-SP1X500PRXTN			203	
	SP 1y 1,2,3 x10sure IS base,5x9																					x														FSP:G-SP1X700PRXTN			462	
	SP 1y Upgrade ESXi to ENT-PL,5x9						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1XE00PRV07			499	
	SP 1y Upgrade ESXi to ENT-PL,7x24						x	x				x	x	x						x	x	x	x				x	x				x	x			FSP:G-SP1XE03PRV07			595	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																						
Software Services (Continued)																																						
	SP 1y Upgrade ESXi to STD,5x9						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP1XS00PRV04			185	
	SP 1y Upgrade ESXi to STD,7x24						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP1XS03PRV04			217	
	SP 1y RCVE Std.(MA),5x9																															x	x		FSP:G-SP1Y100PRRC1			794	
	SP 1y RCVE Std.(Ag),5x9																															x	x		FSP:G-SP1Y300PRRC1			174	
	SP 3y ENT (6 CPU+VC_STD) Acc Kit,5x9						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3A300PRV06			6489	
	SP 3y ENT (6 CPU+VC_STD) Acc Kit,7x24						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3A303PRV06			7714	
	SP 3y ADV Acceleration Kit,5x9						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3AD00PRV05			3827	
	SP 3y ADV Acceleration Kit,7x24						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3AD03PRV05			4538	
	SP 3y Upgrade ADV to ENT PL,5x9						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3AE00PRV07			1274	
	SP 3y Upgrade ADV to ENT PL,7x24						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3AE03PRV07			1513	
	SP 3y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9				x							x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3C100PRXD1			258	
	SP 3y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24				x							x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3C103PRXD1			349	
	SP 3y 1,2,3 lev sup VDI Edi,50U/Dev w/o XenApp,5x9				x							x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3C200PRXD1			1291	
	SP 3y 1,2,3 level VDI Edi,50U/Dev w/o XenApp,7x24				x							x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3C203PRXD1			1743	
	SP 3y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,5x9				x							x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3C300PRXD1			2582	
	SP 3y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,7x24				x							x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3C303PRXD1			3485	
	SP 3y 1,2,3 lev sup Ent Edi,10U/Dev w/o XenApp,5x9				x							x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3C400PRXD1			613	
	SP 3y 1,2,3 level Ent Edi,10U/Dev w/o XenApp,7x24				x							x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3C403PRXD1			828	
	SP 3y 1,2,3 lev sup Ent Edi,50U/Dev w/o XenApp,5x9				x							x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3C500PRXD1			3066	
	SP 3y 1,2,3 level Ent Edi,50U/Dev w/o XenApp,7x24				x							x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3C503PRXD1			4138	
	SP 3y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,5x9				x							x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3C600PRXD1			6131	
	SP 3y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,7x24				x							x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3C603PRXD1			8277	
	SP 3y 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp,5x9				x							x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3C700PRXD1			968	
	SP 3y 1,2,3 level Pla Edi,10U/Dev w/o XenApp,7x24				x							x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3C703PRXD1			1307	
	SP 3y 1,2,3 lev sup Pla Edi,50U/Dev w/o XenApp,5x9				x							x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3C800PRXD1			4840	
	SP 3y 1,2,3 level Pla Edi,50U/Dev w/o XenApp,7x24				x							x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3C803PRXD1			6534	
	SP 3y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,5x9				x							x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3C900PRXD1			9681	
	SP 3y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,7x24				x							x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3C903PRXD1			13069	
	SP 3y ENT PL 8 Acceleration Kit,5x9						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3E800PRV07			9620	
	SP 3y ENT PL 8 Acceleration Kit,7x24						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3E803PRV07			11435	
	SP 3y Upgrade ESXi to ADV,5x9						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3EA00PRV05			818	
	SP 3y Upgrade ESXi to ADV,7x24						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3EA03PRV05			974	
	SP 3y Upgrade ENT to ENT PL,5x9						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3EE00PRV07			1274	
	SP 3y Upgrade ENT to ENT PL,7x24						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3EE03PRV07			1513	
	SP 3y Essentials PL,5x9				x	x	x					x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3EP00PRV08			1092	
	SP 3y Essentials PL,7x24				x	x	x					x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3EP03PRV08			1301	
	SP 3y Citrix XS AE,5x9												x	x						x	x						x	x				x	x		FSP:G-SP3F100PRXD2			258	
	SP 3y Citrix XS AE,7x24												x	x						x	x						x	x				x	x		FSP:G-SP3F103PRXD2			349	
	SP 3y Citrix XS EE,5x9												x	x						x	x						x	x				x	x		FSP:G-SP3F200PRXD2			702	
	SP 3y Citrix XS EE,7x24												x	x						x	x						x	x				x	x		FSP:G-SP3F203PRXD2			947	
	SP 3y Citrix XS PE,5x9												x	x						x	x						x	x				x	x		FSP:G-SP3F300PRXD2			1396	
	SP 3y Citrix XS PE,7x24												x	x						x	x						x	x				x	x		FSP:G-SP3F303PRXD2			1884	
	SP 3y L1,4h Rt,5x9				x	x	x																													FSP:G-SP3L160PRL63			956	
	SP 3y L1,4h Rt,7x24				x	x	x																													FSP:G-SP3L163PRL63			2056	
	SP 3y L2,4h Rt,5x9											x	x	x				x	x	x	x	x					x	x				x	x		FSP:G-SP3L260PRL63			956	
	SP 3y L2,4h Rt,7x24											x	x	x				x	x	x	x	x					x	x				x	x		FSP:G-SP3L263PRL63			2056	
	SP 3y L5,4h Rt,5x9																		x																	FSP:G-SP3L560PRL63			1141	
	SP 3y L5,4h Rt,7x24																		x																	FSP:G-SP3L563PRL63			2168	
	SP 3y ROR 1Serv 4CPU,5x9					x	x	x				x	x	x					x	x	x						x	x				x	x		FSP:G-SP3R500PRRC1			671	
	SP 3y ROR 10Serv 4CPU,5x9					x	x	x				x	x	x					x	x	x						x	x				x	x		FSP:G-SP3R600PRRC1			6240	
	SP 3y ROR 18Serv 4CPU,5x9					x	x	x				x	x	x					x	x	x						x	x				x	x		FSP:G-SP3R700PRRC1			11232	
	SP 3y ROR 1Serv 8CPU,5x9																															x	x		FSP:G-SP3R800PRRC1			1342	
	SP 3y Upgrade STD to ADV,5x9						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3SA00PRV05			818	
	SP 3y Upgrade STD to ADV,7x24						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3SA03PRV05			974	
	SP 3y vSphere ADV,5x9						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3SD00PRV05			818	
	SP 3y vSphere ADV,7x24						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3SD03PRV05			974	
	SP 3y vSphere ENT,5x9						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3SE00PRV06			1051	
	SP 3y vSphere ENT,7x24						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3SE03PRV06			1240	
	SP 3y vSphere ENT PL,5x9						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3SL00PRV07			1274	
	SP 3y vSphere ENT PL,7x24						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3SL03PRV07			1513	
	SP 3y vSphere STD,5x9						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3ST00PRV04			471	
	SP 3y vSphere STD,7x24						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3ST03PRV04			560	
	SP 3y S&U, 1Man..5x9				x	x	x					x	x	x					x	x							x	x				x	x		FSP:G-SP3U500PRRC1			1192	
	SP 3y S&U, 1Ag..5x9				x	x	x					x	x	x					x	x							x	x				x	x		FSP:G-SP3U600PRRC1			260	
	SP 3y S&U, 10Ag..5x9				x	x	x					x	x	x					x	x							x	x				x	x		FSP:G-SP3U700PRRC1			2032	
	SP 3y S&U, 18Ag..5x9				x	x	x					x	x	x					x	x							x	x				x	x		FSP:G-SP3U800PRRC1			3968	
	SP 3y Upgrade STD to ENT PL,5x9						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3US00PRV07			1274	
	SP 3y Upgrade STD to ENT PL,7x24						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3US03PRV07			1513	
	SP 3y Upgrade VC FND to STD,5x9						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3UV00PRV09			1821	
	SP 3y Upgrade VC FND to STD,7x24						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3UV03PRV09			2163	
	SP 3y vCenter FND,5x9				x	x	x					x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3VC00PRV09			941	
	SP 3y vCenter FND,7x24				x	x	x					x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3VC03PRV09			1119	
	SP 3y vCenter STD,5x9				x	x	x					x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3VS00PRV09			1821	
	SP 3y vCenter STD,7x24				x	x	x					x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3VS03PRV09			2163	
	SP 3y 1,2,3 x10sure base,5x9		x	x	x	x			x	x	x	x	x		x	x	x	x	x			x	x	x				x	x			x	x		FSP:G-SP3X300PRXTN			776	
	SP 3y 1,2,3 x10sure 1 Ap-or SpNode,5x9		x	x	x	x			x	x	x	x	x		x	x	x	x	x			x	x	x				x	x			x	x		FSP:G-SP3X500PRXTN			610	
	SP 3y 1,2,3 x10sure IS base,5x9																					x														FSP:G-SP3X700PRXTN			1387	
	SP 3y Upgrade ESXi to ENT-PL,5x9						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3XE00PRV07			1274	
	SP 3y Upgrade ESXi to ENT-PL,7x24						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3XE03PRV07			1513	
	SP 3y Upgrade ESXi to STD,5x9						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3XS00PRV04			471	
	SP 3y Upgrade ESXi to STD,7x24						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SP3XS03PRV04			560	
	SP 3y RCVE Std.(MA),5x9																															x	x		FSP:G-SP3Y100PRRC1			2383	
	SP 3y RCVE Std.(Ag),5x9																															x	x		FSP:G-SP3Y300PRRC1			522	
	SP Xtend 1y to 2y ADV Acceleration Kit (<4.x),5x9					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAA100PRV05			1501	
	SP Xtend 1y to 2y ADV Acceleration Kit (<4.x),7x24					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAA103PRV05			1785	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL (<4.x),5x9					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAA200PRV07			499	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL (<4.x),7x2					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAA203PRV07			595	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit (<4.x)					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAE100PRV07			2988	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit (<4.x)					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAE103PRV07			3550	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit (<4.x)					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAE200PRV07			3771	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit (<4.x)					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAE203PRV07			4487	
	SP Xtend 1y to 2y Upgrade ESXi to ADV (<4.x),5x9					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAE300PRV05			321	
	SP Xtend 1y to 2y Upgrade ESXi to ADV (<4.x),7x24					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAE303PRV05			373	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL (<4.x),5x9					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAE400PRV07			499	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL (<4.x),7x2					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAE403PRV07			595	
	SP Xtend 1y to 2y Essentials PL (<4.x),5x9					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAE500PRV08			428	
	SP Xtend 1y to 2y Essentials PL (<4.x),7x24					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAE503PRV08			504	
	SP Xtend 1y to 2y ESXi 4.0 Single Server (<4.x),5x					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAE700PRV01			340	
	SP Xtend 1y to 2y ESXi 4.0 Single Server (<4.x),7x					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAE703PRV01			403	
	SP Xtend 1y to 2y vSphere ENT (<4.x),5x9					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAS100PRV06			410	
	SP Xtend 1y to 2y Upgrade STD to ADV (<4.x),5x9					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAS300PRV05			321	
	SP Xtend 1y to 2y Upgrade STD to ADV (<4.x),7x24					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAS303PRV05			373	
	SP Xtend 1y to 2y vSphere ADV (<4.x),5x9					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAS500PRV05			321	
	SP Xtend 1y to 2y vSphere ADV (<4.x),7x24					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAS503PRV05			373	
	SP Xtend 1y to 2y vSphere ENT (<4.x),7x24					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAS503PRV06			484	
	SP Xtend 1y to 2y vSphere STD (<4.x),5x9					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAS700PRV04			185	
	SP Xtend 1y to 2y vSphere STD (<4.x),7x24					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAS703PRV04			217	
	SP Xtend 1y to 2y vSphere ENT PL (<4.x),5x9					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAS800PRV07			499	
	SP Xtend 1y to 2y vSphere ENT PL (<4.x),7x24					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAS803PRV07			595	
	SP Xtend 1y to 2y Upgrade STD to ENT PL (<4.x),5x9					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAU200PRV07			499	
	SP Xtend 1y to 2y Upgrade STD to ENT PL (<4.x),7x2					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAU203PRV07			595	
	SP Xtend 1y to 2y Upgrade VC FND to STD (<4.x),5x9					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAU300PRV09			714	
	SP Xtend 1y to 2y Upgrade VC FND to STD (<4.x),7x2					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAU303PRV09			847	
	SP Xtend 1y to 2y View ENT Add 10 Clients (<4.x),5					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAV100PRV10			214	
	SP Xtend 1y to 2y View ENT Add 10 Clients (<4.x),7					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAV103PRV10			252	
	SP Xtend 1y to 2y vCenter FND (<4.x),5x9					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAV200PRV09			368	
	SP Xtend 1y to 2y vCenter FND (<4.x),7x24					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAV203PRV09			424	
	SP Xtend 1y to 2y View ENT 100 Clients (<4.x),5x9					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAV300PRV10			2138	
	SP Xtend 1y to 2y View ENT 100 Clients (<4.x),7x24					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAV303PRV10			2551	
	SP Xtend 1y to 2y vCenter STD (<4.x),5x9					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAV400PRV09			714	
	SP Xtend 1y to 2y vCenter STD (<4.x),7x24					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAV403PRV09			847	
	SP Xtend 1y to 2y View ENT Start 10 Clients (<4.x)					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAV500PRV10			214	
	SP Xtend 1y to 2y View ENT Start 10 Clients (<4.x)					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAV503PRV10			252	
	SP Xtend 1y to 2y vSphere Std+VMotion(<V4.x),5x9					x	x	x				x	x	x																						FSP:G-SPAVN00PRV04			373	
	SP Xtend 1y to 2y vSphere Std+VMotion(<V4.x),7x24					x	x	x				x	x	x																						FSP:G-SPAVN03PRV04			434	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL (<4.x),5x					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAX100PRV07			499	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL (<4.x),7x					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAX103PRV07			595	
	SP Xtend 1y to 2y Upgrade ESXi to STD (<4.x),5x9					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAX200PRV04			185	
	SP Xtend 1y to 2y Upgrade ESXi to STD (<4.x),7x24					x	x	x				x	x	x					x	x	x						x	x							FSP:G-SPAX203PRV04			217	
	SP Xtend of 12m ENT (6 CPU+VC_STD) Acc Kit,5x9						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SPTA300PRV06			2551	
	SP Xtend of 12m ENT (6 CPU+VC_STD) Acc Kit,7x24						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SPTA303PRV06			3035	
	SP Xtend of 12m ADV Acceleration Kit,5x9						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SPTAD00PRV05			1501	
	SP Xtend of 12m ADV Acceleration Kit,7x24						x	x				x	x	x					x	x	x	x					x	x				x	x		FSP:G-SPTAD03PRV05			1785	
	SP Xtend of 12m Upgrade ADV to ENT PL,5x9						x	x				x	x	x					x	x	x	x	x				x	x	x			x	x		FSP:G-SPTAE00PRV07			499	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																						
Software Services (Continued)																																						
	SP Xtend of 12m Upgrade ADV to ENT PL,7x24						x	x				x	x	x					x	x	x	x	x			x	x	x			x	x			FSP:G-SPTAE03PRV07			595	
	SP Xtend of 12m ENT PL 6 Acceleration Kit,5x9											x	x						x	x	x	x				x	x				x	x			FSP:G-SPTE600PRV07			2988	
	SP Xtend of 12m ENT PL 6 Acceleration Kit,7x24											x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTE603PRV07			3550	
	SP Xtend of 12m ENT PL 8 Acceleration Kit,5x9						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTE800PRV07			3771	
	SP Xtend of 12m ENT PL 8 Acceleration Kit,7x24						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTE803PRV07			4487	
	SP Xtend of 12m Upgrade ESXi to ADV,5x9						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTEA00PRV05			321	
	SP Xtend of 12m Upgrade ESXi to ADV,7x24						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTEA03PRV05			373	
	SP Xtend of 12m Upgrade ENT to ENT PL,5x9						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTEE00PRV07			499	
	SP Xtend of 12m Upgrade ENT to ENT PL,7x24						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTEE03PRV07			595	
	SP Xtend of 12m Essentials PL,5x9						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTEP00PRV08			428	
	SP Xtend of 12m Essentials PL,7x24						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTEP03PRV08			504	
	SP Xtend of 12m ESXi 4.0 Single Server,5x9						x	x					x	x					x	x	x	x				x	x				x	x			FSP:G-SPTEX00PRV01			340	
	SP Xtend of 12m ESXi 4.0 Single Server,7x24						x	x					x	x					x	x	x	x				x	x				x	x			FSP:G-SPTEX03PRV01			403	
	SP Xtend of 12m Upgrade STD to ADV,5x9						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTSA00PRV05			321	
	SP Xtend of 12m Upgrade STD to ADV,7x24						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTSA03PRV05			373	
	SP Xtend of 12m vSphere ADV,5x9						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTSD00PRV05			321	
	SP Xtend of 12m vSphere ADV,7x24						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTSD03PRV05			373	
	SP Xtend of 12m vSphere ENT,5x9						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTSE00PRV06			410	
	SP Xtend of 12m vSphere ENT,7x24						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTSE03PRV06			484	
	SP Xtend of 12m vSphere ENT PL,5x9						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTSL00PRV07			499	
	SP Xtend of 12m vSphere ENT PL,7x24						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTSL03PRV07			595	
	SP Xtend of 12m vSphere STD,5x9						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTST00PRV04			185	
	SP Xtend of 12m vSphere STD,7x24						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTST03PRV04			217	
	SP Xtend of 12m Upgrade STD to ENT PL,5x9						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTUS00PRV07			499	
	SP Xtend of 12m Upgrade STD to ENT PL,7x24						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTUS03PRV07			595	
	SP Xtend of 12m Upgrade VC FND to STD,5x9						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTUV00PRV09			714	
	SP Xtend of 12m Upgrade VC FND to STD,7x24						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTUV03PRV09			847	
	SP Xtend of 12m View ENT Add 10 Clients,5x9											x	x						x		x					x									FSP:G-SPTVA00PRV10			214	
	SP Xtend of 12m View ENT Add 10 Clients,7x24											x	x						x	x	x					x									FSP:G-SPTVA03PRV10			252	
	SP Xtend of 12m vCenter FND,5x9					x	x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTVC00PRV09			368	
	SP Xtend of 12m vCenter FND,7x24					x	x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTVC03PRV09			424	
	SP Xtend of 12m View ENT 100 Clients,5x9											x	x						x	x		x				x									FSP:G-SPTVE00PRV10			2138	
	SP Xtend of 12m View ENT 100 Clients,7x24											x	x						x	x		x				x									FSP:G-SPTVE03PRV10			2551	
	SP Xtend of 12m vCenter STD,5x9					x	x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTVS00PRV09			714	
	SP Xtend of 12m vCenter STD,7x24					x	x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTVS03PRV09			847	
	SP Xtend of 12m View ENT Start 10 Clients,5x9											x	x						x	x		x				x									FSP:G-SPTVT00PRV10			214	
	SP Xtend of 12m View ENT Start 10 Clients,7x24											x	x						x	x		x				x									FSP:G-SPTVT03PRV10			252	
	SP Xtend of 12m Upgrade ESXi to ENT-PL,5x9						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTXE00PRV07			499	
	SP Xtend of 12m Upgrade ESXi to ENT-PL,7x24						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTXE03PRV07			595	
	SP Xtend of 12m Upgrade ESXi to STD,5x9						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTXS00PRV04			185	
	SP Xtend of 12m Upgrade ESXi to STD,7x24						x	x				x	x	x					x	x	x	x				x	x				x	x			FSP:G-SPTXS03PRV04			217	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
Software Services																												
	SP 1y ENT (6 CPU+VC_STD) Acc Kit,5x9	SP 1 year VMware ENT (6 CPU+VC_STD) Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1A300PRV06			2551	
	SP 1y ENT (6 CPU+VC_STD) Acc Kit,7x24	SP 1 year VMware ENT (6 CPU+VC_STD) Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1A303PRV06			3035	
	SP 1y ADV Acceleration Kit,5x9	, Service Pack 1 year VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1AD00PRV05			1501	
	SP 1y ADV Acceleration Kit,7x24	, Service Pack 1 year VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1AD03PRV05			1785	
	SP 1y Upgrade ADV to ENT PL,5x9	, Service Pack 1 year VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x	x		x	x	x	x	x	FSP:G-SP1AE00PRV07			499	
	SP 1y Upgrade ADV to ENT PL,7x24	, Service Pack 1 year VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x	x		x	x	x	x	x	FSP:G-SP1AE03PRV07			595	
	SP 1y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1C100PRXD1			86	
	SP 1y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1C103PRXD1			116	
	SP 1y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1C200PRXD1			430	
	SP 1y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1C203PRXD1			581	
	SP 1y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1C300PRXD1			861	
	SP 1y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1C303PRXD1			1162	
	SP 1y 1,2,3 lev sup Ent Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1C400PRXD1			204	
	SP 1y 1,2,3 level Ent Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1C403PRXD1			276	
	SP 1y 1,2,3 lev sup Ent Edi,50U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1C500PRXD1			1022	
	SP 1y 1,2,3 level Ent Edi,50U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1C503PRXD1			1379	
	SP 1y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1C600PRXD1			2044	
	SP 1y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1C603PRXD1			2759	
	SP 1y 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1C700PRXD1			323	
	SP 1y 1,2,3 level Pla Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1C703PRXD1			436	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
Software Services (Continued)																												
	SP 1y 1,2,3 lev sup Pla Edi,50U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1C800PRXD1			1613	
	SP 1y 1,2,3 level Pla Edi,50U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1C803PRXD1			2178	
	SP 1y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1C900PRXD1			3227	
	SP 1y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1C903PRXD1			4356	
	SP 1y ENT PL 8 Acceleration Kit,5x9	, Service Pack 1 year VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1E800PRV07			3771	
	SP 1y ENT PL 8 Acceleration Kit,7x24	, Service Pack 1 year VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1E803PRV07			4487	
	SP 1y Upgrade ESXi to ADV,5x9	, Service Pack 1 year VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1EA00PRV05			321	
	SP 1y Upgrade ESXi to ADV,7x24	, Service Pack 1 year VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1EA03PRV05			373	
	SP 1y Upgrade ENT to ENT PL,5x9	, Service Pack 1 year VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1EE00PRV07			499	
	SP 1y Upgrade ENT to ENT PL,7x24	, Service Pack 1 year VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1EE03PRV07			595	
	SP 1y Essentials PL,5x9	, Service Pack 1 year VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1EP00PRV08			428	
	SP 1y Essentials PL,7x24	, Service Pack 1 year VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1EP03PRV08			504	
	SP 1y ESXi 4.0 Single Server,5x9	, Service Pack 1 year VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR			x	x			x	x			x	x	x	x			x	x		x	x	FSP:G-SP1EX00PRV01			340	
	SP 1y ESXi 4.0 Single Server,7x24	, Service Pack 1 year VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR			x	x			x	x			x	x	x	x			x	x		x	x	FSP:G-SP1EX03PRV01			403	
	SP 1y Citrix XS AE,5x9	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Advance Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x		x	x	FSP:G-SP1F100PRXD2			86	
	SP 1y Citrix XS AE,7x24	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Advance Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x		x	x	FSP:G-SP1F103PRXD2			116	
	SP 1y Citrix XS EE,5x9	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Enterprise Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x		x	x	FSP:G-SP1F200PRXD2			234	
	SP 1y Citrix XS EE,7x24	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Enterprise Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x		x	x	FSP:G-SP1F203PRXD2			316	
	SP 1y Citrix XS PE,5x9	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Platinum Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x		x	x	FSP:G-SP1F300PRXD2			465	
	SP 1y Citrix XS PE,7x24	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Platinum Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x		x	x	FSP:G-SP1F303PRXD2			628	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX680	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
Software Services (Continued)																												
	SP 1y HPC 2 hn + 4 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 4 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase								x					x									FSP:G-SP1H160PRV11			294	
	SP 1y HPC 2 hn + 8 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 8 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase								x					x									FSP:G-SP1H260PRV11			529	
	SP 1y HPC 2 hn + 16 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 16 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase								x					x									FSP:G-SP1H360PRV11			1000	
	SP 1y HPC 2 hn + 32 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 32 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase								x					x									FSP:G-SP1H460PRV11			1941	
	SP 1y HPC 2 hn + 64 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 64 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase								x					x									FSP:G-SP1H560PRV11			3824	
	SP 1y HPC 2 hn + 128 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 128 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase								x					x									FSP:G-SP1H660PRV11			7588	
	SP 1y L1,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E601		x	x	x																		FSP:G-SP1L160PRL63			382	
	SP 1y L1,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E601		x	x	x																		FSP:G-SP1L163PRL63			822	
	SP 1y L2,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611		x				x	x	x		x	x	x	x	x			x	x		x	x	FSP:G-SP1L260PRL63			382	
	SP 1y L2,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611		x				x	x	x		x	x	x	x	x			x	x		x	x	FSP:G-SP1L263PRL63			822	
	SP 1y ROR 1Serv 4CPU,5x9	SP 1 year ServerView ROR support (1 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x		x	x	FSP:G-SP1R500PRRC1			224	
	SP 1y ROR 10Serv 4CPU,5x9	SP 1 year ServerView ROR support (10 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x		x	x	FSP:G-SP1R600PRRC1			2080	
	SP 1y ROR 18Serv 4CPU,5x9	SP 1 year ServerView ROR support (18 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x		x	x	FSP:G-SP1R700PRRC1			3744	
	SP 1y ROR 1Serv 8CPU,5x9	SP 1 year ServerView ROR support (1 Server) 8CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase																				x	x	FSP:G-SP1R800PRRC1			447	
	SP 1y Upgrade STD to ADV,5x9	, Service Pack 1 year VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1SA00PRV05			321	
	SP 1y Upgrade STD to ADV,7x24	, Service Pack 1 year VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1SA03PRV05			373	
	SP 1y vSphere ADV,5x9	, Service Pack 1 year VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1SD00PRV05			321	
	SP 1y vSphere ADV,7x24	, Service Pack 1 year VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1SD03PRV05			373	
	SP 1y vSphere ENT,5x9	, Service Pack 1 year VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1SE00PRV06			410	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX680	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
Software Services (Continued)																												
	SP 1y vSphere ENT,7x24	, Service Pack 1 year VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1SE03PRV06			484	
	SP 1y vSphere ENT PL,5x9	, Service Pack 1 year VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1SL00PRV07			499	
	SP 1y vSphere ENT PL,7x24	, Service Pack 1 year VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1SL03PRV07			595	
	SP 1y vSphere STD,5x9	, Service Pack 1 year VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1ST00PRV04			185	
	SP 1y vSphere STD,7x24	, Service Pack 1 year VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1ST03PRV04			220	
	SP 1y S&U, 1Man.,5x9	Service Pack 1 year Support & Update Subscription 1 Manager, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE		x	x	x		x	x	x			x	x	x				x	x		x	x	FSP:G-SP1U500PRRC1			397	
	SP 1y S&U, 1Ag.,5x9	Service Pack 1 year Support & Update Subscription 1 Agent, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE		x	x	x		x	x	x			x	x	x				x	x		x	x	FSP:G-SP1U600PRRC1			87	
	SP 1y S&U, 10Ag.,5x9	Service Pack 1 year Support & Update Subscription 10 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE		x	x	x		x	x	x			x	x	x				x	x		x	x	FSP:G-SP1U700PRRC1			677	
	SP 1y S&U, 18Ag.,5x9	Service Pack 1 year Support & Update Subscription 18 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE		x	x	x		x	x	x			x	x	x				x	x		x	x	FSP:G-SP1U800PRRC1			1323	
	SP 1y Upgrade STD to ENT PL,5x9	, Service Pack 1 year VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1US00PRV07			499	
	SP 1y Upgrade STD to ENT PL,7x24	, Service Pack 1 year VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1US03PRV07			595	
	SP 1y Upgrade VC FND to STD,5x9	, Service Pack 1 year VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1UV00PRV09			714	
	SP 1y Upgrade VC FND to STD,7x24	, Service Pack 1 year VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1UV03PRV09			847	
	SP 1y vCenter FND,5x9	, Service Pack 1 year VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND		x	x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1VC00PRV09			368	
	SP 1y vCenter FND,7x24	, Service Pack 1 year VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND		x	x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1VC03PRV09			424	
	SP 1y vCenter STD,5x9	, Service Pack 1 year VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND		x	x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1VS00PRV09			714	
	SP 1y vCenter STD,7x24	, Service Pack 1 year VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND		x	x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1VS03PRV09			847	
	SP 1y 1,2,3 x10sure base,5x9	SP 1 year 1st, 2nd & 3rd level support and updates for x10sure base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	FSP:G-SP1X300PRXTN			259	
	SP 1y 1,2,3 x10sure 1 Ap-or SpNode,5x9	SP 1 year 1st, 2nd & 3rd level support and updates x10sure for 1 additional Application- or Spare Node, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	FSP:G-SP1X500PRXTN			203	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
Software Services (Continued)																												
	SP 1y 1,2,3 x10sure IS base,5x9	SP 1 year 1st, 2nd & 3rd level support and updates for x10sure IS base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase													x									FSP:G-SP1X700PRXTN			462	
	SP 1y Upgrade ESXi to ENT-PL,5x9	, Service Pack 1 year VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1XE00PRV07			499	
	SP 1y Upgrade ESXi to ENT-PL,7x24	, Service Pack 1 year VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1XE03PRV07			595	
	SP 1y Upgrade ESXi to STD,5x9	, Service Pack 1 year VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1XS00PRV04			185	
	SP 1y Upgrade ESXi to STD,7x24	, Service Pack 1 year VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP1XS03PRV04			217	
	SP 1y RCVE Std.(MA),5x9	SP 1 year ServerView RCVE Std. (Manager) 8CPU Class V2, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																				x	x	FSP:G-SP1Y100PRRC1			794	
	SP 1y RCVE Std.(Ag),5x9	SP 1 year ServerView RCVE Std. (1 Agent) 8CPU Class V2, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																				x	x	FSP:G-SP1Y300PRRC1			174	
	SP 3y ENT (6 CPU+VC_STD) Acc Kit,5x9	SP 3 years VMware ENT (6 CPU+VC_STD) Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3A300PRV06			6489	
	SP 3y ENT (6 CPU+VC_STD) Acc Kit,7x24	SP 3 years VMware ENT (6 CPU+VC_STD) Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3A303PRV06			7714	
	SP 3y ADV Acceleration Kit,5x9	, Service Pack 3 years VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3AD00PRV05			3827	
	SP 3y ADV Acceleration Kit,7x24	, Service Pack 3 years VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3AD03PRV05			4538	
	SP 3y Upgrade ADV to ENT PL,5x9	, Service Pack 3 years VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3AE00PRV07			1274	
	SP 3y Upgrade ADV to ENT PL,7x24	, Service Pack 3 years VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3AE03PRV07			1513	
	SP 3y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3C100PRXD1			258	
	SP 3y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3C103PRXD1			349	
	SP 3y 1,2,3 lev sup VDI Edi,50U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3C200PRXD1			1291	
	SP 3y 1,2,3 level VDI Edi,50U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3C203PRXD1			1743	
	SP 3y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3C300PRXD1			2582	
	SP 3y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3C303PRXD1			3485	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
Software Services (Continued)																												
	SP 3y 1,2,3 lev sup Ent Edi,10U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3C400PRXD1			613	
	SP 3y 1,2,3 level Ent Edi,10U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3C403PRXD1			828	
	SP 3y 1,2,3 lev sup Ent Edi,50U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3C500PRXD1			3066	
	SP 3y 1,2,3 level Ent Edi,50U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3C503PRXD1			4138	
	SP 3y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3C600PRXD1			6131	
	SP 3y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3C603PRXD1			8277	
	SP 3y 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp,5x9	SP 3 years 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3C700PRXD1			968	
	SP 3y 1,2,3 level Pla Edi,10U/Dev w/o XenApp,7x24	SP 3 years 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3C703PRXD1			1307	
	SP 3y 1,2,3 lev sup Pla Edi,50U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3C800PRXD1			4840	
	SP 3y 1,2,3 level Pla Edi,50U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3C803PRXD1			6534	
	SP 3y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3C900PRXD1			9681	
	SP 3y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3C903PRXD1			13069	
	SP 3y ENT PL 8 Acceleration Kit,5x9	, Service Pack 3 years VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3E800PRV07			9620	
	SP 3y ENT PL 8 Acceleration Kit,7x24	, Service Pack 3 years VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3E803PRV07			11435	
	SP 3y Upgrade ESXi to ADV,5x9	, Service Pack 3 years VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3EA00PRV05			818	
	SP 3y Upgrade ESXi to ADV,7x24	, Service Pack 3 years VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3EA03PRV05			974	
	SP 3y Upgrade ENT to ENT PL,5x9	, Service Pack 3 years VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3EE00PRV07			1274	
	SP 3y Upgrade ENT to ENT PL,7x24	, Service Pack 3 years VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3EE03PRV07			1513	
	SP 3y Essentials PL,5x9	, Service Pack 3 years VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL		x	x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3EP00PRV08			1092	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX680	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
Software Services (Continued)																												
	SP 3y Essentials PL,7x24	, Service Pack 3 years VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL		x	x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3EP03PRV08			1301	
	SP 3y Citrix XS AE,5x9	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Advance Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x		x	x	FSP:G-SP3F100PRXD2			258	
	SP 3y Citrix XS AE,7x24	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Advance Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x		x	x	FSP:G-SP3F103PRXD2			349	
	SP 3y Citrix XS EE,5x9	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Enterprise Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x		x	x	FSP:G-SP3F200PRXD2			702	
	SP 3y Citrix XS EE,7x24	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Enterprise Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x		x	x	FSP:G-SP3F203PRXD2			947	
	SP 3y Citrix XS PE,5x9	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Platinum Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x		x	x	FSP:G-SP3F300PRXD2			1396	
	SP 3y Citrix XS PE,7x24	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Platinum Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x		x	x	FSP:G-SP3F303PRXD2			1884	
	SP 3y L1,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E602		x	x	x																			FSP:G-SP3L160PRL63			956	
	SP 3y L1,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E602		x	x	x																			FSP:G-SP3L163PRL63			2056	
	SP 3y L2,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612						x	x	x		x	x	x	x	x			x	x		x	x	FSP:G-SP3L260PRL63			956	
	SP 3y L2,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612						x	x	x		x	x	x	x	x			x	x		x	x	FSP:G-SP3L263PRL63			2056	
	SP 3y L5,4h Rt,5x9	Service Pack classic 3 years Software Service, 4h remote response time, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux ES SAP All-in-One (1 Server up to 32 CPU). Subscription S26361-F2346-L669 is prerequisite for											x												FSP:G-SP3L560PRL63			1141	
	SP 3y L5,4h Rt,7x24	Service Pack classic 3 years Software Service, 2h remote response time 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux ES SAP All-in-One (1 Server up to 32 CPU). Subscription S26361-F2346-L669 is prerequisite for											x												FSP:G-SP3L563PRL63			2168	
	SP 3y ROR 1Serv 4CPU,5x9	SP 3 years ServerView ROR support (1 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x		x	x	FSP:G-SP3R500PRRC1			671	
	SP 3y ROR 10Serv 4CPU,5x9	SP 3 years ServerView ROR support (10 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x		x	x	FSP:G-SP3R600PRRC1			6240	
	SP 3y ROR 18Serv 4CPU,5x9	SP 3 years ServerView ROR support (18 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x		x	x	FSP:G-SP3R700PRRC1			11232	
	SP 3y ROR 1Serv 8CPU,5x9	SP 3 years ServerView ROR support (1 Server) 8CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase																				x	x	FSP:G-SP3R800PRRC1			1342	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
Software Services (Continued)																												
	SP 3y Upgrade STD to ADV,5x9	, Service Pack 3 years VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3SA00PRV05			818	
	SP 3y Upgrade STD to ADV,7x24	, Service Pack 3 years VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3SA03PRV05			974	
	SP 3y vSphere ADV,5x9	, Service Pack 3 years VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3SD00PRV05			818	
	SP 3y vSphere ADV,7x24	, Service Pack 3 years VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3SD03PRV05			974	
	SP 3y vSphere ENT,5x9	, Service Pack 3 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3SE00PRV06			1051	
	SP 3y vSphere ENT,7x24	, Service Pack 3 years VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3SE03PRV06			1240	
	SP 3y vSphere ENT PL,5x9	, Service Pack 3 years VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3SL00PRV07			1274	
	SP 3y vSphere ENT PL,7x24	, Service Pack 3 years VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3SL03PRV07			1513	
	SP 3y vSphere STD,5x9	, Service Pack 3 years VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3ST00PRV04			471	
	SP 3y vSphere STD,7x24	, Service Pack 3 years VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3ST03PRV04			560	
	SP 3y S&U, 1Man.,5x9	SP 3 years Support & Update Subscription 1 Manager, 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x		x	x	FSP:G-SP3U500PRRC1			1192	
	SP 3y S&U, 1Ag.,5x9	SP 3 years Support & Update Subscription 1 Agent, 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x		x	x	FSP:G-SP3U600PRRC1			260	
	SP 3y S&U, 10Ag.,5x9	SP 3 years Support & Update Subscription 10 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x		x	x	FSP:G-SP3U700PRRC1			2032	
	SP 3y S&U, 18Ag.,5x9	SP 3 years Support & Update Subscription 18 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x		x	x	FSP:G-SP3U800PRRC1			3968	
	SP 3y Upgrade STD to ENT PL,5x9	Service Pack 3 years VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3US00PRV07			1274	
	SP 3y Upgrade STD to ENT PL,7x24	, Service Pack 3 years VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3US03PRV07			1513	
	SP 3y Upgrade VC FND to STD,5x9	, Service Pack 3 years VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3UV00PRV09			1821	
	SP 3y Upgrade VC FND to STD,7x24	, Service Pack 3 years VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3UV03PRV09			2163	
	SP 3y vCenter FND,5x9	, Service Pack 3 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND		x	x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3VC00PRV09			941	
	SP 3y vCenter FND,7x24	, Service Pack 3 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND		x	x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3VC03PRV09			1119	
	SP 3y vCenter STD,5x9	, Service Pack 3 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND		x	x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3VS00PRV09			1821	
	SP 3y vCenter STD,7x24	, Service Pack 3 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND		x	x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3VS03PRV09			2163	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
Software Services (Continued)																												
	SP 3y 1,2,3 x10sure base,5x9	SP 3 years 1st, 2nd & 3rd level support and updates for x10sure base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	FSP:G-SP3X300PRXTN			776	
	SP 3y 1,2,3 x10sure 1 Ap-or SpNode,5x9	SP 3 years 1st, 2nd & 3rd level support and updates x10sure for 1 additional Application- or Spare Node, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	FSP:G-SP3X500PRXTN			610	
	SP 3y 1,2,3 x10sure IS base,5x9	SP 3 years 1st, 2nd & 3rd level support and updates for x10sure IS base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase													x									FSP:G-SP3X700PRXTN			1387	
	SP 3y Upgrade ESXi to ENT-PL,5x9	, Service Pack 3 years VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3XE00PRV07			1274	
	SP 3y Upgrade ESXi to ENT-PL,7x24	, Service Pack 3 years VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3XE03PRV07			1513	
	SP 3y Upgrade ESXi to STD,5x9	, Service Pack 3 years VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3XS00PRV04			471	
	SP 3y Upgrade ESXi to STD,7x24	, Service Pack 3 years VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SP3XS03PRV04			560	
	SP 3y RCVE Std.(MA),5x9	SP 3 years ServerView RCVE Std. (Manager) 8CPU Class V2, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																				x	x	FSP:G-SP3Y100PRRC1			2383	
	SP 3y RCVE Std.(Ag),5x9	SP 3 years ServerView RCVE Std. (1 Agent) 8CPU Class V2, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																				x	x	FSP:G-SP3Y300PRRC1			522	
	SP Xtend 1y to 2y ADV Acceleration Kit (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware ADV Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAA100PRV05			1501	
	SP Xtend 1y to 2y ADV Acceleration Kit (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware ADV Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAA103PRV05			1785	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ADV to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAA200PRV07			499	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ADV to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAA203PRV07			595	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 6 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAE100PRV07			2988	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 6 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAE103PRV07			3550	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 8 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAE200PRV07			3771	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX680	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
Software Services (Continued)																												
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 8 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAE203PRV07			4487	
	SP Xtend 1y to 2y Upgrade ESXi to ADV (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ADV (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAE300PRV05			321	
	SP Xtend 1y to 2y Upgrade ESXi to ADV (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ADV (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAE303PRV05			373	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ENT to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAE400PRV07			499	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ENT to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAE403PRV07			595	
	SP Xtend 1y to 2y Essentials PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Essentials PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAE500PRV08			428	
	SP Xtend 1y to 2y Essentials PL (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Essentials PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAE503PRV08			504	
	SP Xtend 1y to 2y ESXi 4.0 Single Server (<4.x),5x	Service Pack Prolongation from 1 year to 2 years VMware ESXi 4.0 Single Server (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAE700PRV01			340	
	SP Xtend 1y to 2y ESXi 4.0 Single Server (<4.x),7x	Service Pack Prolongation from 1 year to 2 years VMware ESXi 4.0 Single Server (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAE703PRV01			403	
	SP Xtend 1y to 2y vSphere ENT (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAS100PRV06			410	
	SP Xtend 1y to 2y Upgrade STD to ADV (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ADV (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAS300PRV05			321	
	SP Xtend 1y to 2y Upgrade STD to ADV (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ADV (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAS303PRV05			373	
	SP Xtend 1y to 2y vSphere ADV (<4.x),5x9	SP Prolongation from 1 year to 2 years VMware vSphere ADV (for available license < V4.x), 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAS500PRV05			321	
	SP Xtend 1y to 2y vSphere ADV (<4.x),7x24	SP Prolongation from 1 year to 2 years VMware vSphere ADV (for available license < V4.x), 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAS503PRV05			373	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX680	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
Software Services (Continued)																												
	SP Xtend 1y to 2y vSphere ENT (<4.x),7x24	SP Prolongation from 1 year to 2 years VMware vSphere ENT (for available license < V4.x), 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAS503PRV06			484	
	SP Xtend 1y to 2y vSphere STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAS700PRV04			185	
	SP Xtend 1y to 2y vSphere STD (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAS703PRV04			217	
	SP Xtend 1y to 2y vSphere ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAS800PRV07			499	
	SP Xtend 1y to 2y vSphere ENT PL (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAS803PRV07			595	
	SP Xtend 1y to 2y Upgrade STD to ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAU200PRV07			499	
	SP Xtend 1y to 2y Upgrade STD to ENT PL (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAU203PRV07			595	
	SP Xtend 1y to 2y Upgrade VC FND to STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade VC FND to STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAU300PRV09			714	
	SP Xtend 1y to 2y Upgrade VC FND to STD (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade VC FND to STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAU303PRV09			847	
	SP Xtend 1y to 2y View ENT Add 10 Clients (<4.x),5	Service Pack Prolongation from 1 year to 2 years VMware View ENT Add 10 Clients (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAV100PRV10			214	
	SP Xtend 1y to 2y View ENT Add 10 Clients (<4.x),7	Service Pack Prolongation from 1 year to 2 years VMware View ENT Add 10 Clients (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAV103PRV10			252	
	SP Xtend 1y to 2y vCenter FND (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAV200PRV09			368	
	SP Xtend 1y to 2y vCenter FND (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAV203PRV09			424	
	SP Xtend 1y to 2y View ENT 100 Clients (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware View ENT 100 Clients (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAV300PRV10			2138	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX680	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
Software Services (Continued)																												
	SP Xtend 1y to 2y View ENT 100 Clients (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware View ENT 100 Clients (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAV303PRV10			2551	
	SP Xtend 1y to 2y vCenter STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAV400PRV09			714	
	SP Xtend 1y to 2y vCenter STD (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAV403PRV09			847	
	SP Xtend 1y to 2y View ENT Start 10 Clients (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware View ENT Start 10 Clients (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAV500PRV10			214	
	SP Xtend 1y to 2y View ENT Start 10 Clients (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware View ENT Start 10 Clients (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAV503PRV10			252	
	SP Xtend 1y to 2y vSphere Std+VMotion(<V4.x),5x9	SP Prolongation from 1 year to 2 years VMware vSphere Standard + VMotion (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x														FSP:G-SPAVN00PRV04			373	
	SP Xtend 1y to 2y vSphere Std+VMotion(<V4.x),7x24	SP Prolongation from 1 year to 2 years VMware vSphere Standard + VMotion (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x														FSP:G-SPAVN03PRV04			434	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL (<4.x),5x	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ENT-PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAX100PRV07			499	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL (<4.x),7x	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ENT-PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAX103PRV07			595	
	SP Xtend 1y to 2y Upgrade ESXi to STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAX200PRV04			185	
	SP Xtend 1y to 2y Upgrade ESXi to STD (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD		x	x	x		x	x	x			x	x	x				x	x				FSP:G-SPAX203PRV04			217	
	SP Xtend of 12m ENT (6 CPU+VC_STD) Acc Kit,5x9	SP Prolongation of 12 months VMware ENT (6 CPU+VC_STD) Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTA300PRV06			2551	
	SP Xtend of 12m ENT (6 CPU+VC_STD) Acc Kit,7x24	SP Prolongation of 12 months VMware ENT (6 CPU+VC_STD) Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTA303PRV06			3035	
	SP Xtend of 12m ADV Acceleration Kit,5x9	SP Prolongation of 12 months VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTAD00PRV05			1501	
	SP Xtend of 12m ADV Acceleration Kit,7x24	SP Prolongation of 12 months VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTAD03PRV05			1785	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
Software Services (Continued)																												
	SP Xtend of 12m Upgrade ADV to ENT PL,5x9	SP Prolongation of 12 months VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x	x		x	x	x	x	x	FSP:G-SPTAE00PRV07			499	
	SP Xtend of 12m Upgrade ADV to ENT PL,7x24	SP Prolongation of 12 months VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x	x		x	x	x	x	x	FSP:G-SPTAE03PRV07			595	
	SP Xtend of 12m ENT PL 6 Acceleration Kit,5x9	SP Prolongation of 12 months VMware ENT PL 6 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x				x	x	x	x			x	x		x	x	FSP:G-SPTE600PRV07			2988	
	SP Xtend of 12m ENT PL 6 Acceleration Kit,7x24	SP Prolongation of 12 months VMware ENT PL 6 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTE603PRV07			3550	
	SP Xtend of 12m ENT PL 8 Acceleration Kit,5x9	SP Prolongation of 12 months VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTE800PRV07			3771	
	SP Xtend of 12m ENT PL 8 Acceleration Kit,7x24	SP Prolongation of 12 months VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTE803PRV07			4487	
	SP Xtend of 12m Upgrade ESXi to ADV,5x9	SP Prolongation of 12 months VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTEA00PRV05			321	
	SP Xtend of 12m Upgrade ESXi to ADV,7x24	SP Prolongation of 12 months VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTEA03PRV05			373	
	SP Xtend of 12m Upgrade ENT to ENT PL,5x9	SP Prolongation of 12 months VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTEE00PRV07			499	
	SP Xtend of 12m Upgrade ENT to ENT PL,7x24	SP Prolongation of 12 months VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTEE03PRV07			595	
	SP Xtend of 12m Essentials PL,5x9	SP Prolongation of 12 months VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTEP00PRV08			428	
	SP Xtend of 12m Essentials PL,7x24	SP Prolongation of 12 months VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTEP03PRV08			504	
	SP Xtend of 12m ESXi 4.0 Single Server,5x9	SP Prolongation of 12 months VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x			x	x			x	x	x	x			x	x		x	x	FSP:G-SPTEX00PRV01			340	
	SP Xtend of 12m ESXi 4.0 Single Server,7x24	SP Prolongation of 12 months VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x			x	x			x	x	x	x			x	x		x	x	FSP:G-SPTEX03PRV01			403	
	SP Xtend of 12m Upgrade STD to ADV,5x9	SP Prolongation of 12 months VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTSA00PRV05			321	
	SP Xtend of 12m Upgrade STD to ADV,7x24	SP Prolongation of 12 months VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTSA03PRV05			373	
	SP Xtend of 12m vSphere ADV,5x9	SP Prolongation of 12 months VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTSD00PRV05			321	
	SP Xtend of 12m vSphere ADV,7x24	SP Prolongation of 12 months VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTSD03PRV05			373	
	SP Xtend of 12m vSphere ENT,5x9	SP Prolongation of 12 months VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTSE00PRV06			410	
	SP Xtend of 12m vSphere ENT,7x24	SP Prolongation of 12 months VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTSE03PRV06			484	
	SP Xtend of 12m vSphere ENT PL,5x9	SP Prolongation of 12 months VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTSL00PRV07			499	
	SP Xtend of 12m vSphere ENT PL,7x24	SP Prolongation of 12 months VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTSL03PRV07			595	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																												
Software Services (Continued)																												
	SP Xtend of 12m vSphere STD,5x9	SP Prolongation of 12 months VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTST00PRV04			185	
	SP Xtend of 12m vSphere STD,7x24	SP Prolongation of 12 months VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTST03PRV04			217	
	SP Xtend of 12m Upgrade STD to ENT PL,5x9	SP Prolongation of 12 months VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTUS00PRV07			499	
	SP Xtend of 12m Upgrade STD to ENT PL,7x24	SP Prolongation of 12 months VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTUS03PRV07			595	
	SP Xtend of 12m Upgrade VC FND to STD,5x9	SP Prolongation of 12 months VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTUV00PRV09			714	
	SP Xtend of 12m Upgrade VC FND to STD,7x24	SP Prolongation of 12 months VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTUV03PRV09			847	
	SP Xtend of 12m View ENT Add 10 Clients,5x9	SP Prolongation of 12 months VMware View ENT Add 10 Clients, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x				x	x		x			x					FSP:G-SPTVA00PRV10			214	
	SP Xtend of 12m View ENT Add 10 Clients,7x24	SP Prolongation of 12 months VMware View ENT Add 10 Clients, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x				x	x		x			x					FSP:G-SPTVA03PRV10			252	
	SP Xtend of 12m vCenter FND,5x9	SP Prolongation of 12 months VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTVC00PRV09			368	
	SP Xtend of 12m vCenter FND,7x24	SP Prolongation of 12 months VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTVC03PRV09			424	
	SP Xtend of 12m View ENT 100 Clients,5x9	SP Prolongation of 12 months VMware View ENT 100 Clients, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x				x	x		x			x					FSP:G-SPTVE00PRV10			2138	
	SP Xtend of 12m View ENT 100 Clients,7x24	SP Prolongation of 12 months VMware View ENT 100 Clients, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x				x	x		x			x					FSP:G-SPTVE03PRV10			2551	
	SP Xtend of 12m vCenter STD,5x9	SP Prolongation of 12 months VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTVS00PRV09			714	
	SP Xtend of 12m vCenter STD,7x24	SP Prolongation of 12 months VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTVS03PRV09			847	
	SP Xtend of 12m View ENT Start 10 Clients,5x9	SP Prolongation of 12 months VMware View ENT Start 10 Clients, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x				x	x		x			x					FSP:G-SPTVT00PRV10			214	
	SP Xtend of 12m View ENT Start 10 Clients,7x24	SP Prolongation of 12 months VMware View ENT Start 10 Clients, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x				x	x		x			x					FSP:G-SPTVT03PRV10			252	
	SP Xtend of 12m Upgrade ESXi to ENT-PL,5x9	SP Prolongation of 12 months VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTXE00PRV07			499	
	SP Xtend of 12m Upgrade ESXi to ENT-PL,7x24	SP Prolongation of 12 months VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTXE03PRV07			595	
	SP Xtend of 12m Upgrade ESXi to STD,5x9	SP Prolongation of 12 months VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTXS00PRV04			185	
	SP Xtend of 12m Upgrade ESXi to STD,7x24	SP Prolongation of 12 months VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x		x	x	FSP:G-SPTXS03PRV04			217	

Positioning PRIMERGY Blade Servers

PRIMERGY BX600 S3

The PRIMERGY Blade Ecosystem provide high performance and maximum redundancy with minimum rack space, power consumption and cabling effort. PRIMERGY BX600 S3 can be equiped with up to ten Intel or AMD server blades, and are excellently suited for consolidation projects and for front- and mid-tier applications requiring enterprise-class availability, extreme flexibility and power efficiency. Due to its versatile design the system is ideal suited for smaller and mid market companies.

PRIMERGY BladeFrame BF200

PRIMERGY BladeFrame is the platform to set up an application-independent and service-oriented IT infrastructure. The Processing Area Network (PAN) combines stateless servers (pBlades) with unique virtualization and management software, thus reducing the existing infrastructure complexity and providing a dynamic, high-availability system.
PRIMERGY BladeFrame uses the PAN architecture to manage a pool of computing, storage and network resources which can be dynamically allocated depending on business requirements. The PAN Manager is the central instance for configuring, managing and monitoring both the physical as well as virtual servers. With the PAN Manager a server is no longer a device with a defined configuration, operating system and application, but a software-based definition that can be dynamically assigned as needed. The PAN architecture thus expands the benefits of server virtualization and provides an integrated concept for high-availability (N+1 failover) and disaster recovery. The result is considerable savings in operational and total costs.

PRIMERGY BladeFrame BF400 S2

PRIMERGY SX650

The introduction of this new component for PRIMERGY Blade Servers offers an easy and cost effective opportunity for server consolidation; rack and tower servers with high capacity of local hard disks are operating primarily in the area of small and medium enterprises.
Very often it is essential having local access on large amounts of data; this for example applies to the wide area of Computer Aided Engineering (CAE), where smaller workgroups locally have to work on and create very large models.
Operation within confined environments as file servers as well as for Microsoft Sharepoint Servers and Microsoft SQL Servers are popular usage cases.

PRIMERGY BX900 S1

The PRIMERGY BX900 is a rack unit that has an installed height of 10U and accommodates 1 to 18 server blades and 1 to 6 storage blades. The energy-efficient Intel Nehalem quad-core processors are used in the server blades. Ethernet, Fibre Channel and Infiniband networks are accessed via 8 switch bays. Switches from Cisco, Brocade and Emulex can be used. With its transfer rate of 6.4 Gb/s, the midplane used is the fastest on the market. 100V and 200V power supplies are available. This hardware platform is ideal for server consolidation and virtualization in the datacenter.

PRIMERGY BX920 S1

The PRIMERGY BX920 is a versatile blade server that can be equipted with 2 Intel® Xeon® 5500 series Dual, Quad or Turbo Quad-Core processors and has 9 DDR RAM memory slots. With two hard disk bays for 2.5-inch hot-plug SAS and an integrated SAS RAID 0/1 controller it is an ideal system for any type of workload.

PRIMERGY BX900 S1 — Data Sheets: http://ts.fujitsu.com/primergy

PRIMERGY BX900 - The Dynamic Cube

The PRIMERGY BX900 – Dynamic Cube is a complete Dynamic Server Infrastructure in a single blade cube. This blade server can be dynamically adapted to different IT requirements, thereby reducing costs while increasing your IT agility.
The PRIMERGY BX900 can accommodate up to 18 server blades in a 10U chassis.
Using Cool -safe™, our trademarked cooling concept, combined with power supplies with 90% efficiency and the embedded ServerView Power management software, it ensures truly dynamic power and cooling capabilities that save you money.
Equipped with the latest Intel VT processor technologies, very large memory capacities and state-of-the-art I/O performance, the PRIMERGY BX900 is optimized for any virtualization scenario. Its density and stackability enable flexible scaling to ensure complete investment protection.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BX900 S1							
	PY BX900 S1 System Unit	10 U Systemunit without Server Blades, 1x MMB, 3xPSU, ServerView Suite, All emtpy slots closed with Blind-Blades, 1 Y-Cable to connect USB and Display at the Front of the Server Blades (4x USB, 1x serial, 1x VGA)	S26361-K1245-V200			4858	

PRIMERGY BX920 S2

Data Sheets: http://ts.fujitsu.com/primergy

All-round blade server packing lots of compute power in a small form factor.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY BX920 S2							
	PY BX920 S2 /XEON E5620/4GB 1333 RG D/	PY BX920 S2 /XEON E5620/4GB 1333 RG D/ SINGLE PACKAGE/ ,	VFY:B9202SC010IN			1465	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BX920 S2							
	PY BX920 S2 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for PRIMERGY BX900 S1 and BX400 S1	S26361-K1353-V200			1065	

PRIMERGY BX922 S2 Data Sheets: http://ts.fujitsu.com/primergy

All-round blade server packing lots of compute power in a small form factor.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY BX922 S2							
	PY BX922 S2 DUAL SERVER BLADE /	PY BX922 S2 DUAL SERVER BLADE / XEON E5620/4GB 1333 RG D/SINGLE PACKAGE/ ,	VFY:B9222SC010IN			1453	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BX922 S2							
	PY BX922 S2 Dual Server Blade	Dual Server Blade, base unit without processor and memory, max 2x CPU, max. 12 DIMM, w/o SSD, for PRIMERGY BX900 S1 and BX400 S1	S26361-K1247-V200			1039	

PRIMERGY BX924 S2 Data Sheets: http://ts.fujitsu.com/primergy

All-round blade server packing lots of compute power in a small form factor.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY BX924 S2							
	PY BX924 S2 DUAL SERVER BLADE /	PY BX924 S2 DUAL SERVER BLADE / 2X XEON E5620/2x4GB 1333 RG D/ SINGLE PACKAGE/ ,	VFY:B9242SC010IN			2047	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BX924 S2							
	PY BX924 S2 Dual Server Blade	Dual Server Blade, base unit without processor and memory, max 2x CPU, max. 18 DIMM, w/o SSD, for PRIMERGY BX900 S1 and BX400 S1	S26361-K1341-V200			1154	

PRIMERGY BX600 S3

Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY Blade Ecosystem is a perfect choice for today's datacenter solutions, where the key demand is a reliable and innovative platform for performance and connectivity. It is a highly compact and flexible server system, offering extensive connectivity options, thus allowing the integrated server blades to be used as mid-tier or application servers. Apart from advantages such as high packing density, fault tolerance thanks to high redundancy, and simple and efficient manageability, the PRIMERGY BX600 S3 is distinguished by a future proof approach thanks to the use of the latest generation Intel® Xeon® as well as AMD Opteron™ Dual- and Quad-Core processors.
The PRIMERGY Blade Ecosystem provides a centralized concept for power and cooling with the recognized highest energy-efficiency, excellent RAS functionalities thanks to redundancy and hot swapping of all active components and a flexible I/O concept, even for future oriented technologies. The extension of local hard disk capacity by up to 2x 730 GB (per Server Blade) is possible with the Storage Blades PRIMERGY SX650. The latest new component for the BX600 S3 Ecosystem is the NAS (Network Attached Storage) Blade named PRIMERGY NX650, designed for installation into the BX600 S3 chassis. NX650 consists of a Server Blade BX620 S4 plus one or two connected Storage Blades (SX650). Hereby a NAS Blade capacity of up to 1,460 GB may be achieved.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY BX600 S3							
	PY BX600 S3 System Unit (MMB S3)	7U rack basic unit for 10 CPU-Blades incl. rack mounting kit, 2 Management-Blades MMB S3, fan, 2 power supply 2100W without power cords, 2 dummy server blades, 1 special cable for connection to USB-CD-ROM / FD drive and 1x VGA, 1 special cable for connection to PS/2 and 1x VGA, ServerView, -Start, RemoteView on CD.	S26361-K1156-V304			3467	Phased out

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BX600 S3							
	PY BX600 S3 System Unit (MMB S3)	7U rack basic unit for 10 CPU-Blades incl. rack mounting kit, 2 Management-Blades MMB S3, fan, 2 power supply 2100W with 2 power cords, dummy panels for all not plugged blade slots, 1 special cable for connection to KVM switch (2x PS/s, 1x VGA), 1 special cable for connection of released USB devices and monitor (2x USB, 1x VGA) to front side of the server blades, ServerView, -Start, RemoteView on CD.	S26361-K1156-V302			3467	Phased out

The PRIMERGY BX620 S5 provides optimal functions for Enterprise environments and offers improved features as regards main memory and processors. Up to ten of the dual-socket server blades can be installed in a PRIMERGY BX600 S3 system unit. The BX620 S5 systems offer an efficient Cool-safe™ design with the latest generation of Dual- and Quad-Core Intel® Xeon® 55xx processors as low-voltage, standard and high-performance versions so as to minimize power consumption and reduce cooling requirements in data centers. Due to the support of a high storage capacity with 12 DIMM slots, main memory of up to 96GB and memory speed of 1.333 MHz the BX620 S5 is ideally suited for front and mid-tier applications that require high availability, flexibility and performance efficiency.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BLADE BX620 S6							
	PY BX620 S6 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for BX600 S3 (max. 10 Server Blades), 12 slots for DDR3 RDIMM or UDIMM memory modules (6 per CPU), 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD`s, RAID1 support for internal HDD`s, graphics controller is part of iRMC S2 management controller.	S26361-K1355-V200			945	

Quad Blade Server

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BX960 S1							
	PY BX960 S1 Quad Server Blade	Quad Server Blade, base unit without processor and memory, max 4x CPU, max. 32 DIMM, w/o SSD, for PRIMERGY BX900 S1 (max. 9 server blades)	S26361-K1293-V200			3152	

Quad Processor high end rack mountaible Server

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY RX900 S1							
	PY RX900S1	Rack mountable server 19" (8U) incl. 2 hot plug power supply modules; 4x hot plug fans (redundant); 4x CPUMEMRiser for one XEON 7500 CPU and max. 4x4 DDR3 DIMM modules each; 8 drive bays for hot plug 2.5" SAS HDDs/SSDs; iRMC S2 server management with graphics controller and 10/100Mbit Service LAN-port; 6x 1GB Ethernet ports WOL capable; 2x 10GB Ethernet ports; 16x PCIe 2.0 slots, 4x hot plug; SAS RAID controller optional; LocalView LCD Display; ServerView Suite Software Package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1361-V800			16775	

PRIMERGY SX650 Data Sheets: http://ts.fujitsu.com/primergy

To extend the internal storage capacity of a PRIMERGY BX620 S4 Dual Socket Server Blade, the PRIMERGY SX650 Storage Blade can be used.
With this product the internal storage capacity of a BX620 S4 can be extended by up to 730 Gbyte. The Storage Blade SX650 occupies one additional Server Blade slot within the PRIMERGY BX600 S3 System Unit, positioned at the right side of an adjacent BX620 S4 Server Blade. The 5 hard disk drives of the SX650 are driven by a high functional SAS/RAID controller with 512 Mbyte cache and BBU. This controller (HBA) installed in the BX620 S4 provides the RAID levels 0, 1, 5 and 6. The connection to the SX650 is realized via one corresponding SAS cable which is dedicated for this configuration pair.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BLADE SX650							
	PY SX650 Storage Blade	Storage Blade SX650	S26361-K1273-V500			740	
	PY SX650 Storage Blade (2nd)	Storage Blade SX650 (2nd)	S26361-K1273-V520			740	

PRIMERGY SX940 S1 — Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92 x Server Blades.
A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blad e occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BBU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midp lane link to the high performing PCIe x4 interfaces of each Server Blade's system board.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY SX940 S1							
	PY SX940 S1 Storage Blade Disk	max 4x SAS HDD, max 2x SAS Controller	S26361-K1292-V200			808	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY SX910 S1							
	PY SX910 S1 TAPE /RAID 0/1 SAS 4P/		VFY:S9101SC010IN			594	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY SX910 S1							
	PY SX910 S1 Storage Blade Tape	1 x tape drive, max 1x SAS Controller, 5,25-inch half-height tape drive	S26361-K1290-V200			1133	

Category	Description	Details	PRIMERGY BLADE BX900	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 eBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pRLADE BF420	PRIMERGY pRLADE BF440	PRIMERGY pRLADE BF520	PRIMERGY pRLADE BF540	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																									
Processor																																									
	Intel® Xeon® E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink							x	x																								S26361-F3981-L213			312	Phased out
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink							x																									S26361-F3982-L226			633	Phased out
	Intel Xeon E7520 4C/8T 1.86 GHz 18 MB	Intel® Xeon® processor E7520 (4C/8T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 95 W) incl. heat sink																													x				S26361-F4007-L520			1044	
	Intel Xeon E7530 6C/12T 1.86 GHz 12 MB	Intel® Xeon® processor E7530 (6C/12T, 1.86 GHz, SLC: -, TLC: 12 MB, Turbo: 0/1/1/2, 5.86 GT/s, 105 W) incl. heat sink																													x				S26361-F4007-L530			1659	
	Intel Xeon E7540 6C/12T 2.00 GHz 18 MB	Intel® Xeon® processor E7540 (6C/12T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/2, 6.4 GT/s, 105 W) incl. heat sink																													x				S26361-F4007-L540			2352	
	Intel Xeon L7545 6C/12T 1.86 GHz 18 MB	Intel® Xeon® processor L7545 (6C/12T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/3/5, 5.86 GT/s, 95 W) incl. heat sink																													x				S26361-F4007-L545			2566	
	Intel Xeon L7555 8C/16T 1.86 GHz 24 MB	Intel® Xeon® processor L7555 (8C/16T, 1.86 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/4/5, 5.86 GT/s, 95 W) incl. heat sink																													x				S26361-F4007-L555			3764	
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																												x	x				S26361-F4423-L200			253	
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																												x	x				S26361-F4423-L226			342	Phased out
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																												x	x				S26361-F4425-L240			471	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																												x	x				S26361-F4425-L253			659	Phased out
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																												x	x				S26361-F4425-L266			924	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																												x	x				S26361-F4427-L266			1069	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																												x	x				S26361-F4427-L280			1282	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																												x	x				S26361-F4427-L293			1522	Phased out
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink																												x	x				S26361-F4429-L186			531	Phased out
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																												x	x				S26361-F4429-L213			659	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																												x	x				S26361-F4431-L226			1069	
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink								x																									S26361-F4434-L200			253	
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink								x																									S26361-F4434-L226			342	Phased out
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x																									S26361-F4435-L240			471	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x																									S26361-F4435-L253			659	Phased out
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x																									S26361-F4435-L266			924	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x																									S26361-F4436-L266			1069	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x																									S26361-F4436-L280			1282	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x																									S26361-F4436-L293			1522	Phased out
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink								x																									S26361-F4437-L186			531	Phased out
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink								x																									S26361-F4437-L213			659	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink								x																									S26361-F4438-L226			1069	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																												x					S26361-F4442-L333			1753	Phased out
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x																									S26361-F4499-L160			253	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x																									S26361-F4499-L213			291	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink								x																									S26361-F4500-L240			659	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink								x																									S26361-F4500-L253			924	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BF420	PRIMERGY pBLADE BF440	PRIMERGY pBLADE EF670	PRIMERGY pBLADE EF640	Product Code		End User Price (RRP)	Comments
Accessories & services matrix																																									
Processor (Continued)																																									
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x																								S26361-F4501-L306		1522	
	Intel Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel® Xeon® processor X5672 (4C/8T, 3.20 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x																								S26361-F4502-L320		1522	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																					x	x										S26361-F4507-L160		253	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																					x	x										S26361-F4507-L213		291	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																					x	x										S26361-F4508-L240		659	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																					x	x										S26361-F4508-L253		924	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																					x	x										S26361-F4509-L306		1522	
	Intel Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel® Xeon® processor X5672 (4C/8T, 3.20 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																					x											S26361-F4510-L320		1522	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink																						x										S26361-F4513-L293		924	
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																						x										S26361-F4513-L346		1753	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																						x										S26361-F4513-L360		1753	
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																											x	x	x						291	Phased out
	Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink							x																												880	Phased out
Memory																																									
	4GB 2x2GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz			x																																427	Phased out
	MEM 8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC				x	x																														488	Phased out
	4GB 2x2GB DDR2-800 PC2-6400 rg ECC	2 modules, registered DDR2 800MHz with SDDC													x	x																					226	Phased out
	8GB 2x4GB DDR2-800 PC2-6400 rg d ECC	2 modules, registered DDR2 800MHz with SDDC													x	x																					522	Phased out
	16GB 2x8GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC					x																														1860	Phased out
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg d	8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																														x					291	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																														x					461	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																														x					706	Phased out
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																														x					873	
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																														x					2309	
Memory Modules																																									
	4 GB DDR3 1333 MHz PC3-10600 rg s ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM								x														x	x	x									S26361-F4412-L510		115	
	2 GB DDR3 1333 MHz PC3-10600 ub d	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM								x														x	x	x									S26361-F4413-L513		42	
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x														x	x	x									S26361-F4412-L513		73	
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x														x	x	x									S26361-F4412-L515		218	
	2GB DDR3-1066 PC3-8500 ub ECC	1 module 2GB 1066MHz, dual rank, unbuffered DDR3 DIMM without SDDC = Chipkill, Single modules for Independent Mode							x														x											S26361-F3995-L513		52	Phased out
	2GB DDR3-1333 PC3-10600 rg ECC	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode							x														x											S26361-F3993-L513		73	Phased out
	16 GB DDR3 1066 MHz PC3-8500 rg q	16 GB (module(s) 16 GB) 1066 MHz, PC3-8500, DIMM								x														x	x	x									S26361-F4412-L516		578	
	4GB DDR3-1333 PC3-10600 rg d ECC	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode							x														x											S26361-F3993-L514		159	Phased out
	4 GB DDR3 LV 1333 MHz PC3-10600 rg s ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x														x	x	x									S26361-F4415-L510		115	
	8GB DDR3-1333 PC3-10600 rg d ECC	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode							x														x											S26361-F3993-L515		299	Phased out
	16GB DDR3-1066 PC3-8500 rg q ECC	1 module 16GB 1066MHz, quad rank, Registered DDR3 DIMM with SDDC = Chipkill, Single module for Independent Mode																					x											S26361-F3994-L516		1368	Phased out
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x														x	x	x									S26361-F4415-L515		218	
Removable Media Drives																																									
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM,slimline 0.5" fitting height, black																							x											S26361-F3269-L2		78	
	Blu-ray Combo slimeline SATA	2x BD-ROM, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height, black																							x											S26361-F3531-L2		218	
Hard Disks																																									
	SSD SATA 3GB/s 32GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise							x	x																											S26361-F3998-L32		560	
	SSD SATA 3GB/s 64GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 64 GB, SLC, hot-plug, 2.5-inch, enterprise							x	x																											S26361-F3998-L64		966	
	BX922 S2 disk drive mounting kit	BX922 Disk drive mounting kit																														x					S26361-F4008-L1		60	
	SSD SATA 3G 32GB SLC NON HOT PL 2.5" EP	SSD SATA, 3 GB/s, 32 GB, SLC, non-hot-plug, 2.5-inch, enterprise																														x	x	x	x		S26361-F4008-L32		560	
	SSD SATA 3G 64GB SLC NON HOT PL 2.5" EP	SSD SATA, 3 GB/s, 64 GB, SLC, non-hot-plug, 2.5-inch, enterprise																														x	x	x	x		S26361-F4008-L64		966	
	BX900 Mezz. bracket	Mounting Kit for two BX900 Mezzanine Cards																																x	x		S26361-F4468-L1		31	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFF0	PRIMERGY pBLADE BF40	Product Code	End User Price (RRP)	Comments
Accessories & services matrix																																						
Hard Disks (Continued)																																						
	BX900 Mezz.Disk bracket	Mounting Kit for one Mezzanine Card and two SSD																														x	x				S26361-F4469-L1	31	
	HD SATA 3G 160GB 5.4K NO HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, non-hot-plug, 2.5-inch, economic																												x					S26361-F3599-L160	141	
	HD SATA 3G 160GB 5.4K HOT PLUG 2.5" ECO	SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic																					x	x												S26361-F3297-L160	141	
	HD SATA 3GB/s 160GB 5.4k hot plug 2.5"	SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic					x		x	x																										S26361-F3515-L160	142	
	HD SATA 3G 320GB 5.4K NO HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, non-hot-plug, 2.5-inch, economic																												x					S26361-F3599-L320	167	
	HD SAS 3G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																											x							S26361-F3292-L114	212	
	HD SAS 3G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																											x							S26361-F3292-L130	385	
	HD SATA 3G 320GB 5.4K HOT PLUG 2.5" ECO	SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic																											x	x						S26361-F3297-L320	167	
	HD SATA 3GB/s 320GB 5.4k hot plug 2.5"	SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch					x		x	x																										S26361-F3515-L320	167	
	HD SAS 3G 450GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																											x							S26361-F3292-L145	509	
	HD SATA 3GB/s 1TB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical							x	x																										S26361-F3600-L100	329	Deliverable from: 15/06/2011,Orderable from: 22/06/2011
	HD SAS 3G 600GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																											x							S26361-F3292-L160	624	
	HD SATA 3G 500GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic																											x	x						S26361-F3297-L500	184	
	HD SATA 3GB/s 160GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical							x	x																										S26361-F3600-L160	167	
	HD SAS 3G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																											x							S26361-F3292-L573	272	
	HD SAS 3G 146GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																											x							S26361-F3292-L514	392	
	HD SATA 3GB/s 500GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical							x	x																										S26361-F3600-L500	196	
	SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise																											x	x						S26361-F3298-L32	560	
	SSD SATA 3G 64GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 64 GB, SLC, hot-plug, 2.5-inch, enterprise																											x	x						S26361-F3298-L64	966	
	HD SATA 3G 160GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical																											x							S26361-F3601-L160	168	
	HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical																											x							S26361-F3601-L500	198	
	HD SATA 3G 1TB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical																											x	x						S26361-F3601-L100	329	Deliverable from: 15/06/2011,Orderable from: 22/06/2011
	HD SAS 3GB/s 146GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise									x	x	x	x																						S26361-F3204-L514	260	Phased out
	HD SAS 3GB/s 300GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise									x	x	x	x																						S26361-F3204-L530	495	Phased out
	HD SAS 3GB/s 450GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise									x	x	x	x																						S26361-F3204-L545	586	Phased out
	HD SAS 6G 146GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																											x							S26361-F4482-L114	181	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																											x							S26361-F4482-L130	308	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																											x							S26361-F4482-L145	440	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																											x							S26361-F4482-L160	556	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																											x							S26361-F4482-L573	218	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																											x							S26361-F4482-L514	269	
	HDD SAS 146GB 10k 3GB/s hot plug 2.5"	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise				x	x		x	x					x	x																				S26361-F3208-L114	212	
	HD SAS 3GB/s 300GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x		x	x					x	x																				S26361-F3208-L130	381	
	HD SAS 3GB/s 450GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x		x	x					x	x																				S26361-F3208-L145	509	
	HD SAS 3GB/s 600GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x		x	x					x	x																				S26361-F3208-L160	624	
	HDD SAS 73GB 15k 3GB/s hot plug 2.5"	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise				x	x		x	x					x	x																				S26361-F3208-L573	269	
	HD SAS 3GB/s 146GB 15k hot plug 2.5"	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise					x		x	x					x	x																				S26361-F3208-L514	388	
SCSI/RAID/SAS controller																																						
	SCSI Ctrl U160 1- ch intext	Adaptec 29160, 1xU160 SCSI			x							x	x	x																						S26361-F2399-L1	253	Phased out
	SCSI Ctrl U160 1- ch intext lp	Adaptec 29160LP, 1xU160 SCSI				x	x																													S26361-F2737-L201	253	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile							x	x																										S26361-F3271-L201	180	
	RAID Ctrl SAS 6G 8Port ex 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID based on Controller SAS2108, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU								x																										S26361-F3593-L501	505	
	SAS Ctrl 6G 8ext PCIe FH/LP	SAS Controller 6GB/s 8 port, based on chip LSI SAS2008								x																										S26361-F3628-L501	222	
	RAID Ctrl SAS 8Port opt Onboard BBU LSI	optional BBU for LSI MegaRAID SAS8880E					x		x	x																										S26361-F3890-L12	149	
	RAID Ctrl SAS 8Port 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, without iBBU					x		x																										S26361-F3890-L501	633	Phased out
SATA/SAS controller																																						
	SAS/PCIe Storage Module	SAS Controller, PCIe slot for lp cards incl. mounting kit, RAID1support for 2 SAS hard disks					x		x																											S26361-F3207-L41	295	Phased out
	SAS/PCIe Storage Modul for BX620 S6	SAS Controller, PCIe slot for lp cards incl. mounting kit, RAID1support for 2 SAS hard disks								x																										S26361-F3207-L42	278	
	SAS/RAID Storage Module 4M	SAS/RAID Controller, iTBBU/256MB Cache incl. mounting kit, RAID1support for 2 SAS hard disks					x		x	x																										S26361-F3207-L51	758	
Fibre Channel																																						
	PY BX600 FC Mezz Card 4GB 2Port (FC42E)	FC module 2x4GBit/s BX600-FC42E, exclusively in combination with the Fibre Channel Switches PY BX600 4/4GB FC Switch 12Port (SW4016-D4) or PY BX600 4/4GB FC Switch 16Port (SW4016-D4)					x		x	x					x	x																				S26361-F3306-L601	531	
	PY BX600 Eth Mezz Card 1GB 2Port (PCIe)	Broadcom Ethernet LAN, 1GBit/s, PCIe, 2-channel				x	x		x	x					x	x																				S26361-F3451-L1	274	
	FC Ctrl 4GBit/s QLE2462 MMF LC LP	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, low profile, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.				x	x																												S26361-F3483-L202	1295	Phased out
	FC Ctrl 8GB/s 2 Kanal QLE2562 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x4 or PCIe x8 SFF Interface for 50um Fiber								x																										S26361-F3631-L202	1420	
	FC Ctrl 4GBit/s LPe1150 MMF LC LP	LPe1150 , 4GBit/s, 1-channel FC controller, PCIe x4, low profile, MMF LC interface					x																													S26361-F3306-L201	807	Phased out
	FC Ctrl 2x4GBit/s LPe11002 MMF LC LP	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, low profile, MMF LC interface				x	x		x																											S26361-F3306-L202	1227	Phased out
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x4 or PCIe x8 Low Profile SFF Interface for 50um Fiber					x			x																										S26361-F3961-L202	1420	
Connection Blades																																						
	FC SFP MMF 4GB LC (Brocade)	Brocade hot-pluggable SFP module, 4 GB/s Short-Wavelength Laser (SWL), Multi-Mode Fiber with LC connector																						x					x							S26361-F3873-L104	111	
	FC SFP+ MMF 8GB LC (Brocade)	Brocade hot-pluggable SFP+ module, 8 GB/s Short-Wavelength Laser (SWL), Multi-Mode Fiber with LC connector																						x					x							S26361-F3873-L108	209	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BF420	PRIMERGY pBLADE BF440	PRIMERGY pBLADE BFF0	PRIMERGY pBLADE BFF40	Product Code		End User Price (RRP)	Comments
Accessories & services matrix																																									
Connection Blades (Continued)																																									
	PY CB FC License Up 12 Port (Brocade)	Upgrade license for Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, The port upgrade license increases the number of useable port from 14 to 26. This upgrade license can only be added to the switch S26361-K1305-V14.																				x			x											S26361-F3873-L12		4276	
	FC SFP SMF 4GB LC 4km (Brocade)	Brocade hot-pluggable SFP module (4km), 4 GB/s Long-Wavelength Laser (SWL), Single-Mode Fiber with LC connector																			x			x											S26361-F3873-L204		445	
	FC SFP+ SMF 8GB LC 10km (Brocade)	Brocade hot-pluggable SFP+ module, 8 GB/s Long-Wavelength Laser (LWL), Single-Mode Fiber with LC connector																			x			x											S26361-F3873-L208		1334	
	SFP Module GBE RJ45	SFP module 1GB Ethernet with RJ45 connector (jack) for Fujitsu PRIMERGY BX900 GB LAN connection blades.																			x			x											S26361-F3986-L1		171	
	SFP Module Multi Mode Fiber GBE LC	SFP module 1GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX900 GB LAN connection blades																			x			x											S26361-F3986-L2		94	
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter D2755., For multi-mode short-range fiber optic cables up to 300m.																			x			x											S26361-F3986-L3		346	
	CX4 Stacking Cable 0.5m	for PY CB Eth Switch/IBP 1GB 36/8+2																			x			x											S26361-F3989-L305		193	
	CX4 Stacking Cable 3.0m	for PY CB Eth Switch/IBP 1GB 36/8+2																			x			x											S26361-F3989-L330		159	
	Infiniband Cu Cable 40GB, 4x QSFP, 1m																				x			x											S26361-F3996-L101		81	
	Infiniband Cu Cable 40GB, 4x QSFP, 3m																				x			x											S26361-F3996-L103		104	
Mezzanine Cards																																									
	PY Mezz Card 2x10GB CNA MC-CNA102E	CNA mezzanine module, MC-CNA102E, 2 Channel, 8GB/s, PCIe x8, The mezzanine module is functional wise compatible with the Emulex CNA OCe10102., The CNA cards has 2 10GB Ethernet interfaces to the backplane and support the Data-Center-Bringing (Data Center Ethernet) protocol. In addintion the Fibre Channel over Ethernet (FCoE) protcol is fully handled in hardware on the card.																											x	x	x	x	x				S26361-F3592-L502		761	
	PY IB CX2 Mezz Card 40GB 2 Port	InfiniBand Mezzanine Card, 2-channel , 40GB/s, PCIe x8																											x	x	x						S26361-F3992-L2		1044	
	PY Eth Mezz Card 10GB 2 Port V2	2 Channel 10GBE Mezzanine Card, Intel 82599EB LAN Controller																											x	x	x	x	x	x			S26361-F3997-L1		479	
	PY Eth Mezz Card 1GB 4 Port	4 Channel GBE Mezzanine Card, 2 Intel 82575EB LAN Controller																											x	x	x	x	x	x			S26361-F3331-L1		419	
	PY FC Mezz Card 8GB 2 Port (MC-FC82E)	Fibre Channel mezzanine module, MC-FC82E, 2 Channel, 8GB/s, PCIe x8, The mezzanine module is functional wise compatible with the Emulex HBA LPe12002.																											x	x	x	x	x	x			S26361-F3874-L1		539	
	PY SAS RAID Mezz Card 6GB	SAS/SATA RAID Mezzanine Card based on LSI MegaRAID SAS2108, PCIe 2.0 x8, SAS 2.0																											x								S26361-F4481-L1		299	
	RAID Mezz iBBU Upgrade	BBU Upgrade for LSI SAS2108																											x								S26361-F4481-L10		154	
	RAID Mezz HDD Connection Kit	SAS HDD backplane for BX920S2 to connect to SAS RAID mezzanine card. Thereby RAID 0,1 functionality can be realized on BX920S2.																											x								S26361-F4481-L20		25	
Communication/Network																																									
	KVM module	Interfaces: external 1x special connector to connect the special cable (part of the BX600 System Unit delivery), which provides 2x PS/2 and 1x VGA.																									x										S26361-F3113-L2		191	Phased out
	PY BX600 dummy KVM module	for BX600 S3 System Unit, KVM slot at the rear side																									x										S26361-F3113-L5		21	Phased out
	PY BX600 Eth Switch 1GB 10/6	Interfaces: external 6x RJ45 sockets , - please read configuration hints!																							x	x	x										S26361-F3206-L6		1586	Phased out
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu Ip	Intel Pro 1000GT Dual Port Server Adapter, low profile PCI				x	x																														S26361-F3227-L202		193	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu Ip	Intel Pro 1000PT 2 Port Server Adapter				x	x		x																												S26361-F3228-L201		151	Phased out
	Accessory Pack BladeFrame BF400	Accessory pack for System Unit BF400/BF400 S2. Contains important information, max 1x per System Unit BF400 / BF400 S2																			x		x	x													S26361-F3229-L998		4	
	PY BladeFrame BF200 accessory pack	for Rack mounting in 19" PRIMECENTER Racks																		x																	S26361-F3229-L999		75	
	PY BF SFP Module 1000 BASE-T Copper,RJ45	for BF200 / BF400 cBlades for replacement, per port																			x	x		x													S26361-F3240-E21		246	
	PY BF SFP Module TriRate Fiber 1x2x/GBE	for BF200 / BF400 cBlades for replacement, per port																			x	x		x													S26361-F3240-E22		212	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu Ip	Intel® Pro 1000PT 1 Port Server Adapter				x	x																														S26361-F3241-L201		78	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC Ip	Intel® Pro 1000PF 1 Port Server Adapter				x	x																														S26361-F3242-L201		312	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full hight bracket				x	x																														S26361-F3462-L1		419	Phased out
	Eth Ctrl 4x1GBit PCIex4 PRO/1000PT Cu Ip	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket				x	x																														S26361-F3462-L201		422	Phased out
	Eth Ctrl 2x1GBit PCIe x4 D2735 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit								x																											S26361-F3610-L501		133	Phased out
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit								x																											S26361-F3610-L502		132	
	BX600 digital KVM switch	Keyboard Video Mouse Switch, Interfaces: external 1x special connector to connect the special cable (part of the BX600 System Unit delivery), which provides 2x PS/2 and 1x VGA.																									x	x									S26361-F3113-L102		1022	Phased out
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x8 Low Profile, SFP+ for opt. module or Twinax cable								x																											S26361-F3592-L202		1008	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102								x																											S26361-F3592-L108		342	
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables								x																											S26361-F3555-L501		693	Phased out
	Intel SFP+ Module MMF 10GBE LC	Intel® Ethernet SFP+ Optics - SR, SFP+ Module Multi Mode Fiber 10GBE LC								x																											S26361-F3555-L900		505	Phased out
	PY BX600 FC Pass-Thru 4GB 10/10	Interfaces: external 10 ports for GBIC/SFP modules																									x										S26361-F3024-L10		1472	Phased out
	PY BX600 FC Switch 4GB 10/6 12 (SW4016)	Brocade Silkworm 4016 incl. Lizenz for 12 Port with automatic assigment of active ports (DPOD = Dynamic Ports on Demand), Full Fabric and Access Gateway support, interfaces: 6 bays for SFP modules, supports internal and external 4GB/sec Fibre Channel datarate, requires coercively the Fibre Channel mezzanine card BX600-FC42E																									x										S26361-F3144-L14		5901	Phased out
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter		x	x							x	x	x																							S26361-F3011-L1		193	Phased out
	PY BX600 Eth Switch 1GB 30/12	Interfaces: external 12x RJ45 sockets (1000 Base-T full duplex)- please read configuration hints!																									x										S26361-F3467-L1		2993	Phased out
	PY BX600 Eth IBP 1GB 30/12	Interfaces: external 6x RJ45 sockets , - please read configuration hints!																									x	x									S26361-F3859-L1		2699	Phased out
Rack-Infrastructure																																									
	Dummy Server Blade	Dummy CPU Blade																							x	x	x										S26361-F3025-L1		31	Phased out
	Cable management arm for 3rd party racks	all-purpose for PY server in 3rd party and classic racks																						x	x	x	x										S26361-F2201-L20		42	

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BF420	PRIMERGY pBLADE BF440	PRIMERGY pBLADE BFF0	PRIMERGY pBLADE BFF40	Product Code		End User Price (RRP)	Comments
Accessories & services matrix																																									
Rack-Infrastructure (Continued)																																									
PRIMERGY-Software																																									
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection													x	x																					S26361-F1790-L240		256	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system					x		x	x														x	x	x	x	x	x					S26361-F2565-L318		21	Phased out
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system					x		x	x														x	x	x	x	x	x					S26361-F2565-L328		21	Phased out
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x		x	x					x	x								x											S26361-F2565-L340		20	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x		x	x					x	x								x											S26361-F2565-L341		99	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x		x	x					x	x								x											S26361-F2565-L342		20	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x		x	x					x	x								x											S26361-F2565-L343		99	
	iSCSI SW Target 3.2 (64-bit) EMB	including update 1							x	x															x	x									S26361-F2565-L564		8	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn ROK	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. ROK DVD, License.					x		x	x					x	x								x	x	x	x	x	x					S26361-F2567-L20		325	
	MS SysCtr Essntls 2010 ROK	MS System Center Essentials 2010. English. ROK DVD, License.					x		x	x					x	x								x	x	x	x	x	x					S26361-F2567-L30		98	
	MS SysCtr Essntls 2010 Server ML 1-OSE	MS System Center Essentials 2010 Managed Server License 1 OSE Pack., OSE = Operating System Environment					x		x	x					x	x								x	x	x	x	x	x					S26361-F2567-L31		76	
	Win Srv 2008 R2 Standard 5CAL MULI ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA .CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.							x	x														x	x	x	x	x	x					S26361-F2567-L310		459	
	Win Srv 2008 R2 SP1 Standard w/5CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and woldwide language packs. ROK DVD, License.								x															x	x	x	x	x					S26361-F2567-L311		440	
	Win Srv 2008 R2 Standard 5CAL PRC ROK	Only for Fujitsu distributors for distribution in People's Republic of China. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) Simplified Chinese. ROK DVD, License.								x															x	x	x	x						S26361-F2567-L318		360	
	MS SysCtr Essntls 2010 Server ML 5-OSE	MS System Center Essentials 2010 Managed Server License 5 OSE Pack., OSE = Operating System Environment					x		x	x					x	x								x	x	x	x	x	x					S26361-F2567-L32		367	
	Win Srv 2008 R2 Enterprise 10CAL MUL ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA .CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.							x	x														x											S26361-F2567-L320		1482	
	Win Srv 2008 R2 SP1 Enterpr w/10CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.								x															x	x	x	x	x					S26361-F2567-L321		1451	
	MS SysCtr Essntls 2010 Client ML 5-Pack	MS System Center Essentials 2010 Managed Client License 5 Pack.					x		x	x					x	x								x	x	x	x	x	x					S26361-F2567-L33		65	
	Win Srv 2008 R2 Datacenter 2CPU MUL ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA .CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.							x	x														x											S26361-F2567-L330		2369	
	Win Svr 2008 R2 SP1 Datactr 2CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.								x															x	x	x	x	x					S26361-F2567-L331		2300	
	Win Svr 2008 R2 SP1 Datactr 4CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dtc (4 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.																										x	x					S26361-F2567-L333		4601	
	MS SysCtr Essntls 2010 Client ML 20-Pack	MS System Center Essentials 2010 Managed Client License 20 Pack.					x		x	x					x	x								x	x	x	x	x	x					S26361-F2567-L34		253	
	Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License für 1 device, License.					x		x	x					x	x								x											S26361-F2567-L340		73	
	Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License für 5 devices, License.					x		x	x					x	x								x											S26361-F2567-L341		329	
	Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License für 1 user, License.					x		x	x					x	x								x											S26361-F2567-L342		73	
	Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License für 5 users, License.					x		x	x					x	x								x											S26361-F2567-L343		329	
	Win SBS Standard 2011 w/5CAL ROK EN	Windows Small Business Server Standard 2011 with 5 CAL, ROK, English, DVD Media set, COA, License																							x	x	x								S26361-F2567-L350		506	
	Win SBS Standard 2011 w/5CAL ROK DE	Windows Small Business Server Standard 2011 with 5 CAL, ROK, German, DVD Media set, COA, License																							x	x	x								S26361-F2567-L351		495	
	Win SBS Standard 2011 w/5CAL ROK IT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Italian, DVD Media set, COA, License																							x	x	x								S26361-F2567-L352		495	
	Win SBS Standard 2011 w/5CAL ROK FR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, French, DVD Media set, COA, License																							x	x	x								S26361-F2567-L353		495	
	Win SBS Standard 2011 w/5CAL ROK ES	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Spanish, DVD Media set, COA, License																							x	x	x								S26361-F2567-L354		495	
	Win SBS Standard 2011 w/5CAL ROK CS	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Czech, DVD Media set, COA, License																							x	x	x								S26361-F2567-L355		495	
	Win SBS Standard 2011 w/5CAL ROK PT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Portuguese, DVD Media set, COA, License																							x	x	x								S26361-F2567-L356		495	
	Win SBS Standard 2011 w/5CAL ROK NL	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Dutch, DVD Media set, COA, License																							x	x	x								S26361-F2567-L357		495	
	Win SBS Standard 2011 w/5CAL ROK TR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Turkish, DVD Media set, COA, License																							x	x	x								S26361-F2567-L358		495	
	Win SBS Standard 2011 w/5CAL ROK HU	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Hungarian, DVD Media set, COA, License																							x	x	x								S26361-F2567-L359		495	
	Win HPC Srv 2008 R2 Suite ROK	Only for Fujitsu Distributors. Win HPC Srv 2008 R2 Suite (1-4 CPU) ROK EN, JA, XT. ROK Recovery DVD Media Kit, COA, License																								x	x								S26361-F2567-L360		641	
	Win SBS 2011 Prem Add-On w/5CAL ROK EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, English, DVD Media set, COA, License																							x	x	x								S26361-F2567-L370		753	
	Win SBS 2011 Prem Add-On w/5CAL ROK DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, German, DVD Media set, COA, License																							x	x	x								S26361-F2567-L371		758	
	Win SBS 2011 Prem Add-On w/5CAL ROK IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Italian, DVD Media set, COA, License																							x	x	x								S26361-F2567-L372		758	
	Win SBS 2011 Prem Add-On w/5CAL ROK FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, French, DVD Media set, COA, License																							x	x	x								S26361-F2567-L373		758	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFF0	PRIMERGY pBLADE BF40	Product Code		End User Price (RRP)	Comments
Accessories & services matrix																																									
Rack-Infrastructure (Continued)																																									
	Win SBS 2011 Prem Add-On w/5CAL ROK ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Spanish, DVD Media set, COA, License																										x	x	x						S26361-F2567-L374		758	
	Win SBS 2011 CAL Suite (1 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 Device); multi-language CAL;																										x	x	x						S26361-F2567-L380		39	
	Win SBS 2011 CAL Suite (1 User)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 User); multi-language CAL;																										x	x	x						S26361-F2567-L381		39	
	Win SBS 2011 CAL Suite (5 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Devices); multi-language CAL;																										x	x	x						S26361-F2567-L382		167	
	Win SBS 2011 CAL Suite (5 User)	Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Users); multi-language CAL;																										x	x	x						S26361-F2567-L383		167	
	Win SBS 2011 Prem Add-on CAL (1 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 Device); multi-language CAL;																										x	x	x						S26361-F2567-L384		47	
	Win SBS 2011 Prem Add-on CAL (1 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 User); multi-language CAL;																										x	x	x						S26361-F2567-L385		47	
	Win SBS 2011 Prem Add-on CAL (5 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Devices); multi-language CAL;																										x	x	x						S26361-F2567-L386		201	
	Win SBS 2011 Prem Add-on CAL (5 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Users); multi-language CAL;																										x	x	x						S26361-F2567-L387		209	
	Win Srvs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.								x																		x	x	x	x	x				S26361-F2567-L390		21	
	Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.								x																		x	x	x	x	x				S26361-F2567-L391		21	
	FF4O-RE-AN Mono Server 2-Core	FF4O RE ApplicationNode RTU for server with one 2-core CPU					x		x	x																										U26004-C401		1739	
	FF4O-RE-AN Mono Server 4-Core	FF4O RE ApplicationNode RTU for server with one 4-core CPU					x		x	x																										U26004-C402		3478	
	FF4O-RE-AN Dual Server 2-Core	FF4O RE ApplicationNode RTU for Server with two 2-core CPU					x		x	x																										U26004-C403		3478	
	FF4O-RE-AN Dual Server 4-Core	FF4O RE ApplicationNode RTU for Server with two 4-core CPU					x		x	x																										U26004-C404		6087	
	FF4O-RE Spare Mono Server 2-Core	FF4O RE RTU for spare server with one 2-core CPU					x		x	x																										U26004-C405		877	
	FF4O-RE Spare Mono Server 4-Core	FF4O RE RTU for spare server with one 4-core CPU					x		x	x																										U26004-C406		1739	
	FF4O-RE Spare Dual Server 2-Core	FF4O RE RTU for spare server with two 2-core CPU					x		x	x																										U26004-C407		1739	
	FF4O-RE Spare Dual Server 4-Core	FF4O RE RTU for spare server with two 4-core CPU					x		x	x																										U26004-C408		3043	
	PRIMERGY MultiPath MPIO Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO. CD-ROM and License.					x		x	x					x	x												x	x	x	x	x				S26361-F2565-L592		376	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.					x		x	x					x	x												x	x	x	x	x				S26361-F2565-L593		748	
	PRIMERGY MultiPath Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath. CD-ROM and License.					x		x	x					x	x												x	x	x	x	x				S26361-F2565-L594		376	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.					x		x	x					x	x												x	x	x	x	x				S26361-F2565-L595		748	
	PRIMERGY ServerView Suite subscription.	Subscription for 1 year, ca. 10 releases, The subscription is licensed only for PRIMERGY servers.	x				x		x	x		x	x	x	x	x						x		x		x		x	x	x						U15000-C176		184	
	ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager	x								x	x	x	x	x							x		x				x	x	x						U15000-C289		21	
	ServerView Deployment Manager V5	Software CD Full version, software only - no license	x	x	x	x	x		x	x	x	x	x	x	x	x						x						x	x	x						U15000-C299		25	
	ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!	x	x	x	x	x		x	x		x	x	x	x	x						x						x	x	x						U15000-C300		120	
	ServerView Depl. Mgr. 5 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!	x	x	x	x	x		x	x		x	x	x	x	x						x						x	x	x						U15000-C301		52	
	SUSE Linux ES 32-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1-Year subscription renewal					x		x	x					x	x												x								S26361-F2346-L611		215	
	SUSE Linux E 11 HAE 32-CPU +1Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 1-Year subscription renewal					x		x	x					x	x												x								S26361-F2346-L621		427	
	SUSE Linux ES BX600 1Y	SUSE Linux Enterprise Server for x86, x86_64 BX600 System Unit 1-Year subscription renewal					x		x	x					x	x										x										S26361-F2346-L631		1066	
	SUSE Linux ES BX900 +1Y	SUSE Linux Enterprise Server for x86, x86_64 BX900 System Unit 1-Year subscription renewal																										x	x	x	x	x	x			S26361-F2346-L641		1920	
	SUSE Linux ES BX400 1Y	SUSE Linux Enterprise Server for x86, x86_64 BX400 System Unit 1-Year subscription renewal																						x					x	x	x	x	x			S26361-F2346-L651		992	
	Debian-Ubuntu FSE Basic Support 1Y	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year																										x								S26361-F2346-L411		81	
	Debian-Ubuntu FSE Basic Support 3Y	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years																										x								S26361-F2346-L412		195	
	Debian-Ubuntu FSE Standard Support 1Y	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-Year																										x								S26361-F2346-L415		209	
	Debian-Ubuntu FSE Standard Support 3Y	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3-Years																										x								S26361-F2346-L416		502	
	Debian-Ubuntu FSE Priority Support 1Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year																										x								S26361-F2346-L417		424	
	Debian-Ubuntu FSE Priority Support 3Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years																										x								S26361-F2346-L418		1015	
	VMware ESXi 4.1 Single SRV w/o SP-1yr	VMware ESXi 4 Single Server for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!								x	x																		x	x							S26361-F2341-L500		8	
	VMware Upgrade ESXi to STD w/o SP-1yr	VMware Upgrade ESXi to STD for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x												x	x							S26361-F2341-L504		659	
	VMware Upgrade ESXi to STD w/o SP-3yr	VMware Upgrade ESXi to STD for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x												x	x							S26361-F2341-L505		659	
	VMware Upgrade ESXi to ADV w/o SP-1yr	VMware Upgrade ESXi to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x												x	x							S26361-F2341-L508		1486	
	VMware Upgrade ESXi to ADV w/o SP-3yr	VMware Upgrade ESXi to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x												x	x							S26361-F2341-L509		1486	
	VMware Upgrade ESXi to ENT-PL w/o SP-1yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x												x	x							S26361-F2341-L512		2314	
	VMware Upgrade ESXi to ENT-PL w/o SP-3yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x												x	x							S26361-F2341-L513		2314	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L514		721	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFE20	PRIMERGY pBLADE BFE40	Product Code		End User Price (RRP)	Comments
Accessories & services matrix																																								
Rack-Infrastructure (Continued)																																								
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L515		721	
	VMware vSphere ADV w/o SP-1yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L518		1627	
	VMware vSphere 4 Media Kit OEM	VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore , ESX 3.5,vCenter 2.5 - No License			x	x	x		x	x	x	x	x	x	x	x		x	x		x							x	x							S26361-F2341-L300		68	
	VMware vSphere ADV w/o SP-3yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L519		1627	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L520		2084	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L521		2084	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L522		2534	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L523		2534	
	VMware Upgrade STD to ADV w/o SP-1yr	VMware Upgrade vSphere STD to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x													x	x							S26361-F2341-L530		911	
	VMware Upgrade STD to ADV w/o SP-3yr	VMware Upgrade vSphere STD to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x													x	x							S26361-F2341-L531		911	
	VMware Upgrade STD to ENT-PL w/o SP-1yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x													x	x							S26361-F2341-L540		1821	
	VMware Upgrade STD to ENT-PL w/o SP-3yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x													x	x							S26361-F2341-L541		1821	
	VMware Upgrade ADV to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ADV to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x													x	x							S26361-F2341-L542		911	
	VMware Upgrade ADV to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ADV to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x													x	x							S26361-F2341-L543		911	
	VMware Upgrade ENT to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x													x	x							S26361-F2341-L544		456	
	VMware Upgrade ENT to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x													x	x							S26361-F2341-L545		456	
	VMware Upgrade VC FND to STD w/o SP-1yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!					x		x	x					x	x													x	x							S26361-F2341-L546		2568	
	VMware Upgrade VC FND to STD w/o SP-3yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!					x		x	x					x	x													x	x							S26361-F2341-L547		2568	
	VMware ADV AK(6CPU+VC-FND)w/o SP-1yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L550		7640	
	VMware ADV AK(6CPU+VC-FND)w/o SP-3yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L551		7640	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L570		12915	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L571		12915	
	VMware UG ESS-PL to ADV-AK w/0 SP-1yr	VMware Upgrade ESS-PL to ADV-AK for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L572		5099	
	VMware UG ESS-PL to ADV-AK w/0 SP-3yr	VMware Upgrade ESS-PL to ADV-AK for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L573		5099	
	VMware UG ESS-PL to ENT-AK w/0 SP-1yr	VMware Upgrade ESS-PL to ENT-AK for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L574		10405	
	VMware UG ESS-PL to ENT-AK w/0 SP-3yr	VMware Upgrade ESS-PL to ENT-AK for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L575		10405	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L554		19129	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L555		19129	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!					x		x	x					x	x													x	x							S26361-F2341-L556		3302	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!					x		x	x					x	x													x	x							S26361-F2341-L557		3302	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 1 year Service Pack needed!					x		x	x					x	x													x	x							S26361-F2341-L558		1087	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 3 year Service Pack needed!					x		x	x					x	x													x	x							S26361-F2341-L559		1087	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 1 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L562		2535	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 3 year Service Pack needed!					x		x	x					x	x		x	x		x							x	x							S26361-F2341-L563		2535	
	VMware ESXi 4.1 Embedded UFM Device DIS	VMware ESXi 4 Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Singel SRV Lic. (w/o SP)							x	x																			x								S26361-F2341-D431		52	
OS/Application-SW																																								
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp						x		x	x							x		x		x													x	x	x	x	U15355-C720		346	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BF420	PRIMERGY pBLADE BF440	PRIMERGY pBLADE BF670	PRIMERGY pBLADE BF640	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																										
OS/Application-SW (Continued)																																											
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage /infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage /infodocs/basb115win/basb115win-compmatrix.asp					x		x								x		x															x	x	x	x	U15355-C723			219	
	ManageNow® for ITCM ManagedObjectsLicens																											x	x	x	x	x	x	x				U24533-C400			1681	
UPS/Power supply																																											
	PY BX600 PSU 2100W (hot plug)	for PS redundancy (3./4. PSU), with power cord.																									x												S26113-F603-L2			672	Phased out
	PY BX900 Power Supply Unit 100-240V AC	for PS redundancy (4. - 6. PSU), with power cord 3m																									x												S26113-F606-L201			654	
	PY BX400 PSU (1600W)	PY BX400 Power Supply (1600 W/1100 W) incl. power cable IEC320 C19 -> IEC320 C20																					x																S26113-F607-L200			449	
	PY BX900 Rear Fan Unit	BX900 Rear Fan Unit with 4 Fans																									x												S26361-F3962-L100			244	
	PY BX400 Fan Unit	BX400 Fan Unit with 2 Fans																					x																S26361-F4474-L100			132	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C19->C20																					x		x	x	x												S26361-F3151-L300			25	
	Power cord IEC320 C19 - IEC320 C14	with connector IEC320 C20 ->plug IEC320 C14 for connection to socket strips (connector 10A IEC320 C13)																					x																S26361-F3151-L350			13	
	Power cord 16A IEC320 C19->CEE 7/7	with connector IEC320 C19->CEE 7/7 (Schuko)																					x		x	x	x												S26361-F3151-L100			25	
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C19->16A CEE (IEC309)																					x		x	x	x												S26361-F3151-L200			25	
Miscellaneous																																										
	PY BX600 4GB FC Switch Lizenz (FWATCH)	Software Upgrade Lizenz (Fabric Watch) for SW4016																								x	x												S26361-F3144-L45			1351	Phased out
	PY BX600 4GB FC Switch Port Upgrade	Port Upgrade Lizenz for Brocade Silkworm 4016 and SW4016-D4 from 12 to 16 Ports																								x	x												S26361-F3144-L46			1316	Phased out
	PY BX600 4GB FC Switch Licence (TRUNK)	Software Upgrade Licence (Trunking) for Brocade Silkworm 4016																								x	x												S26361-F3144-L47			1967	Phased out
	PY BX600 4GB FC Switch Lizenz (EFABRIC)	Software Upgrade Lizenz Extended Fabric for SW4016																								x	x												S26361-F3144-L48			2053	Phased out
	PY BX600 4GB FC Switch Lizenz (APERFM)	Lizenz Advanced Performance Monitoring for SW4016																								x	x												S26361-F3144-L49			1642	Phased out
	TPM Module add-on kit	Trusted Platform Module on motherboard, be aware of import restrictions!								x																					x	x	x						S26361-F3552-L1			42	
	PY BX600 conversion kit (MMB S3, FCB)	2x MMB S3, 1x Front-Control-Board																									x												S26361-F3888-L1			607	Phased out
FC/IP-Infrastructure																																										
	PY BX900 Management Blade S1	Redundant Management Blade																						x				x												S26361-F3962-L500			675	
	Cisco SFP Copper Module RJ45 1GB	SFP RJ45 for BX600 Cisco Switch uplink ports																								x	x	x												S26361-F3024-L102			513	Phased out
	SFP multi-mode 4G module (MMF)	Short-Wavelength SFP Transceiver																									x	x												S26361-F3024-L4			149	Phased out
	XFP multi-mode module 10GBASE-SR	for BX600 GBE Switch with 10GB ports			x																						x												S26361-F3206-L10			829	Phased out
	Infiniband cable 10GBASE-CX4, 10m	for BX600 GBE Switch with 10GB ports																									x	x												S26361-F3206-L15			167	Phased out
	Adaptive Networking (300) bulk	Adaptive Networking for Brocade 300 switch																						x				x												D:FCSW-SW300-AN-L			1332	
	Fabric Watch (300) bulk	Fabric Watch UPG for Brocade 300 switch																						x				x												D:FCSW-SW300-FW-L			953	
Cables																																										
	PY BX600 Y-Cable backside	for KVM connection to KVM module																									x												S26361-F3892-L100			47	Phased out
	PY BX900 Y-Cable frontside	PY BX900 Y-Cable frontside																													x	x	x	x	x				S26361-F4478-L1			52	
	Cable powercord rack, 4m	with Euro socket connector																					x																T26139-Y1968-L10			13	
Additional Software																																										
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x	x							x	x	x			x		x			x	x	x														U11081-C157			13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x							x	x	x			x		x								x											U11081-C171			987	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x							x	x	x			x		x								x											U11081-C177			493	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x	x							x	x	x			x		x			x	x	x														U11081-C183			26	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x							x	x	x			x		x			x	x	x														U11081-C186			987	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x	x							x	x	x			x		x			x	x	x														U11081-C192			396	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x	x							x	x	x			x		x			x	x	x														U11081-C199			13	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x	x							x	x	x			x		x			x	x	x														U11081-C201			26	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x							x	x	x			x		x			x	x	x														U11081-C202			1075	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x							x	x	x			x		x			x	x	x														U11081-C204			3468	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x							x	x	x			x		x			x	x	x														U11081-C207			623	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x							x	x	x			x		x			x	x	x														U11081-C212			1075	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x							x	x	x			x		x			x	x	x														U11081-C214			3468	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	x							x	x	x			x		x			x	x	x														U11081-C217			623	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			x		x	x			x	x					x	x	x	x	U11081-C301			1075	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			x		x	x			x	x					x	x	x	x	U11081-C311			1075	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			x		x	x			x	x					x	x	x	x	U11081-C321			439	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x							x	x	x			x		x	x	x	x	x	x									x	x	x	x			U11081-C302			1734	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x							x	x	x			x		x	x	x	x	x	x									x	x	x	x			U11081-C312			1734	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x							x	x	x			x		x	x	x	x	x	x									x	x	x	x			U11081-C322			714	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x							x	x	x			x		x			x	x	x														U11081-C303			3468	

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFe20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BFF0	PRIMERGY pBLADE BF40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																									
Additional Software (Continued)																																										
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x							x	x	x			x		x			x		x	x												U11081-C313			3468	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x							x	x	x			x		x			x		x	x												U11081-C323			1428	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x			x	x	x	x	x	x	x	x	x	x	U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x			x	x	x	x	x	x	x	x	x	x	U11081-C299			13	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			x		x	x			x	x									U10987-C501			1075	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			x		x	x			x	x									U10987-C513			1075	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			x		x	x			x	x									U10987-C525			439	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x							x	x	x			x		x	x	x	x		x	x					x	x	x	x					U10987-C502			1734	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x							x	x	x			x		x	x	x	x		x	x					x	x	x	x					U10987-C514			1734	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x							x	x	x			x		x	x	x	x		x	x					x	x	x	x					U10987-C526			714	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x							x	x	x			x		x			x		x	x													U10987-C503			3468	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x							x	x	x			x		x			x		x	x													U10987-C515			3468	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x							x	x	x			x		x			x		x	x													U10987-C527			1428	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x							x	x	x			x		x			x		x	x													U10987-C504			4016	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x							x	x	x			x		x			x		x	x													U10987-C516			4016	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x							x	x	x			x		x			x		x	x													U10987-C528			1639	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x							x	x	x			x		x			x		x	x													U10987-C505			5202	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x							x	x	x			x		x			x		x	x													U10987-C517			5202	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x							x	x	x			x		x			x		x	x													U10987-C529			2123	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x			x	x	x	x	x	x	x				U10987-C500			31	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x			x	x	x	x	x	x	x				U10987-C499			13	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 dBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																
Software Services																																
	SP 1y ENT (6 CPU+VC_STD) Acc Kit,5x9	SP 1 year VMware ENT (6 CPU+VC_STD) Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP1A300PRV06			2551	
	SP 1y ENT (6 CPU+VC_STD) Acc Kit,7x24	SP 1 year VMware ENT (6 CPU+VC_STD) Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP1A303PRV06			3035	
	SP 1y ADV Acceleration Kit,5x9	, Service Pack 1 year VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP1AD00PRV05			1501	
	SP 1y ADV Acceleration Kit,7x24	, Service Pack 1 year VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP1AD03PRV05			1785	
	SP 1y Upgrade ADV to ENT PL,5x9	, Service Pack 1 year VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x	x			x	x	x							x	x									FSP:G-SP1AE00PRV07			499	
	SP 1y Upgrade ADV to ENT PL,7x24	, Service Pack 1 year VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x	x			x	x	x							x	x									FSP:G-SP1AE03PRV07			595	
	SP 1y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1C100PRXD1			86	
	SP 1y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1C103PRXD1			116	
	SP 1y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1C200PRXD1			430	
	SP 1y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1C203PRXD1			581	
	SP 1y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1C300PRXD1			861	
	SP 1y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1C303PRXD1			1162	
	SP 1y 1,2,3 lev sup Ent Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1C400PRXD1			204	
	SP 1y 1,2,3 level Ent Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1C403PRXD1			276	
	SP 1y 1,2,3 lev sup Ent Edi,50U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1C500PRXD1			1022	
	SP 1y 1,2,3 level Ent Edi,50U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1C503PRXD1			1379	
	SP 1y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1C600PRXD1			2044	
	SP 1y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1C603PRXD1			2759	
	SP 1y 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1C700PRXD1			323	
	SP 1y 1,2,3 level Pla Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1C703PRXD1			436	
	SP 1y 1,2,3 lev sup Pla Edi,50U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1C800PRXD1			1613	
	SP 1y 1,2,3 level Pla Edi,50U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1C803PRXD1			2178	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																
Software Services (Continued)																																
	SP 1y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1C900PRXD1			3227	
	SP 1y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1C903PRXD1			4356	
	SP 1y ENT PL 8 Acceleration Kit,5x9	, Service Pack 1 year VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP1E800PRV07			3771	
	SP 1y ENT PL 8 Acceleration Kit,7x24	, Service Pack 1 year VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP1E803PRV07			4487	
	SP 1y Upgrade ESXi to ADV,5x9	, Service Pack 1 year VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x							x	x									FSP:G-SP1EA00PRV05			321	
	SP 1y Upgrade ESXi to ADV,7x24	, Service Pack 1 year VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x							x	x									FSP:G-SP1EA03PRV05			373	
	SP 1y Upgrade ENT to ENT PL,5x9	, Service Pack 1 year VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x							x	x									FSP:G-SP1EE00PRV07			499	
	SP 1y Upgrade ENT to ENT PL,7x24	, Service Pack 1 year VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x							x	x									FSP:G-SP1EE03PRV07			595	
	SP 1y Essentials PL,5x9	, Service Pack 1 year VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP1EP00PRV08			428	
	SP 1y Essentials PL,7x24	, Service Pack 1 year VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP1EP03PRV08			504	
	SP 1y ESXi 4.0 Single Server,5x9	, Service Pack 1 year VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR			x	x													x	x	x	x	x	x					FSP:G-SP1EX00PRV01			340	
	SP 1y ESXi 4.0 Single Server,7x24	, Service Pack 1 year VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR			x	x													x	x	x	x	x	x					FSP:G-SP1EX03PRV01			403	
	SP 1y Citrix XS AE,5x9	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Advance Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x														x	x	x	x	x	x					FSP:G-SP1F100PRXD2			86	
	SP 1y Citrix XS AE,7x24	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Advance Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x														x	x	x	x	x	x					FSP:G-SP1F103PRXD2			116	
	SP 1y Citrix XS EE,5x9	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Enterprise Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x														x	x	x	x	x	x					FSP:G-SP1F200PRXD2			234	
	SP 1y Citrix XS EE,7x24	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Enterprise Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x														x	x	x	x	x	x					FSP:G-SP1F203PRXD2			316	
	SP 1y Citrix XS PE,5x9	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Platinum Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x														x	x	x	x	x	x					FSP:G-SP1F300PRXD2			465	
	SP 1y Citrix XS PE,7x24	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Platinum Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x														x	x	x	x	x	x					FSP:G-SP1F303PRXD2			628	
	SP 1y HPC 2 hn + 4 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 4 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																		x	x	x							FSP:G-SP1H160PRV11			294	
	SP 1y HPC 2 hn + 8 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 8 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																		x	x	x							FSP:G-SP1H260PRV11			529	
	SP 1y HPC 2 hn + 16 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 16 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																		x	x	x							FSP:G-SP1H360PRV11			1000	
	SP 1y HPC 2 hn + 32 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 32 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																		x	x	x							FSP:G-SP1H460PRV11			1941	
	SP 1y HPC 2 hn + 64 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 64 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																		x	x	x							FSP:G-SP1H560PRV11			3824	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																
Software Services (Continued)																																
	SP 1y HPC 2 hn + 128 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 128 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																		x	x	x							FSP:G-SP1H660PRV11			7588	
	SP 1y L2,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1L260PRL63			382	
	SP 1y L2,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1L263PRL63			822	
	SP 1y L3,4h Rt,5x9	Service Pack 1 year Software Service for BX600, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-L631	x		x	x					x	x					x												FSP:G-SP1L360PRL63			2005	
	SP 1y L3,4h Rt,7x24	Service Pack 1 year Software Service for BX600, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-L631	x		x	x					x	x					x												FSP:G-SP1L363PRL63			3810	
	SP 1y L4,4h Rt,5x9	Service Pack Classic 1 year Software Service for BX900, 4h remote response, 5x9, Service partner Fujitsu. Central delivery remote for SuSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-L641														x		x	x	x	x	x	x	x					FSP:G-SP1L460PRL63			3803	
	SP 1y L4,4h Rt,7x24	Service Pack Classic 1 year Software Service for BX900, 4h remote response, 7x24, Service partner Fujitsu. Central delivery remote for SuSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-L641														x		x	x	x	x	x	x	x					FSP:G-SP1L463PRL63			7226	
	SP 1y ROR 1Serv 4CPU,5x9	SP 1 year ServerView ROR support (1 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x					FSP:G-SP1R500PRRC1			224	
	SP 1y ROR 10Serv 4CPU,5x9	SP 1 year ServerView ROR support (10 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x					FSP:G-SP1R600PRRC1			2080	
	SP 1y ROR 18Serv 4CPU,5x9	SP 1 year ServerView ROR support (18 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x					FSP:G-SP1R700PRRC1			3744	
	SP 1y Upgrade STD to ADV,5x9	, Service Pack 1 year VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x							x	x									FSP:G-SP1SA00PRV05			321	
	SP 1y Upgrade STD to ADV,7x24	, Service Pack 1 year VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x							x	x									FSP:G-SP1SA03PRV05			373	
	SP 1y vSphere ADV,5x9	, Service Pack 1 year VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP1SD00PRV05			321	
	SP 1y vSphere ADV,7x24	, Service Pack 1 year VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP1SD03PRV05			373	
	SP 1y vSphere ENT,5x9	, Service Pack 1 year VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT	x		x	x					x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	FSP:G-SP1SE00PRV06			410	
	SP 1y vSphere ENT,7x24	, Service Pack 1 year VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT	x		x	x					x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	FSP:G-SP1SE03PRV06			484	
	SP 1y vSphere ENT PL,5x9	, Service Pack 1 year VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP1SL00PRV07			499	
	SP 1y vSphere ENT PL,7x24	, Service Pack 1 year VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP1SL03PRV07			595	
	SP 1y vSphere STD,5x9	, Service Pack 1 year VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD	x		x	x					x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	FSP:G-SP1ST00PRV04			185	
	SP 1y vSphere STD,7x24	, Service Pack 1 year VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD	x		x	x					x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	FSP:G-SP1ST03PRV04			220	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Software Services (Continued)																																	
	SP 1y S&U, 1Man.,5x9	Service Pack 1 year Support & Update Subscription 1 Manager, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE	x		x	x										x	x	x	x	x	x	x	x	x					FSP:G-SP1U500PRRC1			397	
	SP 1y S&U, 1Ag.,5x9	Service Pack 1 year Support & Update Subscription 1 Agent, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE	x		x	x										x	x	x	x	x	x	x	x	x					FSP:G-SP1U600PRRC1			87	
	SP 1y S&U, 10Ag.,5x9	Service Pack 1 year Support & Update Subscription 10 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE	x		x	x										x	x	x	x	x	x	x	x	x					FSP:G-SP1U700PRRC1			677	
	SP 1y S&U, 18Ag.,5x9	Service Pack 1 year Support & Update Subscription 18 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE	x		x	x										x	x	x	x	x	x	x	x	x					FSP:G-SP1U800PRRC1			1323	
	SP 1y Upgrade STD to ENT PL,5x9	, Service Pack 1 year VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x							x	x									FSP:G-SP1US00PRV07			499	
	SP 1y Upgrade STD to ENT PL,7x24	, Service Pack 1 year VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x							x	x									FSP:G-SP1US03PRV07			595	
	SP 1y Upgrade VC FND to STD,5x9	, Service Pack 1 year VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x							x	x									FSP:G-SP1UV00PRV09			714	
	SP 1y Upgrade VC FND to STD,7x24	, Service Pack 1 year VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x							x	x									FSP:G-SP1UV03PRV09			847	
	SP 1y vCenter FND,5x9	, Service Pack 1 year VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1VC00PRV09			368	
	SP 1y vCenter FND,7x24	, Service Pack 1 year VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1VC03PRV09			424	
	SP 1y vCenter STD,5x9	, Service Pack 1 year VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1VS00PRV09			714	
	SP 1y vCenter STD,7x24	, Service Pack 1 year VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP1VS03PRV09			847	
	SP 1y Support and Subscription,5x9	SP 1 year Support and Subscription, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x	x	x	x	x	x	x	x	x					FSP:G-SP1W100PRV02			252	
	SP 1y Support and Subscription,7x24	SP 1 year Support and Subscription, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x	x	x	x	x	x	x	x	x					FSP:G-SP1W103PRV02			303	
	SP 1y 1,2,3 x10sure base,5x9	SP 1 year 1st, 2nd & 3rd level support and updates for x10sure base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x		x	x		x	x							x	x	x	x	x	x					FSP:G-SP1X300PRXTN			259	
	SP 1y 1,2,3 x10sure 1 Ap-or SpNode,5x9	SP 1 year 1st, 2nd & 3rd level support and updates x10sure for 1 additional Application- or Spare Node, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x		x	x		x	x							x	x	x	x	x	x					FSP:G-SP1X500PRXTN			203	
	SP 1y Upgrade ESXi to ENT-PL,5x9	, Service Pack 1 year VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x							x	x									FSP:G-SP1XE00PRV07			499	
	SP 1y Upgrade ESXi to ENT-PL,7x24	, Service Pack 1 year VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x							x	x									FSP:G-SP1XE03PRV07			595	
	SP 1y Upgrade ESXi to STD,5x9	, Service Pack 1 year VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD	x		x	x					x	x							x	x									FSP:G-SP1XS00PRV04			185	
	SP 1y Upgrade ESXi to STD,7x24	, Service Pack 1 year VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD	x		x	x					x	x							x	x									FSP:G-SP1XS03PRV04			217	
	SP 1y SaS for SingSerLic,5x9	SP 1 year Support and Subscription for single server license, BX systems, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x		x	x	x	x	x	x	x					FSP:G-SP1Z100PRV02			189	
	SP 1y SaS for SingSerLic,7x24	SP 1 year Support and Subscription for single server license, BX systems, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x		x	x	x	x	x	x	x					FSP:G-SP1Z103PRV02			200	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Software Services (Continued)																																	
	SP 1y SaS for 8x Lice,5x9	SP 1 year Support and Subscription for x8 license bundle, designed for, but not limited to BX400, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x		x	x	x	x	x	x					FSP:G-SP1Z200PRV02			397	
	SP 1y SaS for 8x Lice,7x24	SP 1 year Support and Subscription for x8 license bundle, designed for, but not limited to BX400, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x		x	x	x	x	x	x					FSP:G-SP1Z203PRV02			421	
	SP 1y SaS for 18x Lice,5x9	SP 1 year Support and Subscription for x18 license bundle, designed for, but not limited to BX900, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x												x	x	x	x	x	x					FSP:G-SP1Z300PRV02			702	
	SP 1y SaS for 18x Lice,7x24	SP 1 year Support and Subscription for x18 license bundle, designed for, but not limited to BX900, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x												x	x	x	x	x	x					FSP:G-SP1Z303PRV02			744	
	SP 3y ENT (6 CPU+VC_STD) Acc Kit,5x9	SP 3 years VMware ENT (6 CPU+VC_STD) Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP3A300PRV06			6489	
	SP 3y ENT (6 CPU+VC_STD) Acc Kit,7x24	SP 3 years VMware ENT (6 CPU+VC_STD) Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP3A303PRV06			7714	
	SP 3y ADV Acceleration Kit,5x9	, Service Pack 3 years VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP3AD00PRV05			3827	
	SP 3y ADV Acceleration Kit,7x24	, Service Pack 3 years VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP3AD03PRV05			4538	
	SP 3y Upgrade ADV to ENT PL,5x9	, Service Pack 3 years VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x							x	x									FSP:G-SP3AE00PRV07			1274	
	SP 3y Upgrade ADV to ENT PL,7x24	, Service Pack 3 years VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x							x	x									FSP:G-SP3AE03PRV07			1513	
	SP 3y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3C100PRXD1			258	
	SP 3y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3C103PRXD1			349	
	SP 3y 1,2,3 lev sup VDI Edi,50U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3C200PRXD1			1291	
	SP 3y 1,2,3 level VDI Edi,50U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3C203PRXD1			1743	
	SP 3y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3C300PRXD1			2582	
	SP 3y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3C303PRXD1			3485	
	SP 3y 1,2,3 lev sup Ent Edi,10U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3C400PRXD1			613	
	SP 3y 1,2,3 level Ent Edi,10U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3C403PRXD1			828	
	SP 3y 1,2,3 lev sup Ent Edi,50U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3C500PRXD1			3066	
	SP 3y 1,2,3 level Ent Edi,50U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3C503PRXD1			4138	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																
Software Services (Continued)																																
	SP 3y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3C600PRXD1			6131	
	SP 3y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3C603PRXD1			8277	
	SP 3y 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp,5x9	SP 3 years 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3C700PRXD1			968	
	SP 3y 1,2,3 level Pla Edi,10U/Dev w/o XenApp,7x24	SP 3 years 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3C703PRXD1			1307	
	SP 3y 1,2,3 lev sup Pla Edi,50U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3C800PRXD1			4840	
	SP 3y 1,2,3 level Pla Edi,50U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3C803PRXD1			6534	
	SP 3y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3C900PRXD1			9681	
	SP 3y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3C903PRXD1			13069	
	SP 3y ENT PL 8 Acceleration Kit,5x9	, Service Pack 3 years VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP3E800PRV07			9620	
	SP 3y ENT PL 8 Acceleration Kit,7x24	, Service Pack 3 years VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP3E803PRV07			11435	
	SP 3y Upgrade ESXi to ADV,5x9	, Service Pack 3 years VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x							x	x									FSP:G-SP3EA00PRV05			818	
	SP 3y Upgrade ESXi to ADV,7x24	, Service Pack 3 years VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x							x	x									FSP:G-SP3EA03PRV05			974	
	SP 3y Upgrade ENT to ENT PL,5x9	, Service Pack 3 years VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x							x	x									FSP:G-SP3EE00PRV07			1274	
	SP 3y Upgrade ENT to ENT PL,7x24	, Service Pack 3 years VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x							x	x									FSP:G-SP3EE03PRV07			1513	
	SP 3y Essentials PL,5x9	, Service Pack 3 years VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP3EP00PRV08			1092	
	SP 3y Essentials PL,7x24	, Service Pack 3 years VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP3EP03PRV08			1301	
	SP 3y Citrix XS AE,5x9	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Advance Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x														x	x	x	x	x	x					FSP:G-SP3F100PRXD2			258	
	SP 3y Citrix XS AE,7x24	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Advance Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x														x	x	x	x	x	x					FSP:G-SP3F103PRXD2			349	
	SP 3y Citrix XS EE,5x9	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Enterprise Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x														x	x	x	x	x	x					FSP:G-SP3F200PRXD2			702	
	SP 3y Citrix XS EE,7x24	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Enterprise Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x														x	x	x	x	x	x					FSP:G-SP3F203PRXD2			947	
	SP 3y Citrix XS PE,5x9	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Platinum Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x														x	x	x	x	x	x					FSP:G-SP3F300PRXD2			1396	
	SP 3y Citrix XS PE,7x24	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Platinum Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x														x	x	x	x	x	x					FSP:G-SP3F303PRXD2			1884	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																
Software Services (Continued)																																
	SP 3y L2,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612	x	x	x	x					x	x							x	x	x	x	x	x					FSP:G-SP3L260PRL63			956	
	SP 3y L2,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612	x	x	x	x					x	x							x	x	x	x	x	x					FSP:G-SP3L263PRL63			2056	
	SP 3y L3,4h Rt,5x9	Service Pack 3 years Software Service for BX600, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-E632	x		x	x					x	x					x												FSP:G-SP3L360PRL63			5013	
	SP 3y L3,4h Rt,7x24	Service Pack 3 years Software Service for BX600, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-E632	x		x	x					x	x					x												FSP:G-SP3L363PRL63			9524	
	SP 3y L4,4h Rt,5x9	Service Pack Classic 3 years Software Service for BX900, 4h remote response, 5x9, Service partner Fujitsu. Central delivery remote for SuSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-E642														x		x	x	x	x	x	x	x					FSP:G-SP3L460PRL63			10892	
	SP 3y L4,4h Rt,7x24	Service Pack Classic 3 years Software Service for BX900, 4h remote response, 7x24, Service partner Fujitsu. Central delivery remote for SuSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-L642														x		x	x	x	x	x	x	x					FSP:G-SP3L463PRL63			20694	
	SP 3y ROR 1Serv 4CPU,5x9	SP 3 years ServerView ROR support (1 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x					FSP:G-SP3R500PRRC1			671	
	SP 3y ROR 10Serv 4CPU,5x9	SP 3 years ServerView ROR support (10 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x					FSP:G-SP3R600PRRC1			6240	
	SP 3y ROR 18Serv 4CPU,5x9	SP 3 years ServerView ROR support (18 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x					FSP:G-SP3R700PRRC1			11232	
	SP 3y Upgrade STD to ADV,5x9	, Service Pack 3 years VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x							x	x									FSP:G-SP3SA00PRV05			818	
	SP 3y Upgrade STD to ADV,7x24	, Service Pack 3 years VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x							x	x									FSP:G-SP3SA03PRV05			974	
	SP 3y vSphere ADV,5x9	, Service Pack 3 years VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP3SD00PRV05			818	
	SP 3y vSphere ADV,7x24	, Service Pack 3 years VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP3SD03PRV05			974	
	SP 3y vSphere ENT,5x9	, Service Pack 3 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT	x		x	x					x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	FSP:G-SP3SE00PRV06			1051	
	SP 3y vSphere ENT,7x24	, Service Pack 3 years VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT	x		x	x					x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	FSP:G-SP3SE03PRV06			1240	
	SP 3y vSphere ENT PL,5x9	, Service Pack 3 years VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP3SL00PRV07			1274	
	SP 3y vSphere ENT PL,7x24	, Service Pack 3 years VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SP3SL03PRV07			1513	
	SP 3y vSphere STD,5x9	, Service Pack 3 years VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD	x		x	x					x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	FSP:G-SP3ST00PRV04			471	
	SP 3y vSphere STD,7x24	, Service Pack 3 years VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD	x		x	x					x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	FSP:G-SP3ST03PRV04			560	
	SP 3y S&U, 1Man.,5x9	SP 3 years Support & Update Subscription 1 Manager, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x					FSP:G-SP3U500PRRC1			1192	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																
Software Services (Continued)																																
	SP 3y S&U, 1Ag.,5x9	SP 3 years Support & Update Subscription 1 Agent, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x					FSP:G-SP3U600PRRC1			260	
	SP 3y S&U, 10Ag.,5x9	SP 3 years Support & Update Subscription 10 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x					FSP:G-SP3U700PRRC1			2032	
	SP 3y S&U, 18Ag.,5x9	SP 3 years Support & Update Subscription 18 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x					FSP:G-SP3U800PRRC1			3968	
	SP 3y Upgrade STD to ENT PL,5x9	Service Pack 3 years VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x							x	x									FSP:G-SP3US00PRV07			1274	
	SP 3y Upgrade STD to ENT PL,7x24	, Service Pack 3 years VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x							x	x									FSP:G-SP3US03PRV07			1513	
	SP 3y Upgrade VC FND to STD,5x9	, Service Pack 3 years VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x							x	x									FSP:G-SP3UV00PRV09			1821	
	SP 3y Upgrade VC FND to STD,7x24	, Service Pack 3 years VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x							x	x									FSP:G-SP3UV03PRV09			2163	
	SP 3y vCenter FND,5x9	, Service Pack 3 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3VC00PRV09			941	
	SP 3y vCenter FND,7x24	, Service Pack 3 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3VC03PRV09			1119	
	SP 3y vCenter STD,5x9	, Service Pack 3 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3VS00PRV09			1821	
	SP 3y vCenter STD,7x24	, Service Pack 3 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SP3VS03PRV09			2163	
	SP 3y Support and Subscription,5x9	SP 3 years Support and Subscription, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x	x	x	x	x	x	x	x	x					FSP:G-SP3W100PRV02			756	
	SP 3y Support and Subscription,7x24	SP 3 years Support and Subscription, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x	x	x	x	x	x	x	x	x					FSP:G-SP3W103PRV02			908	
	SP 3y 1,2,3 x10sure base,5x9	SP 3 years 1st, 2nd & 3rd level support and updates for x10sure base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x		x	x		x	x							x	x	x	x	x	x					FSP:G-SP3X300PRXTN			776	
	SP 3y 1,2,3 x10sure 1 Ap-or SpNode,5x9	SP 3 years 1st, 2nd & 3rd level support and updates x10sure for 1 additional Application- or Spare Node, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x		x	x		x	x							x	x	x	x	x	x					FSP:G-SP3X500PRXTN			610	
	SP 3y Upgrade ESXi to ENT-PL,5x9	, Service Pack 3 years VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x							x	x									FSP:G-SP3XE00PRV07			1274	
	SP 3y Upgrade ESXi to ENT-PL,7x24	, Service Pack 3 years VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x							x	x									FSP:G-SP3XE03PRV07			1513	
	SP 3y Upgrade ESXi to STD,5x9	, Service Pack 3 years VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD	x		x	x					x	x							x	x									FSP:G-SP3XS00PRV04			471	
	SP 3y Upgrade ESXi to STD,7x24	, Service Pack 3 years VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD	x		x	x					x	x							x	x									FSP:G-SP3XS03PRV04			560	
	SP 3y SaS for SingSerLic,5x9	SP 3 years Support and Subscription for single server license, BX systems, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x		x	x	x	x	x	x	x					FSP:G-SP3Z100PRV02			566	
	SP 3y SaS for SingSerLic,7x24	SP 3 years Support and Subscription for single server license, BX systems, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x		x	x	x	x	x	x	x					FSP:G-SP3Z103PRV02			600	
	SP 3y SaS for 8x Lice,5x9	SP 3 years Support and Subscription for x8 license bundle, designed for, but not limited to BX400, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x		x	x	x	x	x	x	x					FSP:G-SP3Z200PRV02			1191	
	SP 3y SaS for 8x Lice,7x24	SP 3 years Support and Subscription for x8 license bundle, designed for, but not limited to BX400, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x		x	x	x	x	x	x	x					FSP:G-SP3Z203PRV02			1263	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Software Services (Continued)																																	
	SP 3y SaS for 18x Lice,5x9	SP 3 years Support and Subscription for x18 license bundle, designed for, but not limited to BX900, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x												x	x	x	x	x	x	x					FSP:G-SP3Z300PRV02			2105	
	SP 3y SaS for 18x Lice,7x24	SP 3 years Support and Subscription for x18 license bundle, designed for, but not limited to BX900, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x												x	x	x	x	x	x	x					FSP:G-SP3Z303PRV02			2231	
	SP Xtend 1y to 2y ADV Acceleration Kit (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware ADV Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAA100PRV05			1501	
	SP Xtend 1y to 2y ADV Acceleration Kit (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware ADV Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAA103PRV05			1785	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ADV to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAA200PRV07			499	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ADV to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAA203PRV07			595	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 6 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAE100PRV07			2988	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 6 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAE103PRV07			3550	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 8 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAE200PRV07			3771	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 8 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAE203PRV07			4487	
	SP Xtend 1y to 2y Upgrade ESXi to ADV (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ADV (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAE300PRV05			321	
	SP Xtend 1y to 2y Upgrade ESXi to ADV (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ADV (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAE303PRV05			373	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ENT to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAE400PRV07			499	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ENT to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAE403PRV07			595	
	SP Xtend 1y to 2y Essentials PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Essentials PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAE500PRV08			428	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																
Software Services (Continued)																																
	SP Xtend 1y to 2y Essentials PL (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Essentials PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAE503PRV08			504	
	SP Xtend 1y to 2y ESXi 4.0 Single Server (<4.x),5x	Service Pack Prolongation from 1 year to 2 years VMware ESXi 4.0 Single Server (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAE700PRV01			340	
	SP Xtend 1y to 2y ESXi 4.0 Single Server (<4.x),7x	Service Pack Prolongation from 1 year to 2 years VMware ESXi 4.0 Single Server (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAE703PRV01			403	
	SP Xtend 1y to 2y vSphere ENT (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAS100PRV06			410	
	SP Xtend 1y to 2y Upgrade STD to ADV (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ADV (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAS300PRV05			321	
	SP Xtend 1y to 2y Upgrade STD to ADV (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ADV (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAS303PRV05			373	
	SP Xtend 1y to 2y vSphere ADV (<4.x),5x9	SP Prolongation from 1 year to 2 years VMware vSphere ADV (for available license < V4.x), 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAS500PRV05			321	
	SP Xtend 1y to 2y vSphere ADV (<4.x),7x24	SP Prolongation from 1 year to 2 years VMware vSphere ADV (for available license < V4.x), 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAS503PRV05			373	
	SP Xtend 1y to 2y vSphere ENT (<4.x),7x24	SP Prolongation from 1 year to 2 years VMware vSphere ENT (for available license < V4.x), 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAS503PRV06			484	
	SP Xtend 1y to 2y vSphere STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAS700PRV04			185	
	SP Xtend 1y to 2y vSphere STD (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAS703PRV04			217	
	SP Xtend 1y to 2y vSphere ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAS800PRV07			499	
	SP Xtend 1y to 2y vSphere ENT PL (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAS803PRV07			595	
	SP Xtend 1y to 2y Upgrade STD to ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAU200PRV07			499	
	SP Xtend 1y to 2y Upgrade STD to ENT PL (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAU203PRV07			595	
	SP Xtend 1y to 2y Upgrade VC FND to STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade VC FND to STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAU300PRV09			714	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																
Software Services (Continued)																																
	SP Xtend 1y to 2y Upgrade VC FND to STD (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade VC FND to STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAU303PRV09			847	
	SP Xtend 1y to 2y View ENT Add 10 Clients (<4.x),5	Service Pack Prolongation from 1 year to 2 years VMware View ENT Add 10 Clients (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAV100PRV10			214	
	SP Xtend 1y to 2y View ENT Add 10 Clients (<4.x),7	Service Pack Prolongation from 1 year to 2 years VMware View ENT Add 10 Clients (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAV103PRV10			252	
	SP Xtend 1y to 2y vCenter FND (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAV200PRV09			368	
	SP Xtend 1y to 2y vCenter FND (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAV203PRV09			424	
	SP Xtend 1y to 2y View ENT 100 Clients (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware View ENT 100 Clients (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAV300PRV10			2138	
	SP Xtend 1y to 2y View ENT 100 Clients (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware View ENT 100 Clients (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAV303PRV10			2551	
	SP Xtend 1y to 2y vCenter STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAV400PRV09			714	
	SP Xtend 1y to 2y vCenter STD (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAV403PRV09			847	
	SP Xtend 1y to 2y View ENT Start 10 Clients (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware View ENT Start 10 Clients (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAV500PRV10			214	
	SP Xtend 1y to 2y View ENT Start 10 Clients (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware View ENT Start 10 Clients (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAV503PRV10			252	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL (<4.x),5x	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ENT-PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAX100PRV07			499	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL (<4.x),7x	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ENT-PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAX103PRV07			595	
	SP Xtend 1y to 2y Upgrade ESXi to STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAX200PRV04			185	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																
Software Services (Continued)																																
	SP Xtend 1y to 2y Upgrade ESXi to STD (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to STD (for available license < V4.x, support contract for V[3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD	x	x	x	x		x	x		x	x							x	x	x								FSP:G-SPAX203PRV04			217	
	SP Xtend of 12m ENT (6 CPU+VC_STD) Acc Kit,5x9	SP Prolongation of 12 months VMware ENT (6 CPU+VC_STD) Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SPTA300PRV06			2551	
	SP Xtend of 12m ENT (6 CPU+VC_STD) Acc Kit,7x24	SP Prolongation of 12 months VMware ENT (6 CPU+VC_STD) Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SPTA303PRV06			3035	
	SP Xtend of 12m ADV Acceleration Kit,5x9	SP Prolongation of 12 months VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SPTAD00PRV05			1501	
	SP Xtend of 12m ADV Acceleration Kit,7x24	SP Prolongation of 12 months VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SPTAD03PRV05			1785	
	SP Xtend of 12m Upgrade ADV to ENT PL,5x9	SP Prolongation of 12 months VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x										FSP:G-SPTAE00PRV07			499	
	SP Xtend of 12m Upgrade ADV to ENT PL,7x24	SP Prolongation of 12 months VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x										FSP:G-SPTAE03PRV07			595	
	SP Xtend of 12m ENT PL 6 Acceleration Kit,5x9	SP Prolongation of 12 months VMware ENT PL 6 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x										FSP:G-SPTE600PRV07			2988	
	SP Xtend of 12m ENT PL 6 Acceleration Kit,7x24	SP Prolongation of 12 months VMware ENT PL 6 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x										FSP:G-SPTE603PRV07			3550	
	SP Xtend of 12m ENT PL 8 Acceleration Kit,5x9	SP Prolongation of 12 months VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SPTE800PRV07			3771	
	SP Xtend of 12m ENT PL 8 Acceleration Kit,7x24	SP Prolongation of 12 months VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SPTE803PRV07			4487	
	SP Xtend of 12m Upgrade ESXi to ADV,5x9	SP Prolongation of 12 months VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x										FSP:G-SPTEA00PRV05			321	
	SP Xtend of 12m Upgrade ESXi to ADV,7x24	SP Prolongation of 12 months VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x										FSP:G-SPTEA03PRV05			373	
	SP Xtend of 12m Upgrade ENT to ENT PL,5x9	SP Prolongation of 12 months VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x										FSP:G-SPTEE00PRV07			499	
	SP Xtend of 12m Upgrade ENT to ENT PL,7x24	SP Prolongation of 12 months VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x										FSP:G-SPTEE03PRV07			595	
	SP Xtend of 12m Essentials PL,5x9	SP Prolongation of 12 months VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SPTEP00PRV08			428	
	SP Xtend of 12m Essentials PL,7x24	SP Prolongation of 12 months VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SPTEP03PRV08			504	
	SP Xtend of 12m ESXi 4.0 Single Server,5x9	SP Prolongation of 12 months VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x													x	x	x	x	x	x					FSP:G-SPTEX00PRV01			340	
	SP Xtend of 12m ESXi 4.0 Single Server,7x24	SP Prolongation of 12 months VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x													x	x	x	x	x	x					FSP:G-SPTEX03PRV01			403	
	SP Xtend of 12m Upgrade STD to ADV,5x9	SP Prolongation of 12 months VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x										FSP:G-SPTSA00PRV05			321	
	SP Xtend of 12m Upgrade STD to ADV,7x24	SP Prolongation of 12 months VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x										FSP:G-SPTSA03PRV05			373	
	SP Xtend of 12m vSphere ADV,5x9	SP Prolongation of 12 months VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SPTSD00PRV05			321	
	SP Xtend of 12m vSphere ADV,7x24	SP Prolongation of 12 months VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SPTSD03PRV05			373	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																
Software Services (Continued)																																
	SP Xtend of 12m vSphere ENT,5x9	SP Prolongation of 12 months VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	FSP:G-SPTSE00PRV06			410	
	SP Xtend of 12m vSphere ENT,7x24	SP Prolongation of 12 months VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	FSP:G-SPTSE03PRV06			484	
	SP Xtend of 12m vSphere ENT PL,5x9	SP Prolongation of 12 months VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SPTSL00PRV07			499	
	SP Xtend of 12m vSphere ENT PL,7x24	SP Prolongation of 12 months VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x					FSP:G-SPTSL03PRV07			595	
	SP Xtend of 12m vSphere STD,5x9	SP Prolongation of 12 months VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x	x	x		x	FSP:G-SPTST00PRV04			185	
	SP Xtend of 12m vSphere STD,7x24	SP Prolongation of 12 months VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x				x	x	x	x	x	x	x	x		x	FSP:G-SPTST03PRV04			217	
	SP Xtend of 12m Upgrade STD to ENT PL,5x9	SP Prolongation of 12 months VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x										FSP:G-SPTUS00PRV07			499	
	SP Xtend of 12m Upgrade STD to ENT PL,7x24	SP Prolongation of 12 months VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x										FSP:G-SPTUS03PRV07			595	
	SP Xtend of 12m Upgrade VC FND to STD,5x9	SP Prolongation of 12 months VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x										FSP:G-SPTUV00PRV09			714	
	SP Xtend of 12m Upgrade VC FND to STD,7x24	SP Prolongation of 12 months VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x										FSP:G-SPTUV03PRV09			847	
	SP Xtend of 12m View ENT Add 10 Clients,5x9	SP Prolongation of 12 months VMware View ENT Add 10 Clients, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x						x	x	x	x	x				x										FSP:G-SPTVA00PRV10			214	
	SP Xtend of 12m View ENT Add 10 Clients,7x24	SP Prolongation of 12 months VMware View ENT Add 10 Clients, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x						x	x	x	x	x				x										FSP:G-SPTVA03PRV10			252	
	SP Xtend of 12m vCenter FND,5x9	SP Prolongation of 12 months VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SPTVC00PRV09			368	
	SP Xtend of 12m vCenter FND,7x24	SP Prolongation of 12 months VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SPTVC03PRV09			424	
	SP Xtend of 12m View ENT 100 Clients,5x9	SP Prolongation of 12 months VMware View ENT 100 Clients, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x						x	x	x	x	x				x										FSP:G-SPTVE00PRV10			2138	
	SP Xtend of 12m View ENT 100 Clients,7x24	SP Prolongation of 12 months VMware View ENT 100 Clients, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x						x	x	x	x	x				x										FSP:G-SPTVE03PRV10			2551	
	SP Xtend of 12m vCenter STD,5x9	SP Prolongation of 12 months VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SPTVS00PRV09			714	
	SP Xtend of 12m vCenter STD,7x24	SP Prolongation of 12 months VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x	x	x	x	x	x					FSP:G-SPTVS03PRV09			847	
	SP Xtend of 12m View ENT Start 10 Clients,5x9	SP Prolongation of 12 months VMware View ENT Start 10 Clients, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x						x	x	x	x	x				x										FSP:G-SPTVT00PRV10			214	
	SP Xtend of 12m View ENT Start 10 Clients,7x24	SP Prolongation of 12 months VMware View ENT Start 10 Clients, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x						x	x	x	x	x				x										FSP:G-SPTVT03PRV10			252	
	SP Xtend of 12m Upgrade ESXi to ENT-PL,5x9	SP Prolongation of 12 months VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x										FSP:G-SPTXE00PRV07			499	
	SP Xtend of 12m Upgrade ESXi to ENT-PL,7x24	SP Prolongation of 12 months VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x										FSP:G-SPTXE03PRV07			595	
	SP Xtend of 12m Upgrade ESXi to STD,5x9	SP Prolongation of 12 months VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x										FSP:G-SPTXS00PRV04			185	
	SP Xtend of 12m Upgrade ESXi to STD,7x24	SP Prolongation of 12 months VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x							x										FSP:G-SPTXS03PRV04			217	

Positioning PRIMEQUEST

PRIMEQUEST

PRIMEQUEST 580A server is Intel® 64-bit architecture (IA64) based high-end server for use in mission critical environments. They enable customers to realize the economic benefits and flexibility of Linux and Windows industry standards while preserving all the attributes for mission critical datacenter services.
Combining the power of 64-bit Intel® Itanium® processors, the standard specifications of Microsoft® Windows and Linux operating systems and the wealth of market solutions with innovative fault immune system architecture for highest availability and business continuity, PRIMEQUEST server provide a new operational efficiency for business critical computing with truly open standards.
They hereby meet the demands of customers to expand the reach of open industry standards to include mission critical enterprise operations.

PRIMEQUEST 580A — Data Sheets: http://ts.fujitsu.com/PRIMEQUEST

The new PRIMEQUEST 580A is best choice for enterprises that are looking for a mission critical Intel® Itanium® based Linux or Windows platform to provide highest availability, robust performance and enhanced flexibility plus optimum resource usage.
Typical application areas for PRIMEQUEST 580A include large to largest-scale database systems and online transaction processing (OLTP) environments that require a fail-safe mission critical platform with flexibility for future growth.
PRIMEQUEST 580A offers flexible and scalable configuration capabilities for up to 32 Dual-Core processors and belonging I/O resources in a space-saving system cabinet. Automatic reconfiguration and flexible partitioning with up to 16 fail-safe, hardware isolated partitions using eXtended PARtitioning (XPAR) provide optimum resource usage with multiple OS instances.
The advanced system architecture incorporates two innovative key technologies that provide highest availability in a single system:
Mirror Mode and Flexible I/O (FIO).
With Mirror Mode, crossbar interconnects and memory modules can operate in duplex mode to isolate faults without causing a system halt, i.e. not influencing the IT production. FIO allows on demand reallocation of I/O resources to specific processing resources, which enables I/O to match throughput and performance requirements.
Enhanced performance (compared to the predecessors) and reliability of the new Dual-Core Intel® Itanium® 9100 series, large main memory capacities up to 2 Tbyte, high speed crossbar interconnect (up to 170 Gbyte/s throughput) and low memory latencies satisfy huge system and application bandwidth demands.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMEQUEST 1800E							
	PQ1800E Base Unit	System Board not mounted at shipment. (max. 4 System Boards) , - I/O Unit not mounted at shipment. (max. 2 I/O Units), - SAS Disk Unit not mounted at shipment. (max. 4 SAS Disk Units), - 1x Management Board and DVD-ROM drive mounted as standard., - 2x Power Supply Unit (PSU) mounted as standard., , At least one System Board and IO unit must be ordered with one base unit."	MCD3AC211S			38261	
	PQ 1800E2 Base Cabinet	System Board not mounted at shipment. (max. 4 System Boards) , - I/O Unit not mounted at shipment. (max. 2 I/O Units), - SAS Disk Unit not mounted at shipment. (max. 4 SAS Disk Units), - 1x Management Board and DVD-ROM drive mounted as standard., - 2x Power Supply Unit (PSU) mounted as standard., , At least one System Board and IO unit must be ordered with one base unit."	MCE3AC111S			27826	
Primequest IO box							
	PQ1800E IOBOX 12 PCIE SLOT	- Max 2x PCI Boxes can be connected for one Base Unit., - 12x PCI-Express slots, - 2x cables for PCI Box - I/O Unit, - 1x 200V AC cable (3m), - 1x PSU, Max 2x PSU can be mounted for one PCI Box, - 2x FAN (1+1 Redundant FAN), - 4 Rack Unit	MC-0HPB11S			18696	
	PQ1800E/E2 IOBOX 12 PCIE SLOT		MC-0HPB21S			18696	

PRIMEQUEST Accessories — Data Sheets: http://ts.fujitsu.com/PRIMEQUEST

Category	Description	Details	Primequest 420	Primequest 440	Primequest 480	Primequest 520	Primequest 540	Primequest 580	Primequest 580A	Product Code			End User Price (RRP)	Comments
Accessories & services matrix														
Rack-Infrastructure														
	USB Cable 5m Connector A-B	USB cable kit for direct connection Rack Console to PQ	x	x	x	x	x	x	x	T26139-Y2660-L5			13	
PRIMERGY-Software														
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual				x	x	x	x	S26361-F2565-L340			20	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual				x	x	x	x	S26361-F2565-L341			99	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual				x	x	x	x	S26361-F2565-L342			20	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual				x	x	x	x	S26361-F2565-L343			99	
Additional Software														
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU							x	U10987-C504			4016	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU							x	U10987-C516			4016	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU							x	U10987-C528			1639	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0							x	U10987-C500			31	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions							x	U10987-C499			13	

PRIMEQUEST Options — Data Sheets: http://ts.fujitsu.com/PRIMEQUEST

Category	Description	Details	PRIMEQUEST 1800E	Primequest IO box	Product Code			End User Price (RRP)	Comments
Options matrix									
Processor									
	System Board	"For 32GB memory (8GB DIMM x4) use., - CPU not mounted. (max 2 CPUs), - Memory module not mounted. (max 8 memory modules), - 4x USB and 1x VGA ports included on one system board. , , At least one CPU and memory module must be ordered with one system board."	x		MC-3HSB21			13739	
	System Board	"For 32GB memory (8GB DIMM x4) use., - CPU not mounted. (max 2 CPUs), - Memory module not mounted. (max 8 memory modules), - 4x USB and 1x VGA ports included on one system board. , , At least one CPU and memory module must be ordered with one system board."	x		MC-3HSB31			17217	
	I/O Unit	- Max. two I/O Units can be mounted in one server., At least one I/O unit must be mounted., - 8x LAN ports for one I/O unit, - 2x SAS ports for one I/O unit, - Max. 8x PCI Express cards can be mounted, - One PCI Box can be connected for one I/O Unit, - Two SAS Disk unit can be connected to one I/O unit	x		MC-3HUX11			12522	
	I/O Unit	- Max. two I/O Units can be mounted in one server., At least one I/O unit must be mounted., - 8x LAN ports for one I/O unit, - 2x SAS ports for one I/O unit, - Max. 8x PCI Express cards can be mounted, - One PCI Box can be connected for one I/O Unit, - Two SAS Disk unit can be connected to one I/O unit	x		MC-3HUX21			12522	
	MMB	One Management Board mounted as standard, , Max. two Management Board can be mounted., - Adding one board makes Management Board for redundandancy., - 4x LAN ports mounted on one Management Board., (2x for user, 1x for REMCS, 1x for maintenance)	x		MC-5HMM11			3130	
PRIMERGY-Software									
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x		S26361-F2565-E318			21	Phased out
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x		S26361-F2565-E328			21	Phased out
	Win Srv 2008 R2 Standard 5CAL MULI OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x		S26361-F2567-E310			453	

PRIMEQUEST Options

Data Sheets: http://ts.fujitsu.com/PRIMEQUEST

Category	Description	Details	PRIMEQUEST 1800E	Primequest IO box	Product Code			End User Price (RRP)	Comments
Options matrix									
PRIMERGY-Software (Continued)									
	Win Srv 2008 R2 Standard 5CAL PRC OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) Simplified Chinese. OEM DVD, License.	x		S26361-F2567-E318			360	
	Win Srv 2008 R2 Enterprise 10CAL MUL OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x		S26361-F2567-E320			1451	
	Win Srv 2008 R2 Datacenter 2CPU MULI OEM	Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x		S26361-F2567-E330			2300	
	Win Srv 2008 R2 Datacenter 4CPU MULI OEM	Win Srv 2008 R2 Dtc (4 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x		S26361-F2567-E332			4601	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year	x		S26361-F2346-S101			282	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years	x		S26361-F2346-S102			760	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year	x		S26361-F2346-S103			425	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years	x		S26361-F2346-S104			1141	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 year	x		S26361-F2346-S105			709	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years	x		S26361-F2346-S106			1902	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year	x		S26361-F2346-S111			460	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years	x		S26361-F2346-S112			1236	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year	x		S26361-F2346-S113			691	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years	x		S26361-F2346-S114			1855	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year	x		S26361-F2346-S115			1152	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 years	x		S26361-F2346-S116			3092	
	Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year	x		S26361-F2346-S121			188	
	Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 3 years	x		S26361-F2346-S122			519	

PRIMEQUEST Options — Data Sheets: http://ts.fujitsu.com/PRIMEQUEST

Category	Description	Details	PRIMEQUEST 1800E	Primequest IO box	Product Code			End User Price (RRP)	Comments
Options matrix									
PRIMERGY-Software (Continued)									
	Red Hat EL RS 1-2SOC l3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) l3 Support 1 year	x		S26361-F2346-S131			378	
	Red Hat EL RS 1-2SOC l3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) l3 Support 3 years	x		S26361-F2346-S132			1039	
	Red Hat EL SFS 1-2SOC l3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) l3 Support 1 year	x		S26361-F2346-S141			94	
	Red Hat EL SFS 1-2SOC l3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) l3 Support 3 years	x		S26361-F2346-S142			260	
	Red Hat EL LB 1-2SOC l3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) l3 Support 1 year	x		S26361-F2346-S151			94	
	Red Hat EL LB 1-2SOC l3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) l3 Support 3 years	x		S26361-F2346-S152			260	
	Red Hat EL HPN 1-2SOC l3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) l3 Support 1 year	x		S26361-F2346-S161			94	
	Red Hat EL HPN 1-2SOC l3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) l3 Support 3 years	x		S26361-F2346-S162			260	
	Red Hat EL EUS 1-2SOC l3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) l3 Support 1 year	x		S26361-F2346-S171			118	
	Red Hat EL EUS 1-2SOC l3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) l3 Support 3 years	x		S26361-F2346-S172			325	
UPS/Power supply									
	PCIBOX PSU red.(200VAC)1xPSU	Redundant Power Feed Option for PCI Box , , - This Option is necessary If Redundant Power Feed or Dual Power Feed Option of Base Cabinet was selected. , - Max one option can be ordered for one PCI box, - 1 x PSU, 1 x 200VAC power cable (3m)		x	MC-0HPS11S			860	
	PSU for dps, 2PSU, 2 200VAC power cords	- 2x Power Supply Unit	x		MC-5HDP11S			5739	
	Red. PSU One PSU, one 200VACpc	- 1x Power Supply Unit	x		MC-6HPS11S			3130	

Positioning Storage Disk Systems — Data Sheets: http://ts.fujitsu.com/storage

FibreCAT SX80 iSCSI

The FibreCAT SX80 iSCSI is the iSCSI model of the FibreCAT SX family .

ETERNUS DX60

The ETERNUS DX60 offers quality and reliability. The machine supports all relevant RAID levels. (0, 1, 5, 1+0, 5+0 and 6).

ETERNUS DX80

The ETERNUS DX80 offers quality and reliability.
The machine supports all relevant RAID levels. (0, 1, 5, 1+0, 5+0 and 6).

FibreCAT SX40

FibreCAT SX40 extends storage capacity and eliminates bottlenecks

FibreCAT SX60

The FibreCAT SX60 is the perfect system for small and medium sized companies. It offers large storage capacity with 1-2 enclosures.

FibreCAT SX80

The FibreCAT SX80 is the perfect storage system for the data center. The FibreCAT SX80 offers enterprise class reliability as well as snapshot functionality.

Positioning Storage Disk Systems — Data Sheets: http://ts.fujitsu.com/storage

FibreCAT SX88

The FibreCAT SX88 is the premium model of the FibreCAT SX storage series. The FibreCAT SX88 complements the successful FibreCAT SX80 technology but provides even more performance and is thus up to 50% faster.

FibreCAT SX100

The FibreCAT SX 100 – the enterprise model of the FibreCAT SX Family

FibreCAT CX4

FibreCAT CX4 for highest flexibility and scalability with UltraFlex™ - Storage goes future.

CentricStor FS

CentricStor FS (File Services) – Consolidated file services with unprecedented speed and reliability

FibreCAT SX40 — Data Sheets: http://ts.fujitsu.com/storage

The FibreCAT SX40 SAS storage subsystem is a passive, directly connectable system for data storage or expanding the hard disk capacity of connected PRIMERGY servers. With a height of 2U, the FibreCAT SX40 subsystem meets the requirements for a compact design with high hard disk capacity in 19-inch rack infrastructures.Up to 12 SAS hard disks offer a total maximum capacity of 3.6 Tbytes in an external housing. Cascading of up to 3 FibreCAT SX40s via the second SAS x4 link permits expansion to a maximum of 10.8 Tbytes of external hard disk capacity.
In the FibreCAT SX40 storage subsystem, the active components – hot-plug hard disks and hot-plug power supply modules – can be replaced while the server is running. The redundant hot-plug power supply units can be connected with phase redundancy via separate power lines. Optimum and secure cooling of the hard disks is ensured by 2 independent fans in each power supply unit.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FibreCAT SX40							
	FibreCAT SX40 SAS Disk Subsystem	19" rack mountable storage expansion unit (2U) for 12 hot replace SAS HD incl. rack mounting kit,1x SAS input/output module and redundant hot plug power supplies with power cords.	S26361-K1122-V200			1957	

FibreCAT CX4 — Data Sheets: http://ts.fujitsu.com/storage

The FibreCAT CX4 series meets a full range of needs from departmental applications to enterprise-class business-critical systems by leveraging innovative technologies like Flash drives, UltraFlex™ technology and Virtual Provisioning. The unique combination of flexible, scalable hardware design and advanced software capabilities helps to cut costs and minimize energy use whilst optimizing availability and virtualization.
The FibreCAT CX4 series includes the models 120, 240, 480 and 960 which reflects the number of maximum drives. All models are delivered pre-configured with Fibre Channel and iSCSI connectivity allowing customers to choose the best connectivity for their applications. The FibreCAT CX4 series, optimized for virtualized environments, uniquely combines highest availability with ease of use and energy efficient technology at lowest TCO.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FibreCAT CX4 ExpansionShelf							
	FibreCAT CX4 Expansion. empty	High-Availability-HDD-Frame 19", 3 hight units,, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material.	D:FCXS4D00-B			3665	

ETERNUS DX60 — Data Sheets: http://ts.fujitsu.com/storage

ETERNUS – Reliable Storage Solutions for your Dynamic Infrastructures

The ETERNUS DX60 offers quality and reliability. The machine supports all relevant RAID levels (0, 1, 5, 1+0, 5+0 and 6) and features like RAID migration to migrate data dynamically between disks or Data Block Guard to ensure data integrity. Instead of traditional batteries the CacheProtector feature uses capacitors to write the content of the RAID controller cache to a flash memory in case of power failure.
The ETERNUS DX60 systems are equipped with 4 Gigabit per second fibre channel technology. The standard machine comes with 8 snapshots and can be extended to 512 snapshots.
The very affordable ETERNUS DX60 systems are easy to operate with the pre-installed graphical user interface.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
ETERNUS DX60							
	V4Y ET DX60 1x FC 4G2P 2x1.0TB		VFY:DX600XF030IN			2998	
			VFY:DX600XF040IN			4856	
			VFY:DX600XF020IN			3057	
			VFY:DX600XF080IN			3057	
			VFY:DX600XF070IN			2970	
			VFY:DX600XF060IN			2833	
			VFY:DX600XF090IN			4357	
			VFY:DX600XF120IN			4183	
			VFY:DX600XF130IN			3899	
			VFY:DX600XF050IN			2718	
			VFY:DX600XF110IN			2744	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX60							
	ETERNUS DX60 BASE 1x FC Controller 4G2P	ETERNUS DX60 Base-System with one FC Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (4GBit/s FC 2-port) x 1, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06F12AG			2631	
	ETERNUS DX60 BASE 2x FC Controller 4G2P	ETERNUS DX60 Base-System with two FC Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (4GBit/s FC 2-port) x 2, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06F22AG			4127	
	ETERNUS DX60 BASE 1x iSCSI Controller	ETERNUS DX60 Base-System with one iSCSI Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (iSCSI 1GB) x 1, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06L12AG			2396	
	ETERNUS DX60 BASE 2x iSCSI Controller	ETERNUS DX60 Base-System with two iSCSI Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (iSCSI 1GB) x 2, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06L22AG			3522	

ETERNUS DX60 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX60 (Continued)							
	ETERNUS DX60 BASE 1x SAS Controller	ETERNUS DX60 Base-System with one SAS Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (SAS 3GB) x 1, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06S12AG			2396	
	ETERNUS DX60 BASE 2x SAS Controller	ETERNUS DX60 Base-System with two SAS Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (SAS 3GB) x 2, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06S22AG			3522	
ETERNUS DX60 2.5"							
	ETERNUS DX60 BASE 2,5" 1x FC CTR 4G2P	ETERNUS DX60 Base-System for 2.5" Disks wit one FC Controller, • Controller Enclosure (CE 2.5“) x 1, - Controller Module (4GBit/s FC 2-port) x 1, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)r	FTS:ET06F12BG			3122	
	ETERNUS DX60 BASE 2,5" 2x FC CTR 4G2P	ETERNUS DX60 Base-System for 2.5" Disks with two FC Controller, • Controller Enclosure (CE 2.5“) x 1, - Controller Module (4GBit/s FC 2-port) x 2, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06F22BG			4574	
ETERNUS DX60/DX80 Expansion							
	Eternus DX Expansion 1x I/O	ETERNUS DX80 Expansion Shelf with one I/O Module	FTS:ETLDE1AG			1991	
	Eternus DX Expansion 2x I/O	ETERNUS DX80 Expansion Shelf with two I/O Modules	FTS:ETLDE2AG			2185	
	ETERNUS DX Expansion 2,5" 1x I/O	ETERNUS DX80 2.5" Expansion Shelf with one I/O Module	FTS:ETLDE1BG			2501	
	ETERNUS DX Expansion 2,5" 2x I/O	ETERNUS DX80 2.5" Expansion Shelf with two I/O Module	FTS:ETLDE2BG			2462	

ETERNUS DX80 — Data Sheets: http://ts.fujitsu.com/storage

ETERNUS – Reliable Storage Solutions for your Dynamic Infrastructures

The ETERNUS DX80 offers quality and reliability. The machine supports all relevant RAID levels (0, 1, 5, 1+0, 5+0 and 6) and features like RAID migration to migrate data dynamically between disks or Data Block Guard to ensure data integrity. Instead of traditional batteries the CacheProtector feature uses capacitors to write the content of the RAID controller cache to a flash memory in case of power failure.
The ETERNUS DX80 systems meet with 8 Gigabit per second fibre channel technology the requirements for data center operations. The standard machine is equipped with 8 snapshots and can be extended to 1024 snapshots.
The very affordable ETERNUS DX systems are easy to operate with the pre-installed graphical user interface.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
ETERNUS DX80							
	V4Y ET DX80 1x FC 4G2P 12x450 GB		VFY:DX800XF180IN			8064	
	V4Y ET DX80 1x iSCSI 3x 1TB		VFY:DX800XF190IN			4497	
	V4Y ET DX80 1x FC 8G2P 4x300GB		VFY:DX800XF070IN			5885	
	V4Y ET DX80 1x FC 4G2P 2x450GB		VFY:DX800XF030IN			4404	
	V4Y ET DX80 1x FC 4G2P 3x 450 GB		VFY:DX800XF150IN			5305	
	V4Y ET DX80 1x FC 8G2P 2x600GB		VFY:DX800XF170IN			4784	
	V4Y ET DX80 1x FC 4G2P 2x 300 GB		VFY:DX800XF100IN			4496	
	V4Y ET DX80 1x FC 4G2P 2x1TB		VFY:DX800XF020IN			4166	
	V4Y ET DX80 1x FC 8G2P 2x450GB		VFY:DX800XF040IN			4882	
	V4Y ET DX80 1x FC 8G2P 2x300GB		VFY:DX800XF010IN			4715	
	V4Y ET DX80 2x FC 8G2P 2x450 GB		VFY:DX800XF130IN			8365	
	V4Y ET DX80 1x iSCSI 2x 300 GB		VFY:DX800XF110IN			4300	
	V4Y ET DX80 2x iSCSI 4x300GB		VFY:DX800XF090IN			6866	
	V4Y ET DX80 1x iSCSI 4x300GB		VFY:DX800XF080IN			4954	
	V4Y ET DX80 1x iSCSI 4x 600GB		VFY:DX800XF140IN			5565	
	V4Y ET DX80 1xiSCSI 2x450GB		VFY:DX800XF060IN			4170	
	V4Y ET DX80 1xiSCSI 2x1TB 7.2k		VFY:DX800XF050IN			3931	
	V4Y ET DX80 1x SAS 2x 300 GB		VFY:DX800XF120IN			3874	
ETERNUS DX80 2.5"							
	VFY ET DX80 2,5" 1x FC 8G2P 12x300 GB		VFY:DX800XF500IN			8863	
	VFY ET DX80 2,5" 2x FC 8G2P 5x300GB		VFY:DX800XF530IN			12302	
	VFY ET DX80 2,5" 2x FC 8G2P 5x600GB		VFY:DX800XF540IN			13066	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX8090 S2 2.5 " Expa							

ETERNUS DX80 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX8090 S2 2.5 " Expa (Continued)							
	ET DX8090 S2 DriveEncl. 2.5 IO Mod. x1	, • Drive Enclosure x 1, - Expander (SAS port) x 1, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS-miniSAS cable (0.75m) x 1, • Rack mount kit x 1	FTS:ETEAD1CU			2061	Orderable from: 01/07/2011
	ET DX8090 S2 DriveEncl. 2.5 IO Mod. x2	, • Drive Enclosure x 1, - Expander (SAS port) x 2, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS-miniSAS cable (0.75m) x 2, • Rack mount kit x 1	FTS:ETEAD2CU			2555	Orderable from: 01/07/2011
ETERNUS DX8090 S2 3.5 " Expa							
	ET DX8090 S2 DriveEncl. 3.5 IO Mod. x1	, • Drive Enclosure x 1, - Expander (SAS port) x 1, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS-miniSAS cable (0.75m) x 1, • Rack mount kit x 1	FTS:ETEAD1DU			2061	Orderable from: 01/07/2011
	ET DX8090 S2 DriveEncl. 3.5 IO Mod. x2	, • Drive Enclosure x 1, - Expander (SAS port) x 2, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS-miniSAS cable (0.75m) x 2, • Rack mount kit x 1	FTS:ETEAD2DU			2555	Orderable from: 01/07/2011
ETERNUS DX80							
	ETERNUS DX80 BASE 1x FC Controller 4G2P	ETERNUS DX80 Base-System with one FC Controller• Controller Enclosure (CE 3.5“) x 1, - Controller Module (4GBit/s FC 2-port) x 1, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08F12AG			3745	
	ETERNUS DX80 BASE 2x FC Controller 4G2P	ETERNUS DX80 Base-System with two FC Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (4GBit/s FC 2-port) x 2, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08F22AG			5790	
	ETERNUS DX80 BASE 1x FC Controller 8G2P	ETERNUS DX80 Base-System with one FC Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (8GBit/s FC 2-port) x 1, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08E12AG			4252	

ETERNUS DX80 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX80 (Continued)							
	ETERNUS DX80 BASE 2x FC Controller 8G2P	ETERNUS DX80 Base-System with two FC Controller, • Controller Enclosure (CE 3.5") x 1, - Controller Module (8GBit/s FC 2-port) x 2, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08E22AG			6919	
	ETERNUS DX80 BASE 1x iSCSI Controller	ETERNUS DX80 Base-System with one iSCSI Controller, • Controller Enclosure (CE 3.5") x 1, - Controller Module (iSCSI 1GB) x 1, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08L12AG			3493	
	ETERNUS DX80 BASE 2x iSCSI Controller	• Controller Enclosure (CE 3.5") x 1, - Controller Module (iSCSI 1GB) x 2, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08L22AG			5230	
	ETERNUS DX80 BASE 1x SAS Controller	ETERNUS DX80 Base-System with one SAS Controller, • Controller Enclosure (CE 3.5") x 1, - Controller Module (SAS 3GB) x 1, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08S12AG			3492	
	ETERNUS DX80 BASE 2x SAS Controller	ETERNUS DX80 Base-System with two SAS Controller, • Controller Enclosure (CE 3.5") x 1, - Controller Module (SAS 3GB) x 2, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08S22AG			5230	
ETERNUS DX80 S2 3.5"							
	ET DX80 S2 Base 3.5 Contr. x2	• Controller Enclosure 3.5" , - Controller Module x 2, - Cache Memory (2GB) x 2, - Power Supply Unit x 2, • AC cable (AC200V - 240V,2.5m) x 2, • Rack mount kit x 1	FTS:ET082DDU			7056	Orderable from: 01/07/2011
	ET DX80 S2 Base 3.5 Contr. x1	• Controller Enclosure 3.5" , - Controller Module x 1, - Cache Memory (2GB) x 1, - Power Supply Unit x 2, • AC cable (AC200V - 240V, 2.5m) x 2, • Rack mount kit x 1	FTS:ET082SDU			4385	Orderable from: 01/07/2011
ETERNUS DX80 2.5"							

ETERNUS DX80 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX80 2.5" (Continued)							
	ETERNUS DX80 BASE 2,5" 1x FC CTR 4G2P	ETERNUS DX80 Base-System for 2.5" Disks with one FC Controller, • Controller Enclosure (CE 2.5") x 1, - Controller Module (4GBit/s FC 2-port) x 1, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08F12BG			4042	
	ETERNUS DX80 BASE 2,5" 2x FC CTR 4G2P	ETERNUS DX80 Base-System for 2.5" Disks with two FC Controller, • Controller Enclosure (CE 2.5") x 1, - Controller Module (4GBit/s FC 2-port) x 2, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08F22BG			5800	
	ETERNUS DX80 BASE 2,5" 1x FC CTR 8G2P	ETERNUS DX80 Base-System for 2.5" Disks with one FC Controller, • Controller Enclosure (CE 2.5") x 1, - Controller Module (8GBit/s FC 2-port) x 1, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08E12BG			4596	
	ETERNUS DX80 BASE 2,5" 2x FC CTR 8G2P	ETERNUS DX80 Base-System for 2.5" Disks with two FC Controller, • Controller Enclosure (CE 2.5") x 1, - Controller Module (8GBit/s FC 2-port) x 2, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08E22BG			7053	
ETERNUS DX80 S2 2.5"							
	ET DX80 S2 Base 2.5 Contr. x2	• Controller Enclosure 2.5" , - Controller Module x 2, - Cache Memory (2GB) x 2, - Power Supply Unit x 2, • AC cable (AC200V - 240V, 2.5m) x 2, • Rack mount kit x 1	FTS:ET082DCU			7056	Orderable from: 01/07/2011
	ET DX80 S2 Base 2.5 Contr. x1	• Controller Enclosure 2.5", - Controller Module x 1, - Cache Memory (2GB) x 1, - Power Supply Unit x 2, • AC cable (AC200V - 240V, 2.5m) x 2, • Rack mount kit x 1	FTS:ET082SCU			4385	Orderable from: 01/07/2011

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FibreCAT CX ATA ExpansionShelf							
	FibreCAT CX ATA-Disk Ext. Frame, empty	High-Availability-HDD-Frame 19", 3 hight units, Empty shelf, extendable up to 15 HDD, 2 Power Supplies, 2 Standby-Emergency-Electricity-Supplys, 2 AC-Distributors, assembly material.	D:FCXADR-00D			6757	Phased out
FibreCAT CX ExpansionShelf							
	FibreCAT CX S2 Disk Ext. Frame, empty	High-Availability-HDD-Frame 19", 3 hight units, Empty shelf, extendable up to 15 HDD, 2 Power Supplies, 2 Standby-Emergency-Electricity-Supplys, 2 AC-Distributors, assembly material., 2 Interlink cable (FC2-HSSDC), 2 Interlink cable (FC1-HSSDC), Point to Point connection with 2GBit Switch for each drive.	D:FCXS2D-00D			3948	
	FibreCAT CX Disk Ext. Frame, empty	High-Availability-HDD-Frame 19", 3 hight units, Empty shelf, extendable up to 15 HDD, 2 Power Supplies, 2 Standby-Emergency-Electricity-Supplys, 2 AC-Distributors, assembly material.	D:FCXDR-00D			3948	Phased out

| Category | Description | Details | ETERNUS DX40 S2 | ETERNUS DX60 S2 | ETERNUS DX60 S2 Controller Unit | ETERNUS DX60 S2 2.5" 4 bay | ETERNUS DX60 S2 3.5" 4 bay | ETERNUS DX60 S2 3.5" | ETERNUS DX60 S2 upgrade | ETERNUS DX60 S2 2.5" 8 bay | ETERNUS DX60 S2 3.5" 8 bay | ETERNUS DX60 S2 2.5" 8 bay + 3.5" 4 bay | ETERNUS DX80 S2 | ETERNUS DX80 S2 2.5" | ETERNUS DX80 S2 3.5" | ETERNUS DX80 S2 2.5" + 3.5" | ETERNUS DX90 S2 | ETERNUS DX90 S2 2.5" | ETERNUS DX90 S2 3.5" | ETERNUS DX90 S2 2.5" + 3.5" | FibreCAT CX 4Gb Expansionshelf | FibreCAT CX 4Gb Expansionshelf | FibreCAT CX3 Expansionshelf | FibreCAT CX3 Primary | FibreCAT CX3 Secondary | FibreCAT CX3-10C | FibreCAT CX3-20C | FibreCAT CX3-40C | FibreCAT CX4 Expansionshelf | FibreCAT CX4-120C | FibreCAT CX4-240C | FibreCAT CX4-480C | FibreCAT CX4-960C | FibreCAT CX500 | FibreCAT CX500 | FibreCAT FC4S HBA | FibreCAT SX60 Standard | FibreCAT SX60 Expansion | FibreCAT SX60 EXUSE upgrade | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 EXUSE Expansion | FibreCAT SX80 | FibreCAT SX80 Expansion | FibreCAT SX80 Expansion | FibreCAT SX88 Pool Expander | FibreCAT TX24 S1 | FibreCAT TX24 S1 R2 | FibreCAT TX48 S1 | FibreCAT TX48 S1 R2 | Library Driver CD/DVD 4.6/4.7 | Library Driver CD/DVD 4.8/4.9 | Library Driver CD/DVD 5.0/5.1 | Library Driver USB | MMB COMPACT PCI PSB 2.16 | MMB COMPACT PCI PSB 2.20 | MMB COMPACT PCI PSB 2.30 | MMB COMPACT PCI PSB 2.40 | MMB COMPACT PCI PSB 2.50 | MMB COMPACT PCI PSB 2.60 | MMB COMPACT PCI PSB 2.70 | MMB COMPACT PCI PSB 2.80 | MMB COMPACT PCI PSB 2.90 | MMB COMPACT PCI PSB 2.100 | MMB COMPACT PCI PSB 2.110 | MMB COMPACT PCI PSB 2.120 | MMB COMPACT PCI PSB 2.130 | MMB COMPACT PCI PSB 2.140 | MMB COMPACT PCI PSB 2.150 | MMB COMPACT PCI PSB

| Category | Description | Details | S26361-F3202-L20 | S26361-F3202-L40 | S26361-F3202-L60 | S26361-F3202-L80 | S26361-F3202-L100 | S26361-F3202-L120 | S26361-F3202-L140 | S26361-F3202-L160 | S26361-F3202-L180 | S26361-F3202-L200 | S26361-F3202-L220 | S26361-F3202-L240 | S26361-F3202-L260 | S26361-F3202-L280 | S26361-F3202-L300 | S26361-F3202-L320 | S26361-F3202-L340 | S26361-F3202-L360 | S26361-F3202-L380 | S26361-F3202-L400 | S26361-F3202-L420 | S26361-F3202-L440 | S26361-F3202-L460 | S26361-F3202-L480 | S26361-F3202-L500 | S26361-F3202-L520 | S26361-F3202-L540 | S26361-F3202-L560 | S26361-F3202-L580 | S26361-F3202-L600 | S26361-F3202-L620 | S26361-F3202-L640 | S26361-F3202-L660 | S26361-F3202-L680 | S26361-F3202-L700 | S26361-F3202-L720 | S26361-F3202-L740 | S26361-F3202-L760 | S26361-F3202-L780 | S26361-F3202-L800 | S26361-F3202-L820 | S26361-F3202-L840 | S26361-F3202-L860 | S26361-F3202-L880 | S26361-F3202-L900 | S26361-F3202-L920 | S26361-F3202-L940 | S26361-F3202-L960 | S26361-F3202-L980 | S26361-F3202-L1000 | Fabric Cable | Fabric Cable | Fabric Cable

| Category | Description | Details | ETERNUS DX440 | ETERNUS DX440 S2 | ETERNUS DX440 S3 | ETERNUS DX Disk Expansion | ETERNUS DX Disk Expansion | ETERNUS DX 2.5" Expansion | ETERNUS DX600 S3 Expansion | ETERNUS DX600 S3 2.5" Expansion | ETERNUS DX8 2.5" | ETERNUS DX8 | ETERNUS DX8 S2 | ETERNUS DX8 S3 | ETERNUS DX8 S3 2.5" | FibreCAT CX Expansion | FibreCAT CX Expansion 2.5" | FibreCAT CX Flash | FibreCAT CX 3-BC | FibreCAT CX 4-BC | FibreCAT CX 4-BC | FibreCAT CX 4-BC | FibreCAT CX Expansion | FibreCAT CX Expansion 2.5" | FibreCAT CX 4

| Category | Description | Details | $1 Wide LTO Gen5 | $1 Wide LTO Gen5 SD | $1 Wide LTO Gen6 | $1 Wide LTO Gen6 SD | $1 Wide LTO Gen5 Tape Expander | $1 Wide LTO Gen6 Tape Expander | $1 Wide LTO Gen 3/4 3.5" Kyte | $1 Wide LTO Gen 5/6 3.5" Kyte | $1 Wide LTO Gen5 | $1 Wide LTO Gen5 Expansion | $1 Wide LTO Gen5/6 SB Expansion | $1 Wide LTO Gen5 SB 2.5" 4 Kyte | $1 Wide LTO Gen6 SB 2.5" 4 Kyte | $1 Wide LTO Gen6 2.5" | $1 Wide LTO Gen6 | $1 Wide LTO Gen5 | $1 Wide LTO Gen6 | $1 Wide LTO Gen5 SB | $1 Wide LTO Gen6 SB | NexUS VCS vTLA Expansion5dsF | NexUS VCS vTLA Expansion6dsF | NexUS VCS Expansion5dsF | NexUS VCS Expansion6dsF | NexUS VCS Primo | NexUS VCS SC40 | NexUS VCS SC80 | NexUS VCS SC40 | NexUS VCS SC80 | NexUS VCS Expansion5dsF | NexUS VCS Expansion6dsF | NexUS VCS 4GB | NexUS VCS 8GB | NexUS VCS 4GB SE | NexUS VCS 8GB SE | NexUS VCS 4GB | NexUS VCS 8GB | NexUS VCS 4GB LE | NexUS VCS 8GB LE | NexUS VCS Blue | NexUS VCS Expansion | NexUS VCS 4GB Expansion | NexUS VCS 8GB Expansion | NexUS VCS 4GB SED | NexUS VCS 8GB SED | NexUS VCS 4GB Expansion SED | NexUS VCS 8GB Expansion SED | NexUS VCS 4GB | NexUS VCS 8GB | NexUS VCS 4GB Expansion | NexUS VCS 8GB Expansion | NexUS VTS 4GB | NexUS VTS 8GB | NexUS VTS 4GB Expansion | NexUS VTS 8GB Expansion | NexUS VTS 4GB Flex4Cabar | NexUS VTS2 LTO | NexUS VTS2 LTO SED | NexUS VTS4 LTO | NexUS VTS4 LTO SED | Jerry Scale 2000 & 4000 | Jerry Scale 2000 SED | Jerry Scale 4000 SED | HW VSA Desktop | HW VSA Desktop Upgrade | ETERNUS | ETERNUS CS800 | ETERNUS CS800 Expansion | ETERNUS DX S3 | ETERNUS DX S3 SED | ETERNUS DX S4/S5 | ETERNUS DX S4/S5 SED | Lenovo Bundles | Lenovo P700 | Lenovo P710 Series | Dell Peripherals | FUJITSU PRIMERGY DX S3 Expansion | FUJITSU PRIMERGY DX S4/S5 Expansion | FUJITSU PRIMERGY S3 | FUJITSU PRIMERGY S3 SED | FUJITSU PRIMERGY S4/S5 | FUJITSU PRIMERGY S4/S5 SED | FUJITSU Tape Drive | Product code | | | Unit List Price (RRP) | Comments |
|---|---|---

| Category | Description | Details | Scalar i6000 Gen2 | Scalar i6000 Gen2 G2 | Scalar i6000 Gen2 | Scalar i6000 Gen2 Expansion | Scalar i6000 Gen2 Base Frame | Scalar i6000 Gen2 Base 2.5" Kit | Scalar i6000 Gen2 Base 3.5" Kit | Scalar i6000 Gen2 Base 2.5" Kit | Scalar i6000 Gen2 Expansion 2.5" | Scalar i6000 Gen2 Expansion 3.5" Kit | Scalar i6000 Gen2 Base 3.5" Kit | Scalar i6000 Gen2 Base 2.5" Kit | Scalar i6000 Gen2 Expansion 3.5" | Scalar i6000 Gen2 Expansion 2.5" | Scalar i6000 Gen2 Expansion 3.5" | Scalar i6000 Gen2 Expansion 2.5" | Scalar i6000 Gen2 Base Frame | Scalar i6000 Gen2 Base | Scalar i6000 Gen2 Base | Scalar i6000 Gen2 Base | Scalar i6000 Gen2 Expansion | Scalar i6000 Gen2 Expansion | Scalar i6000 Gen2 Expansion | Scalar i6000 Gen2 Base | Scalar i6000 Gen2 Base | Scalar i6000 Gen2 Base

| Category | Description | Details | $1 WW-LTO-5-HH-SAS-2nd | $1 WW-LTO-5-HH-SAS-2nd-SE | $1 WW-LTO-5-HH-SAS-SE | $1 WW-LTO-5-HH-SAS-SE-Expansion | $1 WW-LTO-5-Kits 3.5" to 5.25" Kit | $1 WW-LTO-5-Kits 5.25" to 3.5" Kit | $1 WW-LTO-5-SAS-SE-Expansion | $1 WW-LTO-5-SAS-SE-Expansion-2nd | $1 WW-LTO-5-SAS-SE-Kits 3.5" to 5.25" Kit | $1 WW-LTO-5-SAS-SE-Kits 5.25" to 3.5" Kits

| Category | Description | Details | FUJITSU ETERNUS DX410 | FUJITSU ETERNUS DX440 | FUJITSU ETERNUS DX440 S2 | FUJITSU ETERNUS DX440 S2 Expansion | FUJITSU ETERNUS DX60 S2 8 Gbit FC 4 Ports | FUJITSU ETERNUS DX60 S2 8 Gbit FC 8 Ports | FUJITSU ETERNUS DX60 S2 8 Gbit FC 16 Ports | FUJITSU ETERNUS DX60 S2 8 Gbit FC 32 Ports | FUJITSU ETERNUS DX60 S2 8 Gbit FC 64 Ports | FUJITSU ETERNUS DX60 S2 8 Gbit FC 128 Ports | FUJITSU ETERNUS DX60 S2 8 Gbit FC 256 Ports | FUJITSU ETERNUS DX60 S2 8 Gbit FC 512 Ports | FUJITSU ETERNUS DX60 S2 8 Gbit FC 1024 Ports | FUJITSU ETERNUS DX60 S2 8 Gbit FC 2048 Ports | FUJITSU ETERNUS DX60 S2 8 Gbit FC 4096 Ports | FUJITSU ETERNUS DX60 S2 8 Gbit FC 8192 Ports | FUJITSU ETERNUS DX60 S2 Expansion Shelf | FUJITSU ETERNUS DX60 S2 Expansion Shelf 2 | FUJITSU ETERNUS DX60 S2 Controller | FUJITSU ETERNUS DX60 S2 Expansion Shelf | FUJITSU ETERNUS DX60 S2 Expansion Shelf | FUJITSU ETERNUS DX60 S2 Expansion Shelf

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	Product Code			End User Price (RRP)	Comments
Accessories & services matrix									
Software Services									
	SP 3y ET SF DX4xx/DX8xxx,5x9	SP 3 years ETERNUS SF DX4xx/DX8xxx, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP3ET00PRE01			192	
	SP 3y ET SF DX4xx/DX8xxx,7x24	SP 3 years ETERNUS SF DX4xx/DX8xxx, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP3ET03PRE01			231	
	SP 4y ET SF DX4xx/DX8xxx,5x9	SP 4 years ETERNUS SF DX4xx/DX8xxx, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP4ET00PRE01			245	
	SP 4y ET SF DX4xx/DX8xxx,7x24	SP 4 years ETERNUS SF DX4xx/DX8xxx, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP4ET03PRE01			295	
	SP 5y ET SF DX4xx/DX8xxx,5x9	SP 5 years ETERNUS SF DX4xx/DX8xxx, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP5ET00PRE01			294	
	SP 5y ET SF DX4xx/DX8xxx,7x24	SP 5 years ETERNUS SF DX4xx/DX8xxx, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP5ET03PRE01			353	
	SP Xtend of 12m ET SF DX4xx/DX8xxx,5x9	SP Prolongation of 12 months ETERNUS SF DX4xx/DX8xxx, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SPTET00PRE01			67	
	SP Xtend of 12m ET SF DX4xx/DX8xxx,7x24	SP Prolongation of 12 months ETERNUS SF DX4xx/DX8xxx, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SPTET03PRE01			81	

Positioning Storage Tape Systems

LTO Desktop

Available with one LTO-1 or LTO-2 drive for rapid data transfer. Because time is of the essence.

SL500

The rack-mounted library scales from 30 to 575 LTO cartridge slots and accommodates up to 18 tape drives.

SCALAR i500

Midrange Tape Library with modular design provides industry-leading scalability, performance, and reliability.

ETERNUS LT20

The ETERNUS LT20 is an ultra compact tape library with up to 8 media slots and one half geight LTO drives on one height unit for small and midsized companies

ETERNUS LT40

The ETERNUS LT40 is a compact and extremely reliable tape automation system for small and medium-sized enterprises.

ETERNUS LT60

The ETERNUS LT60 is a compact and extremely reliable tape automation system for small and medium-sized enterprises.

FibreCAT TXF

The innovative FibreCAT/ETERNUS storage subsystems from Fujitsu offer high quality, availability and are user-friendly. ETERNUS backup systems make data backup easy, reliable and low-priced. A large range of supported backup devices with SCSI, SAS or USB interfaces make this storage subsystem an individual, flexible solution for use in rack systems and high-availability environments. The ETERNUS backup systems meet the increased storage capacity requirements regarding archiving and data backup in data centers and can be used wherever medium to large data quantities have to be saved. FibreCAT storage subsystems from Fujitsu ensure that the basis of your company is retained.

ETERNUS CS Virtual Tape Appliance — Data Sheets: http://ts.fujitsu.com/ETERNUS_CS

ETERNUS CS is a powerful virtual tape solution that provides fully integrated Disk to Disk to Tape (D2D2T) backup. It offers data protection for all types of enterprise data. ETERNUS CS enables customers to consolidate their tape infrastructures, exploiting the best of both disk and tape.

ETERNUS CS uses a powerful Grid Architecture (CGA) to provide unmatched scalability and unmatched disaster tolerance. Unlike Virtual Tape Libraries (VTL) that just emulates tape, ETERNUS CS offers True Tape Virtualization (TTV). This provides unmatched connectivity and unmatched TCO (Total Cost of Ownership) reduction. This is the reason why CentricStor is the only virtual tape solution that makes tape fit for ILM (Information Lifecycle Management).

For pricing and configuration information please contact your Fujitsu Technology Solutions sales contact.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ET CS HE S10							
	ETERNUS CS50	Single processor system prepared for rack-mount., The processor includes the functions of ICP, VLP, IDP amd 2.4 TB TVC in one unit., It can be bundled with MBK devices for full solutions.	CS-50-S10			27391	
	ETERNUS CS500	ETERNUS CS500 ETERNUS CS High End Model CS500 , ETERNUS CS500, Entry VTL System	CS-500-P10			98261	
	ETERNUS CS500 DL	ETERNUS CS500 DL ETERNUS CS High End Model CS500 Disk Library Edition , ETERNUS CS500 DL, Entry Disk Library System	CS-500DL-P10			66957	
	ETERNUS CS1000	ETERNUS CS1000 ETERNUS CS High End Model CS1000 , ETERNUS CV1000, VTL System	CS-1000-P10			133043	
	ETERNUS CS1500	ETERNUS CS1500 ETERNUS CS High End Model CS1500 , ETERNUS CS1500, Entry VTL/NAS System	CS-1500-P10			244348	
	ETERNUS CS1500 DL	ETERNUS CS1500 DL ETERNUS CS High End Model CS1500 Disk Library Edition , ETERNUS CS1500 DL, Disk Library system	CS-1500DL-P10			98261	
	ETERNUS CS2000	ETERNUS CS2000 ETERNUS CS High End Model CS2000 , ETERNUS CS2000, Scalable VTL/NAS systems	CS-2000-P10			343478	
	ETERNUS CS3000	ETERNUS CS3000 ETERNUS CS High End Model CS3000 , ETERNUS CS3000, Scalable VTL/NAS systems	CS-3000-P10			454783	
	ETERNUS CS4000	ETERNUS CS4000 ETERNUS CS High End Model CS4000 , ETERNUS CS4000,Scalable VTL/NAS systems	CS-4000-P10			539130	
	ETERNUS CS5000	ETERNUS CS5000 ETERNUS CS High End Model CS5000 , ETERNUS CS5000,Scalable VTL/NAS systems	CS-5000-P10			751304	
ET CS HE S10 (Japan only)							
	ETERNUS CS500J	ETERNUS CS500J ETERNUS CS High End Model CS500J , ETERNUS CS500, Entry VTL System	FJCS-500-P10			108696	
	ETERNUS CS500J DL	ETERNUS CS500J DL ETERNUS CS High End Model CS500J Disk Library Edition , ETERNUS CS500 DL, Entry Disk Library System	FJCS-500DL-P10			78261	
	ETERNUS CS1000J	ETERNUS CS1000J ETERNUS CS High End Model CS1000J , ETERNUS CV1000, VTL System	FJCS-1000-P10			152174	
	ETERNUS CS1500J	ETERNUS CS1500J ETERNUS CS High End Model CS1500J , ETERNUS CS1500, Entry VTL/NAS System	FJCS-1500-P10			260870	

ETERNUS CS Virtual Tape Appliance — Data Sheets: http://ts.fujitsu.com/ETERNUS_CS

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ET CS HE S10 (Japan only) (Continued)							
	ETERNUS CS1500J DL	ETERNUS CS1500J DL ETERNUS CS High End Model CS1500J Disk Library Edition , ETERNUS CS1500 DL, Disk Library system	FJCS-1500DL-P10			104348	
	ETERNUS CS2000J	ETERNUS CS2000J ETERNUS CS High End Model CS2000J , ETERNUS CS2000, Scalable VTL/NAS systems	FJCS-2000-P10			382609	
	ETERNUS CS3000J	ETERNUS CS3000J ETERNUS CS High End Model CS3000J , ETERNUS CS3000, Scalable VTL/NAS systems	FJCS-3000-P10			504348	
	ETERNUS CS4000J	ETERNUS CS4000J ETERNUS CS High End Model CS4000J , ETERNUS CS4000,Scalable VTL/NAS systems	FJCS-4000-P10			600000	
	ETERNUS CS5000J	ETERNUS CS5000J ETERNUS CS High End Model CS5000J , ETERNUS CS5000,Scalable VTL/NAS systems	FJCS-5000-P10			834783	
ET CS800 S1							
	CS-800 DX80 Extension	CS800 DX80 Extension, Additional 8 TB of RAID6 protected disk storage, Maximum 9 extensions supported, see CfgHints	CS-DDA-DX80E			17609	
ET CS800 S2							
	ETERNUS CS800 S2 NAS Entry	ETERNUS CS800 S2 Entry System (bundle), Packaged dedupe appliance in a box, 5 x 1 GB Ethernet, 4 TB usable capacity (internal RAID system)	ETCS-DDAE-P20			9043	
	ETERNUS CS800 S2 NAS Basic	ETERNUS CS800 S2 Basic System (bundle), Packaged dedupe appliance including RAID system, 7 x 1 GB Ethernet, 16 TB usable capacity (one RAID system)	ETCS-DDAB-P21			58261	
	ETERNUS CS800 S2 NAS Performance	ETERNUS CS800 S2Performance System (bundle), Packaged dedupe appliance including 2 RAID systems, 2 x 10 GB Ethernet, 5 x 1 GB Ethernet, 2 x 8 GB FC (PTT), 32 TB usable capacity (two RAID systems),	ETCS-DDAP-P22			93913	
	ETERNUS CS800 S2 VTL 16TB	ETERNUS CS800 S2 VTL Entry System (bundle), Packaged dedupe appliance including 2 RAID systems, 4 x 8 GB FC (VTL / PTT), 5 x 1 GB Ethernet (no NAS), 16 TB usable capacity (two RAID systems), ,	ETCS-DDAD-P22			93913	
	ETERNUS CS800 S2 VTL	ETERNUS CS800 S2 VTL System (bundle), Packaged dedupe appliance including 2 RAID systems, 4 x 8 GB FC (VTL / PTT), 5 x 1 GB Ethernet (no NAS), 32 TB usable capacity (two RAID systems),	ETCS-DDAC-P22			93913	
	CS800 S2 DX80 Expansion Unit (16 TB)	ETERNUS CS800 S2 DX80 Expansion Unit, Additional 16 TB of RAID6 protected disk, storage	ETCS-DDA-DX80E2			19130	
ET CS800 S2 (Japan only)							
	ETERNUS CS800 S2 NAS Basic	FJ Japan System without RAID Device, Sytem will be manufactured in Augsburg including all cable infrastucture and shipped to FJ Japan for finishing with RAID Device. The System Architec handles RAID Systm like real Hardware.	FJCS-DDAB-P21			58261	

ETERNUS CS Virtual Tape Appliance — Data Sheets: http://ts.fujitsu.com/ETERNUS_CS

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ET CS800 S2 (Japan only) (Continued)							
	ETERNUS CS800 S2 NAS Performance	FJ Japan System without RAID Device, Sytem will be manufactured in Augsburg including all cable infrastucture and shipped to FJ Japan for finishing with RAID Device. The System Architec handles RAID Systm like real Hardware.	FJCS-DDAP-P22			93913	
	ETERNUS CS800 S2 VTL	FJ Japan System without RAID Device, Sytem will be manufactured in Augsburg including all cable infrastucture and shipped to FJ Japan for finishing with RAID Device. The System Architec handles RAID Systm like real Hardware.	FJCS-DDAC-P22			93913	
ETCS-Racks							
	ETERNUS CS HE Rack, E-Type	VTA Fill Rack: This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. Frontdoor in ETERNUS CS design. The max. allowable weight is 1000 kg.The interior is divided into two areas. This allows the installation of 38U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.	CS-R10-ER			4348	
	ETERNUS CS HE Rack, I-Type	VTA Infrastructurerack: This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. Frontdoor in ETERNUS CS design. The max. allowable weight is 1000 kg. The interior is divided into two areas. This allows the installation of 38U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device is included in the package and must be fitted before initial operation.	CS-R10-IR			6522	
	ETERNUS CS800 Rack	CS800 Rack: This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. Front desing in CS800 Logo. The max. allowable weight is 1000 kg.The interior is divided into two areas. This allows the installation of 38U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation. ETERNUS CS800 Rack (38HU), Normally all configuration options or system, packages come without a rack	CS-800-BR5			4348	

ETERNUS CS Virtual Tape Appliance — Data Sheets: http://ts.fujitsu.com/ETERNUS_CS

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETCS-Racks (Continued)							
	I-Rack CS HE	VTA Infrastructurerack: This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. Frontdoor in ETERNUS CS design. The max. allowable weight is 1000 kg. The interior is divided into two areas. This allows the installation of 38U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device is included in the package and must be fitted before initial operation.	CS-BR5-IR8			6522	
	E-Rack CS HE	VTA Fill Rack: This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. Frontdoor in ETERNUS CS design. The max. allowable weight is 1000 kg.The interior is divided into two areas. This allows the installation of 38U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.	CS-BR5-ER8			4348	
TVCs FirbreCAT							
	CS TVC 3.6 TB BASIS CX3-20 4GB	CS TVC 3.6 TB BASIS CX3-20 4GB Tape Volume Cache basic configuration based on CX3-20 3.6 TB, 4 GBit,	CS-TVC-CX3FE			53913	Phased out
	CS TVC 3.6 TB extension CX3-20 4GB	TVC Extention for CX3-20F	CS-TVCE-CX3E			32174	Phased out

LTO-4SAS Desktop

Data Sheets: http://ts.fujitsu.com/storage

The performance and reliability of the LTO tape drive meet current and future requirements for a state-of-the-art backup drive. The successful path taken in the tape storage sector is continued with the fourth generation of the Linear Tape Open (LTO) standardized drive technology.
The drive operates at a speed of 80 Mbyte/s and processes ½-inch cartridges with a storage capacity of 800 GB (native capacity). A high level of data integrity is guaranteed thanks to magneto-resistive (MR) heads, optimal tape guidance, and a redundantly configured servo system. Specially developed control elements and an easy-to-use menu system guarantee problem-free operation of the MTC drive. An easy-to-read LCD display continuously shows the status of the drive and media during operation
The desktop tape drive is therefore an entry-level component into the LTO-4 technology and is particularly suitable for backup and time-critical applications that require rapid data transfer. The tape drive can be attached to various open system servers via the SAS interface.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
SAS LTO Desktop Drive							
	Desktop LTO-4 SAS HH 800 GB	Fujitsu LTO-4 Desk Top Model, Interface SAS, Capacity 800/1600GB	D:LTO-DT-U4S			1037	
	Desktop LTO-5 SAS HH 1500 GB LVD	Fujitsu LTO-5 Desk Top Model, Interface SAS, Capacity 1500GB native	D:LTO-DT-U5S			1766	

ETERNUS LT20 — Data Sheets: http://ts.fujitsu.com/storage

ETERNUS LT20 – Green Efficiency

The ETERNUS LT20 from Fujitsu is optimized for low power consumption in operation and enables the cost-effective entry into the ETERNUS series for small and midsized companies.

It is based on proven LTO technology, which provides large capacity, high speed and very small media costs. The ETERNUS LT20 is the world's first library with LTO-4 Fibre Channel half height drives. Depending on your individual requirements you can either order it with an LTO-3 or LTO-4 half height drive which can be can be connected via SAS (Serial Attached SCSI) or Fibre Channel interface to the server. By means they use the most current, future-proof standard for high data transfer rates and trouble-free transmission.

It is only one Rack Unit high whereas it offers up to 12.8 TB compressed storage capacity when equipping it with eight LTO-4 cartridges.

The ETERNUS LT20 is very reliable, easy to use and very affordable. Moreover one year onsite service is included.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
ETERNUS LT20							
	VFY ETERNUS LT20,1xLTO-3HH SAS, 8Slot		VFY:LT200XF010IN			2957	
			VFY:LT200XF020IN			3496	
			VFY:LT200XF030IN			3712	
			VFY:LT200XF040IN			4287	
			VFY:LT200XF050IN			4401	
			VFY:LT202XF010IN			2932	Orderable from: 01/07/2011
			VFY:LT202XF020IN			3444	Orderable from: 01/07/2011
			VFY:LT202XF030IN			3703	Orderable from: 01/07/2011
			VFY:LT202XF050IN			4014	Orderable from: 01/07/2011

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT20							
	ETERNUS LT20,1xLTO-3HH SAS, 8Slot	Tape Library ETERNUS LT20 with 8 cartridge slots, integrated Barcode Reader and one LTO-3 SAS Half Height drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 3,2/ 6,4 Tbyte (uncompr./compr.)., - Interface SAS SFF 8088, - LTO4 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and 1x Ethernet Cable (1,5m)	FTS:LT20JSD1U			3022	

ETERNUS LT20 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT20 (Continued)							
	ETERNUS LT20,1xLTO-4HH SAS, 8Slot	Tape Library ETERNUS LT20 with 8 cartridge slots, integrated Barcode Reader and one LTO-4 SAS Half Height drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 6,4/ 12,8 Tbyte (uncompr./compr.)., - Interface SAS SFF8088, - LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and 1x Ethernet Cable (1,5m)	FTS:LT20JSF1U			3582	
	ETERNUS LT20,1xLTO-4HH FC, 8Slot	Tape Library ETERNUS LT20 with 8 cartridge slots, integrated Barcode Reader and one LTO-4 FC Half Height drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 6,4/ 12,8 Tbyte (uncompr./compr.)., - Interface FC 4GB, - LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and 1x Ethernet Cable (1,5m)	FTS:LT20JFF1U			3803	
	ETERNUS LT20,1xLTO-5HH SAS, 8Slot	Tape Library ETERNUS LT20 with 8 cartridge slots, integrated Barcode Reader and one LTO-5 SAS Half Height drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 12 / 24 Tbyte (uncompr./compr.)., - Interface SAS 2.0 (SFF8088), - LTO4 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and 1x Ethernet Cable (1,5m)	FTS:LT20JSH1U			4355	

ETERNUS LT20 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT20 (Continued)							
	ETERNUS LT20,1xLTO-5HH FC, 8Slot	Tape Library ETERNUS LT20 with 8 cartridge slots, integrated Barcode Reader and one LTO-5 FC Half Height drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 12 / 24 Tbyte (uncompr./compr.)., - Interface FC 8GB, - LTO4 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and 1x Ethernet Cable (1,5m)	FTS:LT20JFH1U			4470	
	ET LT20 1xLTO-4HH FC,8Slot+BackupExec	Tape Library ETERNUS LT20 with 8 cartridge slots, integrated Barcode Reader, one LTO-4 FC Half Height drive and BackupExec (BE) 2010 OEM QuickStart. , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 6,4/ 12,8 Tbyte (uncompr./compr.)., - Interface FC 4GB, - LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and 1x Ethernet Cable (1,5m)	FTS:LT20JFF1U-BE			3783	
	ET LT20 1xLTO-4HH SAS,8Slot+BackupExec	Tape Library ETERNUS LT20 with 8 cartridge slots, integrated Barcode Reader one LTO-4 SAS Half Height drive and BackupExec (BE) 2010 OEM QuickStart. , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 6,4/ 12,8 Tbyte (uncompr./compr.)., - Interface SAS SFF8088, - LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and 1x Ethernet Cable (1,5m)	FTS:LT20JSF1U-BE			3563	
ETERNUS LT20 S2							

ETERNUS LT20 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT20 S2 (Continued)							
	ET LT20 S2 Library, 8Slot, no drive	Tape Library ETERNUS LT20 S2 with 8 cartridge slots, integrated Barcode Reader and one half height tape drive slot, - 1 Tape Drive slot for the equipment of the library can be between a LTO-3, LTO-4 or LTO 5 half height tape drive with SAS or FC interface be selected. There must be order extra a tape drive with the library as a embedded-component. Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 4 cartridge already installed, - Memory capacity until from 3,2 up to 24 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS(SFF8088) or FC 8GB/s , Processing LTO2, LTO 3, LTO 4 and LTO 5 cartridges possible (depending on the tape trive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges)., -Can be installed into a one height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord (Schuko plug) , -1x Power Cord (Rack connecting), -1x Ethernet Cable (1,5m)	FTS:LT20S2JNXU			1445	Orderable from: 01/07/2011
	ET LT20S2 1xLTO-4HH FC,8Slot+BackupExec	Tape Library ETERNUS LT20 S2 with 8 cartridge slots, integrated Barcode Reader, one LTO-4 FC Half Height drive and BackupExec (BE) 2010 OEM QuickStart. , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 6,4/ 12,8 Tbyte (uncompr./compr.)., - Interface FC 4GB, - LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and 1x Ethernet Cable (1,5m)	FTS:LT20S2JFF1U-BE			3774	Orderable from: 01/07/2011
	ET LT20S2 1xLTO-4HH SAS,8Slot+BackupExec	Tape Library ETERNUS LT20 S2 with 8 cartridge slots, integrated Barcode Reader one LTO-4 SAS Half Height drive and BackupExec (BE) 2010 OEM QuickStart. , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 6,4/ 12,8 Tbyte (uncompr./compr.)., - Interface SAS SFF8088, - LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and 1x Ethernet Cable (1,5m)	FTS:LT20S2JSF1U-BE			3479	Orderable from: 01/07/2011

ETERNUS LT40

Data Sheets: http://ts.fujitsu.com/storage

ETERNUS LT40 – Green Efficiency

The ETERNUS LT40 from Fujitsu is optimized for low power consumption in operation, the use of environmentally friendly materials, as well as high and easy scalability which results in a longer service life for the devices.
It is an ultra compact tape library with up to 24 media slots and up to two drives on two height units. The ETERNUS LT40 is the world's first library with LTO-4 Fibre Channel half height drives. Depending on the model the library can be connected via SAS or Fibre Channel to the server.
The system is equipped with LTO technology, which is synonymous with high capacity, high speed and very low media costs. The tape library offers a maximum compressed storage capacity of 38.4 TB in just two height units.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
ETERNUS LT40							
	ETERNUS LT40,1xLTO-3HH SAS, 12v24 Slot		VFY:LT400XF010IN			4237	
			VFY:LT400XF020IN			4016	
			VFY:LT400XF030IN			4831	
			VFY:LT400XF040IN			4716	
			VFY:LT400XF050IN			4982	
			VFY:LT402XF020IN			4802	Orderable from: 01/07/2011
			VFY:LT402XF030IN			5023	Orderable from: 01/07/2011
			VFY:LT402XF040IN			4954	Orderable from: 01/07/2011
			VFY:LT402XF050IN			5649	Orderable from: 01/07/2011

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS JX40							
	ETERNUS JX40	ETERNUS JX40 1 SAS Channel JBOD System	FTS:ETJXS11BG			2391	
ETERNUS DX440							
	ETERNUS DX440 Base Unit (Floor Stand)	FloorStand DX440 Basis Module with ETERNUS Rack., ETERNUS Rack with NEMA Power connectors.	FTS:ET44S20AU			28174	
	ETERNUS Expansion rack for DX440	ETERNUS Expansion Rack, Dimensions = 590× 990 × 1,800 mm, Including Mounting material, 3x PDU (Power Distribution Unit) are content in the Rack., Power cord: 6x AC 200-240V (NEMA:L6-30P 4m)	FTS:ETMER4U			3435	
	ETERNUS DX440 Base Unit (FTS rack mount)	Rack Version DX440 Basis Module. This Module is to use at PRIMECENTER Racks.	FTS:ET44R2GAU			26304	
	Addit. drive enclos. set (2xDE) DX440	Additional Drive Enclosure pair (2xDE) DX440	FTS:ETMDE2BU			6174	
	Addit. drive enclos. set (2xDE) FC DX440	Additional Drive Enclosure set (2xDE) with long optical FC connecting cables (SFPs included) to connect these DE modules with DE modules which are not physically adjacent to each other (i.e. in an other rack)., Installation of up to 30 drives possible.	FTS:ETMDE3BU			6174	
ETERNUS DX440 S2							

ETERNUS LT40

Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX440 S2 (Continued)							
	ET DX440 S2 Base RM Contr. x2	ETERNUS DX440 S2 CE, - Controller Enclosure x 1, - Controller Model (Type2) x 2, - Power Supply Unit x 2, - Battery Charge Unit x 3, - AC cable (2.5m) x 2, - Rackmount Kit x 1, - CD Manuale , - DVD (SF15 Software), Note: 240 Volt Version!	FTS:ET442SAU			44512	Orderable from: 01/07/2011
ETERNUS DX8400							
	ETERNUS DX8400 floor stand model	FloorStand DX8400 Basis Module with ETERNUS Rack., ETERNUS Rack with NEMA Power connectors.	FTS:ET84S20AU			111809	
	Add drive encl. set 4xDE DX8400 BaseRack	Additional Drive Enclosure pair (4xDE) DX8400 only for the BaseRack to configure.	FTS:ETHDE1AU			24478	
	Add drive encl. set 4xDE DX8xxx Exp.Rack	Additional Drive Enclosure pair (4xDE) DX8xxx to configure to an Expansion Rack.	FTS:ETHDE2AU			19261	
	Expansion Rack for DX8400/DX8700	ETERNUS Expansion Rack , Dimensions = 620× 990 × 1,800 mm, Including Mounting material, 2x PDU (Power Distribution Unit) are content in the Rack., Power cord: 3x AC 200-240V (NEMA:L6-30P 4m)	FTS:ETHERAU			7461	
ETERNUS LT40							
	ETERNUS LT40,1xLTO-3HH SAS, 12f24 Slot	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) SAS-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x HH LTO-3 SAS-drive (2drives maximum), - Memory capacity until to 9,6/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO4 SAS-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT40JSD1U			4030	

ETERNUS LT40

Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT40 (Continued)							
	ETERNUS LT40,1xLTO-4HH SAS, 12f24 Slot	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) SAS-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x HH LTO-4 SAS-drive (2drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO4 SAS-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT40JSF1U			4475	
	ETERNUS LT40,1xLTO-4HH FC, 12f24 Slot	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) FC-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x HH LTO-4 FC-drive (2drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT40JFF1U			4917	
	ETERNUS LT40,1xLTO-4FH SAS, 12f24 Slot	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-4 Full Height (FH) SAS-drive (with Full Height only max. one Drive insertable)., License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO4 SAS-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT40JSE1U			5457	

ETERNUS LT40

Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT40 (Continued)							
	ETERNUS LT40,1xLTO-4FH FC, 12f24 Slot	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-4 Full Height (FH) FC-drive (with Full Height only max. one Drive insertable). , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT40JFE1U			5703	
	ETERNUS LT40,1xLTO-5HH SAS, 12v24 Slot	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-5 Half Height (HH) SAS-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x HH LTO-5 SAS-drive (2drives maximum), - Memory capacity until to 36 / 72 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO5 SAS-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT40JSH1U			5373	
	ETERNUS LT40,1xLTO-5HH FC, 12v24 Slot	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-5 Half Height (HH) FC-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x HH LTO-5 FC-drive (2drives maximum), - Memory capacity until to 36 / 72 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO5 FC-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT40JFH1U			5697	

ETERNUS LT40

Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT40 (Continued)							
	ETERNUS LT40,1xLTO-5FH SAS, 12v24 Slot	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-5 Full Height (FH) SAS-drive (with Full Height only max. one Drive insertable)., License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 36 / 72 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO5 SAS-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT40JSG1U			5989	
	ETERNUS LT40,1xLTO-5FH FC, 12v24 Slot	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-5 Full Height (FH) FC-drive (with Full Height only max. one Drive insertable). , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 36 / 72 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO5 FC-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT40JFG1U			6596	
	ET LT40 1xLTO-4HH FC,24Slot+BackupExec	Tape Library ETERNUS LT40 with 24 cartridge slots, integrated Barcode Reader one LTO-4 Half Height (HH) FC-drive and BackupExec (BE) 2010 OEM QuickStart , 2 cartridge magazine per 12 cartridge , Upgradeable with 1 x HH LTO-4 FC-drive (2drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT40JFF1U-BE			5764	

ETERNUS LT40

Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT40 (Continued)							
	ET LT40 Drive UPG LTO-4HH FC+BackupExec	Tape Librarytape drive upgrade for ETERNUS LT40, one LTO-4 Half Height (HH) FC tape drive and BE 2010 OEM Option Library Exp. + Basis	FTS:LT40JZ224L-BE			3262	
	ET LT40 1xLTO-4HH SAS,24Slot+BackupExec	Tape Library ETERNUS LT40 with 24 cartridge slots, integrated Barcode Reader, one LTO-4 Half Height (HH) SAS-drive and BackupExec (BE) 2010 OEM QuickStart , 2 cartridge magazine per 12 cartridge, Upgradeable with 1 x HH LTO-4 SAS-drive (2drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO4 SAS-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT40JSF1U-BE			5321	
	ET LT40 Drive UPG LTO-4HH SAS+BackupExec	Tape Librarytape drive upgrade for ETERNUS LT40, one LTO-4 Half Height (HH)SAS tape drive and BE 2010 OEM Option Library Exp. + Basis	FTS:LT40JZ234L-BE			3113	
ETERNUS LT40 S2							
	ET LT40 S2 Library 12 to 24Slot,no drive	Tape Library ETERNUS LT40 with 12 up to 24 cartridge slots, integrated Barcode Reader and two half height or one full hight tape drive slot, - two Half Height or one Full HightTape Drive slot for the equipment of the library can be between a LTO-3 (Half Height only), LTO-4 or LTO 5 tape drive with SAS or FC interface be selected. There must be order extra a tape drive with the library as a embedded- component. Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 12 cartridge already installed, left magazine active, right magazine can be activatet over a separate license., - Memory capacity until from 9,6 up to 72 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6GB/s (SFF8088) or FC 8GB/s, Processing LTO2, LTO 3, LTO 4 and LTO 5 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Can be installed into a two height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord (Schuko plug) , -1x Power Cord (Rack connecting), -1x Ethernet Cable (1,5m)	FTS:LT40S2JNXU			2474	Orderable from: 01/07/2011

ETERNUS LT40

Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT40 S2 (Continued)							
	ET LT40S2 1xLTO-4HH FC,24Slot+BackupExec	Tape Library ETERNUS LT40 S2 with 24 cartridge slots, integrated Barcode Reader one LTO-4 Half Height (HH) FC-drive and BackupExec (BE) 2010 OEM QuickStart , 2 cartridge magazine per 12 cartridge , Upgradeable with 1 x HH LTO-4 FC-drive (2drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT40S2JFF1U-BE			5392	Orderable from: 01/07/2011
	ET LT S2 drive FC LTO-4 HH+BackupExec	Tape Librarytape drive upgrade for , ETERNUS LT40 S2, one LTO-4 Half Height (HH) FC tape drive and BE 2010 OEM Option Library Exp. + Basis	FTS:LTS2Z224L-BE			3250	Orderable from: 01/07/2011
	ET LT40S2 1xLTO-4HHSAS,24Slot+BackupExec	Tape Library ETERNUS LT40 S2 with 24 cartridge slots, integrated Barcode Reader, one LTO-4 Half Height (HH) SAS-drive and BackupExec (BE) 2010 OEM QuickStart , 2 cartridge magazine per 12 cartridge, Upgradeable with 1 x HH LTO-4 SAS-drive (2drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO4 SAS-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT40S2JSF1U-BE			5097	Orderable from: 01/07/2011
	ET LT S2 drive SAS LTO-4 HH+BackupExec	Tape Librarytape drive upgrade for , ETERNUS LT40 S2, one LTO-4 Half Height (HH)SAS tape drive and BE 2010 OEM Option Library Exp. + Basis	FTS:LTS2Z234L-BE			2939	Orderable from: 01/07/2011

ETERNUS LT60 — Data Sheets: http://ts.fujitsu.com/storage

ETERNUS LT60 – Green Efficiency

The ETERNUS LT60 from Fujitsu is optimized for low power consumption in operation, the use of environmentally friendly materi als, as well as high and easy scalability, which results in a longer service life for the devices.
It is an ultra compact tape library with up to 48 media slots and up to four drives on four height units. The ETERNUS LT60 is the world's first library with LTO-4 Fibre Channel half height drives. Depending on the model the library can be connected via SAS or Fibre Channe l to the server. The system is equipped with LTO technology, which is synonymous with high capacity, high speed and very low media costs. The tape library offers a maximum compressed storage capacity of 76.8 TB in just four height units.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
ETERNUS DX60							
	V4Y ET DX60 1x FC 4G2P 2x1.0TB		VFY:DX600XF030IN			2998	
			VFY:DX600XF040IN			4856	
			VFY:DX600XF020IN			3057	
			VFY:DX600XF080IN			3057	
			VFY:DX600XF070IN			2970	
			VFY:DX600XF060IN			2833	
			VFY:DX600XF090IN			4357	
			VFY:DX600XF120IN			4183	
			VFY:DX600XF130IN			3899	
			VFY:DX600XF050IN			2718	
			VFY:DX600XF110IN			2744	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX60							
	ETERNUS DX60 BASE 1x FC Controller 4G2P	ETERNUS DX60 Base-System with one FC Controller, • Controller Enclosure (CE 3.5") x 1, - Controller Module (4GBit/s FC 2-port) x 1, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06F12AG			2631	
	ETERNUS DX60 BASE 2x FC Controller 4G2P	ETERNUS DX60 Base-System with two FC Controller, • Controller Enclosure (CE 3.5") x 1, - Controller Module (4GBit/s FC 2-port) x 2, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06F22AG			4127	

ETERNUS LT60 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX60 (Continued)							
	ETERNUS DX60 BASE 1x iSCSI Controller	ETERNUS DX60 Base-System with one iSCSI Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (iSCSI 1GB) x 1, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06L12AG			2396	
	ETERNUS DX60 BASE 2x iSCSI Controller	ETERNUS DX60 Base-System with two iSCSI Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (iSCSI 1GB) x 2, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06L22AG			3522	
	ETERNUS DX60 BASE 1x SAS Controller	ETERNUS DX60 Base-System with one SAS Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (SAS 3GB) x 1, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06S12AG			2396	
	ETERNUS DX60 BASE 2x SAS Controller	ETERNUS DX60 Base-System with two SAS Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (SAS 3GB) x 2, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06S22AG			3522	
ETERNUS DX60 2.5"							
	ETERNUS DX60 BASE 2,5" 1x FC CTR 4G2P	ETERNUS DX60 Base-System for 2.5" Disks wit one FC Controller, • Controller Enclosure (CE 2.5“) x 1, - Controller Module (4GBit/s FC 2-port) x 1, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)r	FTS:ET06F12BG			3122	
	ETERNUS DX60 BASE 2,5" 2x FC CTR 4G2P	ETERNUS DX60 Base-System for 2.5" Disks with two FC Controller, • Controller Enclosure (CE 2.5“) x 1, - Controller Module (4GBit/s FC 2-port) x 2, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06F22BG			4574	
ETERNUS DX60/DX80 Expansion							
	Eternus DX Expansion 1x I/O	ETERNUS DX80 Expansion Shelf with one I/O Module	FTS:ETLDE1AG			1991	

ETERNUS LT60 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX60/DX80 Expansion (Continued)							
	Eternus DX Expansion 2x I/O	ETERNUS DX80 Expansion Shelf with two I/O Modules	FTS:ETLDE2AG			2185	
	ETERNUS DX Expansion 2,5" 1x I/O	ETERNUS DX80 2.5" Expansion Shelf with one I/O Module	FTS:ETLDE1BG			2501	
	ETERNUS DX Expansion 2,5" 2x I/O	ETERNUS DX80 2.5" Expansion Shelf with two I/O Module	FTS:ETLDE2BG			2462	
ETERNUS LT60							
	ETERNUS LT60,1xLTO-3HH SAS, 24f48 Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) SAS-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-3 SAS-drive (4 drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO3 SAS-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT60JSD1U			5373	
	ETERNUS LT60,1xLTO-4HH SAS, 24f48 Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) SAS-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-4 SAS-drive (4 drives maximum), - Memory capacity until to 38,4/ 76,8 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO4 SAS-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT60JSF1U			5704	

ETERNUS LT60 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT60 (Continued)							
	ETERNUS LT60,1xLTO-4HH FC, 24f48 Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) FC-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-4 FC-drive (4 drives maximum), - Memory capacity until to 38,4/ 76,8 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT60JFF1U			6099	
	ETERNUS LT60,1xLTO-4FH SAS, 24f48 Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-4 Full Height (FH) SAS-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with one FH LTO-4 SAS-drive (2 drives maximum), - Memory capacity until to 38,4/ 76,8 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO4 SAS-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT60JSE1U			6773	

ETERNUS LT60 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT60 (Continued)							
	ETERNUS LT60,1xLTO-4FH FC, 24f48 Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-4 Full Height (FH) FC-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with one FH LTO-4 FC-drive (2 drives maximum), - Memory capacity until to 38,4/ 76,8 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT60JFE1U			6877	
	ETERNUS LT60,1xLTO-5HH SAS, 24v48 Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-5 Half Height (HH) SAS-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-5 SAS-drive (4 drives maximum), - Memory capacity until to 72 / 144 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO5 SAS-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT60JSH1U			6320	

ETERNUS LT60 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT60 (Continued)							
	ETERNUS LT60,1xLTO-5HH FC, 24v48 Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-5 Half Height (HH) FC-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-5 FC-drive (4 drives maximum), - Memory capacity until to 72 / 144 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO5 FC-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and 1x Ethernet cable (1,5m) is already included	FTS:LT60JFH1U			6778	
	ETERNUS LT60,1xLTO-5FH SAS, 24v48 Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-5 Full Height (FH) SAS-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with one FH LTO-5 SAS-drive (2 drives maximum), - Memory capacity until to 72 / 144 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO5 SAS-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT60JSG1U			7264	

ETERNUS LT60 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT60 (Continued)							
	ETERNUS LT60,1xLTO-5FH FC, 24v48 Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-5 Full Height (FH) FC-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with one FH LTO-5 FC-drive (2 drives maximum), - Memory capacity until to 72 / 144 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO5 FC-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	FTS:LT60JFG1U			7655	
ETERNUS LT60 S2							
	ET LT60 S2 Library 24 to 48Slot,no drive	Tape Library ETERNUS LT60 with 24 up to 48 cartridge slots, integrated Barcode Reader and four half height or two full height tape drive slots, - four Half Height or two Full HightTape Drive slots for the equipment of the library can be between a LTO-3 (Half Height only), LTO-4 or LTO 5 tape drive with SAS or FC interface be selected. There must be order extra a tape drive with the library as a embedded- component. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine active, the two right magazine can be activatet over a separate license per magazine., - Memory capacity until from 9,6 up to 144 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6GB/s (SFF8088) or FC 8GB/s, Processing LTO2, LTO 3, LTO 4 and LTO 5 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Can be installed into a four height rack unit , -Rack Kit, -1x Cleaning Cartridges , 1x Power Cord (Schuko plug)	FTS:LT60S2JNXU			3754	Orderable from: 01/07/2011

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
ETERNUS DX80							
	V4Y ET DX80 1x FC 4G2P 12x450 GB		VFY:DX800XF180IN			8064	
	V4Y ET DX80 1x iSCSI 3x 1TB		VFY:DX800XF190IN			4497	
	V4Y ET DX80 1x FC 8G2P 4x300GB		VFY:DX800XF070IN			5885	
	V4Y ET DX80 1x FC 4G2P 2x450GB		VFY:DX800XF030IN			4404	
	V4Y ET DX80 1x FC 4G2P 3x 450 GB		VFY:DX800XF150IN			5305	
	V4Y ET DX80 1x FC 8G2P 2x600GB		VFY:DX800XF170IN			4784	
	V4Y ET DX80 1x FC 4G2P 2x 300 GB		VFY:DX800XF100IN			4496	
	V4Y ET DX80 1x FC 4G2P 2x1TB		VFY:DX800XF020IN			4166	
	V4Y ET DX80 1x FC 8G2P 2x450GB		VFY:DX800XF040IN			4882	
	V4Y ET DX80 1x FC 8G2P 2x300GB		VFY:DX800XF010IN			4715	
	V4Y ET DX80 2x FC 8G2P 2x450 GB		VFY:DX800XF130IN			8365	
	V4Y ET DX80 1x iSCSI 2x 300 GB		VFY:DX800XF110IN			4300	
	V4Y ET DX80 2x iSCSI 4x300GB		VFY:DX800XF090IN			6866	
	V4Y ET DX80 1x iSCSI 4x300GB		VFY:DX800XF080IN			4954	
	V4Y ET DX80 1x iSCSI 4x 600GB		VFY:DX800XF140IN			5565	
	V4Y ET DX80 1xiSCSI 2x450GB		VFY:DX800XF060IN			4170	
	V4Y ET DX80 1xiSCSI 2x1TB 7.2k		VFY:DX800XF050IN			3931	
	V4Y ET DX80 1x SAS 2x 300 GB		VFY:DX800XF120IN			3874	
ETERNUS DX80 2.5"							
	VFY ET DX80 2,5" 1x FC 8G2P 12x300 GB		VFY:DX800XF500IN			8863	
	VFY ET DX80 2,5" 2x FC 8G2P 5x300GB		VFY:DX800XF530IN			12302	
	VFY ET DX80 2,5" 2x FC 8G2P 5x600GB		VFY:DX800XF540IN			13066	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX8090 S2 2.5 " Expa							

ETERNUS LT80 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX8090 S2 2.5 " Expa (Continued)							
	ET DX8090 S2 DriveEncl. 2.5 IO Mod. x1	, • Drive Enclosure x 1, - Expander (SAS port) x 1, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS-miniSAS cable (0.75m) x 1, • Rack mount kit x 1	FTS:ETEAD1CU			2061	Orderable from: 01/07/2011
	ET DX8090 S2 DriveEncl. 2.5 IO Mod. x2	, • Drive Enclosure x 1, - Expander (SAS port) x 2, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS-miniSAS cable (0.75m) x 2, • Rack mount kit x 1	FTS:ETEAD2CU			2555	Orderable from: 01/07/2011
ETERNUS DX8090 S2 3.5 " Expa							
	ET DX8090 S2 DriveEncl. 3.5 IO Mod. x1	, • Drive Enclosure x 1, - Expander (SAS port) x 1, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS-miniSAS cable (0.75m) x 1, • Rack mount kit x 1	FTS:ETEAD1DU			2061	Orderable from: 01/07/2011
	ET DX8090 S2 DriveEncl. 3.5 IO Mod. x2	, • Drive Enclosure x 1, - Expander (SAS port) x 2, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS-miniSAS cable (0.75m) x 2, • Rack mount kit x 1	FTS:ETEAD2DU			2555	Orderable from: 01/07/2011
ETERNUS DX80							
	ETERNUS DX80 BASE 1x FC Controller 4G2P	ETERNUS DX80 Base-System with one FC Controller• Controller Enclosure (CE 3.5“) x 1, - Controller Module (4GBit/s FC 2-port) x 1, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08F12AG			3745	
	ETERNUS DX80 BASE 2x FC Controller 4G2P	ETERNUS DX80 Base-System with two FC Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (4GBit/s FC 2-port) x 2, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08F22AG			5790	
	ETERNUS DX80 BASE 1x FC Controller 8G2P	ETERNUS DX80 Base-System with one FC Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (8GBit/s FC 2-port) x 1, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08E12AG			4252	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX80 (Continued)							
	ETERNUS DX80 BASE 2x FC Controller 8G2P	ETERNUS DX80 Base-System with two FC Controller, • Controller Enclosure (CE 3.5") x 1, - Controller Module (8GBit/s FC 2-port) x 2, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08E22AG			6919	
	ETERNUS DX80 BASE 1x iSCSI Controller	ETERNUS DX80 Base-System with one iSCSI Controller, • Controller Enclosure (CE 3.5") x 1, - Controller Module (iSCSI 1GB) x 1, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08L12AG			3493	
	ETERNUS DX80 BASE 2x iSCSI Controller	• Controller Enclosure (CE 3.5") x 1, - Controller Module (iSCSI 1GB) x 2, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08L22AG			5230	
	ETERNUS DX80 BASE 1x SAS Controller	ETERNUS DX80 Base-System with one SAS Controller, • Controller Enclosure (CE 3.5") x 1, - Controller Module (SAS 3GB) x 1, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08S12AG			3492	
	ETERNUS DX80 BASE 2x SAS Controller	ETERNUS DX80 Base-System with two SAS Controller, • Controller Enclosure (CE 3.5") x 1, - Controller Module (SAS 3GB) x 2, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08S22AG			5230	
ETERNUS DX80 S2 3.5"							
	ET DX80 S2 Base 3.5 Contr. x2	• Controller Enclosure 3.5" , - Controller Module x 2, - Cache Memory (2GB) x 2, - Power Supply Unit x 2, • AC cable (AC200V - 240V,2.5m) x 2, • Rack mount kit x 1	FTS:ET082DDU			7056	Orderable from: 01/07/2011
	ET DX80 S2 Base 3.5 Contr. x1	• Controller Enclosure 3.5" , - Controller Module x 1, - Cache Memory (2GB) x 1, - Power Supply Unit x 2, • AC cable (AC200V - 240V, 2.5m) x 2, • Rack mount kit x 1	FTS:ET082SDU			4385	Orderable from: 01/07/2011
ETERNUS DX80 2.5"							

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX80 2.5" (Continued)							
	ETERNUS DX80 BASE 2,5" 1x FC CTR 4G2P	ETERNUS DX80 Base-System for 2.5" Disks with one FC Controller, • Controller Enclosure (CE 2.5") x 1, - Controller Module (4GBit/s FC 2-port) x 1, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08F12BG			4042	
	ETERNUS DX80 BASE 2,5" 2x FC CTR 4G2P	ETERNUS DX80 Base-System for 2.5" Disks with two FC Controller, • Controller Enclosure (CE 2.5") x 1, - Controller Module (4GBit/s FC 2-port) x 2, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08F22BG			5800	
	ETERNUS DX80 BASE 2,5" 1x FC CTR 8G2P	ETERNUS DX80 Base-System for 2.5" Disks with one FC Controller, • Controller Enclosure (CE 2.5") x 1, - Controller Module (8GBit/s FC 2-port) x 1, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08E12BG			4596	
	ETERNUS DX80 BASE 2,5" 2x FC CTR 8G2P	ETERNUS DX80 Base-System for 2.5" Disks with two FC Controller, • Controller Enclosure (CE 2.5") x 1, - Controller Module (8GBit/s FC 2-port) x 2, - 2GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET08E22BG			7053	
ETERNUS DX80 S2 2.5"							
	ET DX80 S2 Base 2.5 Contr. x2	• Controller Enclosure 2.5" , - Controller Module x 2, - Cache Memory (2GB) x 2, - Power Supply Unit x 2, • AC cable (AC200V - 240V, 2.5m) x 2, • Rack mount kit x 1	FTS:ET082DCU			7056	Orderable from: 01/07/2011
	ET DX80 S2 Base 2.5 Contr. x1	• Controller Enclosure 2.5", - Controller Module x 1, - Cache Memory (2GB) x 1, - Power Supply Unit x 2, • AC cable (AC200V - 240V, 2.5m) x 2, • Rack mount kit x 1	FTS:ET082SCU			4385	Orderable from: 01/07/2011
ETERNUS DX60/DX80 Expansion							
	Eternus DX Expansion 1x I/O	ETERNUS DX80 Expansion Shelf with one I/O Module	FTS:ETLDE1AG			1991	
	Eternus DX Expansion 2x I/O	ETERNUS DX80 Expansion Shelf with two I/O Modules	FTS:ETLDE2AG			2185	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX60/DX80 Expansion (Continued)							
	ETERNUS DX Expansion 2,5" 1x I/O	ETERNUS DX80 2.5" Expansion Shelf with one I/O Module	FTS:ETLDE1BG			2501	
	ETERNUS DX Expansion 2,5" 2x I/O	ETERNUS DX80 2.5" Expansion Shelf with two I/O Module	FTS:ETLDE2BG			2462	

FibreCAT TXF

Data Sheets: http://ts.fujitsu.com/storage

The FibreCAT TXF storage subsystem consolidates data backup in 19-inch rack environments so that the servers do not have to have their own backup drives. The FibreCAT TXF storage subsystem and its 3 height unit 19“ rack housing offer space for backup drives that are directly connected to the servers and which can be installed in PRIMECENTER racks or in standard racks from other manufacturers. The rack installation can be with optional rack mount kits for fixed installation or with full extraction.
There are three basic versions with SCSI, SAS or USB technology available. Each I/O module has 4 ports to connect up to 4 servers as well as a power management for remote switch on/off of individual drives or the entire system.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FibreCAT TXF							
	FibreCAT TXF 19" Tape Enclosure	19" rack mountable basic unit (3U) for connection of 4 servers incl. 1x power supply module; opt. mounting kit; 4x 1.6" bays only for 5.25" backup devices incl. terminator; interface: 4 seperat SCSI channels or 4 seperat SASI channels or 4 seperat USB channels	S26361-K1228-V100			727	

| Category | Description | Details | ETERNUS DX410 | ETERNUS DX410 S2 | ETERNUS DX440 S2 | ETERNUS DX440 S2 2.5" Drive Upgrade | ETERNUS DX440 S2 3.5" Drive Upgrade | ETERNUS DX440 S2 2.5" Drive | ETERNUS DX8900 S2/DX8900 Expansion | ETERNUS DX8900 S2 2.5" Drive | ETERNUS DX8900 S2 3.5" Drive | ETERNUS DX60 | ETERNUS DX60 S2 | ETERNUS CF/Infrastructure/HA | FibreCAT CX/FibreCAT SX/ETERNUS DX Expansion/SAP | FibreCAT CX/ETERNUS DX Private | FibreCAT CX/CS Private | FibreCAT CX/CS SAS | FibreCAT CX/CS iSC | FibreCAT CX/CS iSCSI | FibreCAT CX/4 Expansion/SAP | FibreCAT CX/4 SAS | FibreCAT CX/4 iSCSI | FibreCAT CX/CS FC/SAS | FibreCAT CX/CS FC/iSCSI | FibreCAT CX/CS FC/iSCSI/SAS | FibreCAT CX/600 | FibreCAT CX/600 FC/iSCSI | FibreCAT TX/S2 Base | FibreCAT TX/S2 Standby | FibreCAT TX/S2 Expansion | FibreCAT TX/S2 | FibreCAT TX/S2 Expansion | FibreCAT FX/S2 | FibreCAT FX/S2 Expansion | FibreCAT TF/S2/TS/S2 | FibreCAT TF/S2/TS/S2 Expansion | Library Base / SAS 4U/8U | Library Base / SAS 10U | Library Base / SAS 4U/8U/10U | IBM VOLSAFE/3592 S1E | IBM VOLSAFE/3592 S2 | IBM VOLSAFE/3592 S3 | IBM VOLSAFE/3592 S3E | IBM VOLSAFE/3592 S4 | IBM VOLSAFE/3592 S4E | IBM VOLSAFE/3592 S5 | IBM VOLSAFE/3592 S5E | IBM VOLSAFE/3592 S6 | IBM VOLSAFE/3592 S6E | IBM VOLSAFE/3592 S7 | IBM VOLSAFE/3592 S7E | IBM VOLSAFE/3592

| Category | Description | Details | EX7842 GX4-8 | EX7842 GX4-82 | EX7842 GX4-84 | EX7842 GX4-84 Expander | EX7842 GX4-84 2.5" Kit | EX7842 GX4-84 3.5" Kit | EX7842 GX4-88 | EX7842 GX4-88 Expander | EX7842 GX4-88 2.5" Kit | EX7842 GX4-88 3.5" Kit | EX7842 GX4-8 | EX7842 GX4-82 | EX7842 GX4-84 | EX7842 GX4-88 | EX7842 GX4-8 Expander | EX7842 GX4-8 2.5" Kit | EX7842 GX4-8 3.5" Kit | EX7842 GX4-82 Expander | EX7842 GX4-84 Expander | EX7842 GX4-88 Expander | EX7842 GX4-8 Expander

Accessories Storage Tape Systems — Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	LTO-6 data cartridge 6tbit no label	LTO-6 data cartridge Quantum with label	LTO-6 data cartridge Maxell no label	LTO-6 cleaning cartridge	LTO-5 data cartridge Sony no label	LTO-5 data cartridge Sony no label	LTO-5 data cartridge Sony single pack	LTO-5 data cartridge Sony single pack	LTO-5 data cartridge with label	LTO-5 data cartridge Fuji with label	LTO-5 data cartridge Fuji with label	LTO-5 data cartridge 6tbit with label	LTO-4+ Data cartridges with Label from IBM, Kapazität 800 GByte native	LTO-5 data cartridge Maxell with label	LTO-5 data cartridge Sony with label	LTO-4+ Data cartridges with Label from Sony, Kapazität 800 GByte native	LTO-5 data cart. Sony single pack label	LTO-6 data cartrid. Sony single pkg label	12 LTO-5 data cartridges with random label	12 LTO-5 data cartridges Fuji random label	12 LTO-4 data cartridges Fuji random label	LTO-5 data cartridge Fuji random label	12 LTO-5 data cartridges IBMrandom label	12 LTO-4 data cartridges IBMrandom label	LTO-5 data cartrid.Maxell random label	12 LTO-5 data cartridge Sonyrandom label	12 LTO-4 data cartridge Sonyrandom label	LTO-6 data cartridge Quantum no label	LTO-6 data cart. Sony 12 pkg random label	LTO-6 data cart. Sony 12 pkg random label	LTO-6 data cartridge Quantum with label	LTO WORM-data cartridge Fuji no label	LTO-6 WORM-data cartridge Fuji no label	LTO-6 data cartridge STK no label	LTO WORM-data cartridge Fuji with label	LTO-6 WORM-data cartridge Fuji with label	LTO-6 data cartridge STK horizontal label	LTO-cleaning label horizontal	LTO Netcode label horizontal	LTO Netcode label horizontal	LTO WORM-data cartridge Fuji no label	LTO-5 WORM cartridge Quantum	LTO-5 WORM-data cartridge Fuji with label	LTO WORM-data cartridge with label Qua	LTO Netcode label horizontal	Product Code	Net Unit Price (RRP)	Comments
ACCESSORIES & SPARE PARTS																																																		
Media (Continued)																																																		
	LTO6 data cartridge 6tbit no label	LTO-6 data cartridge without label from IBM, 800 GB native capacity	x	x	x	x	x	x														x	x	x	x	x	x																									D:CR:LTO6-IB-01	24	
	LTO6 data cartridge Quantum with label	LTO-6 data cartridge with label from Quantum, 800 GB native capacity																																																	D:CR:LTO6-QM-01	23	
	LTO6 data cartridge Maxell no label	LTO-6 data cartridge without label from Maxell, 1920 GB native capacity	x	x	x	x	x	x														x				x																									D:CR:LTO6-MK-01	58	
	LTO cleaning label Quantum	Label for Quantum cleaning cartridge																																																			
	LTO5 data cartridge Sony no label	LTO-5 data cartridge without label from Sony, 1500 GB native capacity	x	x	x	x	x	x														x	x	x	x	x	x																									D:CR:LTO5-SY-01	21	
	LTO5 data cartridge Sony no label	LTO-5 data cartridge without label from Sony, 800 GB native capacity	x	x	x	x	x	x														x	x	x	x	x	x																									D:CR:LTO5-SY-01	23	
	LTO5 data cartridge Sony single pack	1x LTO-5 data cartridges without label from Sony at a single package , 800 GB native capacity	x	x	x	x	x	x														x	x	x	x	x	x																									D:CR:LTO5-SY-6PS1	22	
	LTO5 data cartridge Sony single pack	1x LTO-5 data cartridges without label from Sony at a single package , 800 GB native capacity	x	x	x	x	x	x														x	x	x	x	x	x																									D:CR:LTO5-SY-6PS1	23	
	LTO5 data cartridge with label	LTO-5 data cartridge with label from Fuji, 800 GB native capacity	x	x	x	x	x	x														x	x	x	x	x	x																									D:CR:LTO5-FJ-01L	20	
	LTO5 data cartridge Fuji with label	LTO-5 data cartridge with label from Fuji, 800 GB native capacity	x	x	x	x	x	x														x	x	x	x	x	x																									D:CR:LTO5-FJ-01L	22	
	LTO5 data cartridge Fuji with label	LTO-5 data cartridge with label from Fuji, 1500 GB native capacity	x	x	x	x	x	x														x				x																									D:CR:LTO5-FJ-01L	55	
	LTO5 data cartridge 6tbit with label	LTO-5 data cartridge with label from IBM, 800 GB native capacity	x	x	x	x	x	x														x	x	x	x	x	x																									D:CR:LTO5-IB-01L	24	
	LTO6 data cartridge 6tbit with label	LTO-6+ Data cartridges with Label from IBM, Kapazität 800 GByte native	x	x	x	x	x	x														x	x	x	x	x	x																									D:CR:LTO6-IB-01L	25	
	LTO5 data cartridge Maxell with label	LTO-5 data cartridge with label from Maxell, 1920 GB native capacity	x	x	x	x	x	x														x				x																									D:CR:LTO5-MK-01L	58	
	LTO5 data cartridge Sony with label	LTO-5 data cartridge with label from Sony, 800 GB native capacity	x	x	x	x	x	x														x	x	x	x	x	x																									D:CR:LTO5-SY-01L	22	
	LTO5 data cartridge Sony with label	LTO-5+ Data cartridges with Label from Sony, Kapazität 800 GByte native	x	x	x	x	x	x														x	x	x	x	x	x																									D:CR:LTO5-SY-01L	23	
	LTO5 data cart. Sony single pack label	1x LTO-5 data cartridges with label from Sony, 800 GB native capacity, at single package	x	x	x	x	x	x														x	x	x	x	x	x																									D:CR:LTO5-SY-6PS1L	22	
	LTO6 data cartrid. Sony single pkg label	1x LTO-6 data cartridges with label from Sony at a single package , 800 GB native capacity	x	x	x	x	x	x														x	x	x	x	x	x																									D:CR:LTO6-SY-6PS1L	23	
	12 LTO5 data cartridge Fuji random label	12 LTO-5 data cartridges with random label (Barcode with randomly created numbers) from Fuji, 800 GB native capacity, This order position (bundle) is an odder unit not a packing unit.	x	x	x	x	x	x														x	x	x																											D:CR:LTO5-FJ-12L	232	
	12 LTO5 data cartridge Fuji random label	12 LTO-5 data cartridges with random label (Barcode with randomly created numbers) from Fuji, 800 GB native capacity, This order position (bundle) is an odder unit not a packing unit.	x	x	x	x	x	x														x	x	x	x	x																											D:CR:LTO5-FJ-12L	254	
	12 LTO5 data cartridge Fuji random label	12 LTO-5 data cartridges with random label (Barcode with randomly created numbers) from Fuji, 1500 GB native capacity, This order position (bundle) is an odder unit not a packing unit.	x	x	x	x	x	x														x																															D:CR:LTO5-FJ-12L	623	
	12 LTO5 data cartridges IBMrandom label	12 LTO-5 data cartridges with random label (Barcode with randomly created numbers) from IBM, 800 GB native capacity, This order position (bundle) is an odder unit not a packing unit.	x	x	x	x	x	x														x	x	x																															D:CR:LTO5-IB-12L	291	
	12 LTO5 data cartridges IBMrandom label	12 LTO-4 data cartridges with random label (Barcode with randomly created numbers) from IBM, 800 GB native capacity, This order position (bundle) is an odder unit not a packing unit.	x	x	x	x	x	x														x	x	x	x	x																															D:CR:LTO4-IB-12L	292	
	12 LTO5 data cartrid.Maxell random label	12 LTO-5 data cartridges with random label (Barcode with randomly created numbers) from Maxell, 1920 GB native capacity, This order position (bundle) is an odder unit not a packing unit.	x	x	x	x	x	x														x																																	D:CR:LTO5-MK-12L	667	
	12 LTO5 data cartridge Sonyrandom label	12 LTO-5 data cartridges with random label (Barcode with randomly created numbers) from Sony, 800 GB native capacity, This order position (bundle) is an odder unit not a packing unit.	x	x	x	x	x	x														x	x	x																															D:CR:LTO5-SY-12L	248	
	12 LTO5 data cartridge Sonyrandom label	12 LTO-4 data cartridges with random label (Barcode with randomly created numbers) from Sony, 800 GB native capacity, This order position (bundle) is an odder unit not a packing unit.	x	x	x	x	x	x														x	x	x	x	x																															D:CR:LTO4-SY-12L	278	
	LTO6 data cartridge Quantum no label	LTO-6 data cartridge without label from Quantum, 1500 GB native capacity																																																			D:CR:LTO6-QM-01	56	
	LTO6 data cart. Sony 12 pkg random label	12 LTO-5 data cartridges with random label (Barcode with randomly created numbers) from Sony at a package with 12 cartridges, 800 GB native capacity per cartridge., This order position (bundle) is an odder unit and a packing unit.	x	x	x	x	x	x														x	x	x	x	x																															D:CR:LTO5-SY-6P12L	248	
	LTO6 data cart. Sony 12 pkg random label	12 LTO-6 data cartridges with random label (Barcode with randomly created numbers) from Sony at a package with 12 cartridges, 800 GB native capacity per cartridge., This order position (bundle) is an odder unit and a packing unit.	x	x	x	x	x	x														x	x	x	x	x																															D:CR:LTO6-SY-6P12L	278	
	LTO6 data cartridge Quantum with label	LTO-6 data cartridge with label from Quantum, 1500 GB native capacity																																																			D:CR:LTO6-QM-01	57	
	LTO WORM-data cartridge Fuji no label	LTO-6 WORM-data cartridge without label from Fuji, 800 GB native capacity, WORM=means that the data medium can only be written once. It is not possible to delete or overwrite the data	x	x	x	x	x	x														x	x	x	x	x																															D:CR:LTO6-FJ-01W	23	
	LTO6 WORM-data cartridge Fuji no label	LTO-6 WORM-data cartridge without label from Fuji, 800 GB native capacity, WORM=means that the data medium can only be written once. It is not possible to delete or overwrite the data	x	x	x	x	x	x														x	x	x	x	x																															D:CR:LTO6-FJ-01W	39	
	LTO6 data cartridge STK no label	LTO6 data cartridge without label from STK.																																																			D:CR:LTO6-STK-01	77	
	LTO WORM-data cartridge Fuji with label	LTO-6 WORM-data cartridge with label from Fuji, 800 GB native capacity, WORM=means that the data medium can only be written once. It is not possible to delete or overwrite the data	x	x	x	x	x	x														x	x	x	x	x																															D:CR:LTO6-FJ-01WL	23	
	LTO WORM-data cartridge Fuji with label	LTO-6 WORM-data cartridge with label from Fuji, 800 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries.	x	x	x	x	x	x														x	x	x	x	x																															D:CR:LTO6-FJ-01WL	30	
	LTO6 data cartridge STK horizontal label	LTO6 data cartridge with horizontal label from STK.																																																			D:CR:LTO6-STK-01L	77	
	LTO cleaning label horizontal	label for LTO cleanize cartridges	x	x	x	x	x	x														x	x	x	x	x	x																															D:CR:LTO-CLEAN	x	
	LTO Netcode label horizontal	label for LTO-5 data cartridges	x	x	x	x	x	x														x	x	x	x	x	x																															D:CR:LTO5-LAB	x	
	LTO Netcode label horizontal	label for LTO-6 data cartridges	x	x	x	x	x	x														x	x	x	x	x	x																															D:CR:LTO6-LAB	x	
	LTO WORM-data cartridge Fuji no label	LTO-6 WORM-data cartridge without label from Fuji, 1500 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries.	x	x	x	x	x	x																																															D:CR:LTO6-FJ-01W	71	
	LTO5 WORM data cartridge Quantum	LTO-5 data cartridge without label from Quantum, 1500 GB native capacity, These data cartridge is 1x writable and read in multiple ways																																																				D:CR:LTO5-QM01W	89	
	LTO5 WORM-data cartridge Fuji with label	LTO-5 WORM-data cartridge with label from Fuji, 1500 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries.	x	x	x	x	x	x																																															D:CR:LTO5-FJ-01WL	71	
	LTO6 WORM-data cartridge with label Qua	LTO-6 data cartridge with label from Quantum, 1500 GB native capacity, These data cartridge is 1x writable and read in multiple ways																																																					D:CR:LTO6-QM01WL	89	
	LTO Netcode label horizontal	label for LTO-6 data cartridges	x	x	x	x	x	x														x	x	x	x	x	x																															D:CR:LTO6-LAB	x	
Cables																																																							
	FIBRECAT CX2_XX KABEL HSSDC TO HSSDC2	Fibre channel cable , 5 m , Connecting cable FibreCAT CX Model between two Rack's, HSSDC -HSSDC2 5M																																																				D:FC1-HSSDC-5ML	181	
	FIBRECAT CX2_XX KABEL HSSDC TO HSSDC2	Fibre channel cable , 3 m , Connecting cable FibreCAT CX Model between two Rack's, HSSDC2 -HSSDC2 3M																																																					D:FC1-HSSDC-3ML	197	
	FC-Cable MMF, 5m, LC/SC, (Subfeat)	optical multimode -cable (Burn) having LC-SC-connector-combination), length 5 m																				x	x	x	x	x	x																									D:FCXA-MM-05L-L	42	
	FC-Cable MMF, 10m, LC/SC, (Subfeat)	optical multimode -cable (Burn) having LC-SC-connector-combination), length 10 m																				x	x	x	x	x	x																									D:FCXA-MM-10L-L	42	
	FC-Cable MMF, 20m, LC/SC, (Subfeat)	optical multimode -cable (Burn) having LC-SC-connector-combination), length 20 m																				x	x	x	x	x	x																									D:FCXA-MM-20L-L	55	
	FC+Kabel OM3, MMF, 5m, LC/LC 8GBit/s	optical multimode -cable (OM3 having LC-LC-connector-combination), length 5 m, optimized for multimode 8 GBit/s								x												x	x	x	x	x	x																									D:FCXA-OM3-C05L-L	39	
	FC+Kabel OM3, MMF, 10m, LC/LC 8GBit/s	optical multimode -cable (OM3 having LC-LC-connector-combination), length 10 m, optimized for multimode 8 GBit/s				x		x	x		x	x	x	x	x	x						x	x	x	x	x	x																									D:FCXA-OM3-C10L-L	61	
	FC+Kabel OM3, MMF, 20m, LC/LC 8GBit/s	optical multimode -cable (OM3 having LC-LC-connector-combination), length 20 m, optimized for multimode 8 GBit/s				x		x	x		x	x	x	x	x	x						x	x	x	x	x	x																									D:FCXA-OM3-C20L-L	69	
	FC+Kabel OM3, MMF, 50m, LC/LC 8GBit/s	optical multimode -cable (OM3 having LC-LC-connector-combination), length 50 m, optimized for multimode 8 GBit/s				x		x	x		x	x	x	x	x	x						x	x	x	x	x	x																									D:FCXA-OM3-C50L-L	81	
	FC-Cable SMF, 10m, LC/LC, (Subfeat)	optical singlemode -cable (Burn) having LC-LC-connector-combination), length 10 m																				x	x	x	x	x	x																									D:FCXA-SM-10L-L	83	
	FC-Cable SMF, 20m, LC/LC, (Subfeat)	optical singlemode -cable (Burn) having LC-LC-connector-combination), length 20 m																				x	x	x	x	x	x																									D:FCXA-SM-20L-L	92	
	Cascading Cable for single shipment	FiberCAT SX Cascading Cable 0.6m as single shipment																																																				D:FCSX-IO-CAB-L	65
	Power cord IEC320 device 2.5m (FIN)	IEC 320 Power Cord (Cold Device) 10A, Length 2.5m																				x	x	x	x	x	x																									D:XX3258-C250-L	12
	FIBRECAT CX2_XX INTERLINK KABEL F PACK	Interlink FibreCAT escalation cable 0.75m																																																				D:SPP-HSSDC2-5ML	181
	SAS Cable 0.75m 3x SAS 8088	Internal SFF-8088 to SFF-8088 cable, 0.75m																		

| Category | Description | Details | KB RMAS 1Gb/4Gb | KB RMAS 2Gb/4Gb | KB RMAS 2Gb/4Gb/8Gb | KB RMAS 2Gb/4Gb/8Gb Expansion | KB RMAS 2Gb/4Gb/8Gb 12 x 3 " Kyos | KB RMAS 2Gb/4Gb/8Gb 24 x 3 " Kyos | KB RMAS 2Gb/4Gb/8Gb 6 x 3 " Kyos | KB RMAS 2Gb/4Gb/8Gb Expansion | KB RMAS 6Gb/8Gb | KB RMAS 6Gb/8Gb 12 x 3 " Kyos | KB RMAS 6Gb/8Gb 24 x 3 " Kyos | KB RMAS 6Gb/8Gb 6 x 3 " Kyos | KB RMAS 6Gb/8Gb 6 x 3 " Kyos | KB RMAS 6Gb/8Gb Expansion | KB RMAS 10Gb/40Gb | KB RMAS 10Gb/40Gb Expansion | FibreCAT CX 4 N Standard/SAT | FibreCAT CX 4 N Standard/SAT Expansion | FibreCAT CX4 Expansion/4xFC | FibreCAT CX8 Projects | FibreCAT CX8 Projects | FibreCAT CX10 4C | FibreCAT CX10 4C | FibreCAT CX10 4C | FibreCAT CX10 4C | FibreCAT CX4 Expansion/4xFC | FibreCAT CX4 Expansion/4xFC | FibreCAT CX4 4C | FibreCAT CX4 4C | FibreCAT CX4 4C | FibreCAT CX4 4C | FibreCAT CX8 | FibreCAT CX8 | FibreCAT NX4 | FibreCAT NX4 | FibreCAT SX88 Expansion | FibreCAT SX88 Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT SX88 Expansion | FibreCAT SX88 | FibreCAT SX88 Expansion | FibreCAT SX88 Expansion | FibreCAT SX88 Expansion

Accessories & services matrix

| Category | Description | Details | EM RMAS 5NAM | EM RMAS 5NAM 02 | EM RMAS 5NAM 4E | EM RMAS 5NAM Enterprise | EM RMAS 5NAM Enterprise 4E | EM RMAS 5NAM 3Y 5 Keys | EM RMAS 5NAM 4E 3 Y 5 Keys | EM RMAS 5NAM | EM RMAS 5NAM 02 | EM RMAS 5NAM 5NAM Expansion | EM RMAS 5NAM | EM RMAS 5NAM 4E | EM RMAS 5NAM 3Y 5 Keys | EM RMAS 5NAM 4E 3 Y 5 Keys | EM RMAS 5NAM 2 | EM RMAS 5NAM 02 2 | EM RMAS 5NAM 4E 2 | EM RMAS 5NAM 3Y 2 | EM RMAS 5NAM 4E 3 Y 2 | EM RMAS 5NAM 02 | EM RMAS 5NAM 4E 02 | EM RMAS 5NAM 3Y 02 | EM RMAS 5NAM 4E 3Y 02 | FUJITSU Cbl Ext Kit Standard/SAT | FUJITSU Cbl Ext Kit Standard/4E | FUJITSU Cbl Expansion/4E | FUJITSU Cbl 5m Presale | FUJITSU Cbl 5m Presale | FUJITSU CBL 10M | FUJITSU CBL 10M 4E | FUJITSU CBL 15M | FUJITSU CBL 15M 4E | FUJITSU Cbl Expansion/4E | FUJITSU CBL 20M | FUJITSU CBL 20M 4E | FUJITSU Cbl Expansion | FUJITSU CBL 30M | FUJITSU CBL 30M 4E | FUJITSU Cbl Expansion/4E | FUJITSU CBL 50M | FUJITSU CBL 50M 4E | FUJITSU Cbl Expansion/4E | FUJITSU Cbl Ext Kit Standard/SAT | FUJITSU Cbl Ext Kit Standard/4E | FUJITSU Cbl Expansion/4E | FUJITSU Cbl 5m Presale | FUJITSU Cbl 5m Presale | FUJITSU CBL 10M | FUJITSU CBL 10M 4E | FUJITSU CBL 15M | FUJITSU CBL 15M 4E | FUJITSU Cbl Expansion/4E | FUJITSU CBL 20M | FUJITSU CBL 20M 4E | FUJITSU Cbl Expansion | FUJITSU CBL 30M | FUJITSU CBL 30M 4E | FUJITSU Cbl Expansion/4E | FUJITSU CBL 50M | FUJITSU CBL 50M 4E | FUJITSU Cbl Expansion/4E | Univ Scalar i6000 4 ABAS | Univ Scalar i6000 4 ABAS | Univ Scalar i6000 4 ABAS | IBM SYSTEM Storage TS3500 4 ABAS | IBM SYSTEM Storage TS3500 4 ABAS | IBM SYSTEM Storage TS3500

| Category | Description | Details | ETERNUS CS4-8 | ETERNUS CS4-2 | ETERNUS CS4-A8 | ETERNUS CS4-A2 Expansion | ETERNUS CS4-A8 2.4 TB + Keys | ETERNUS CS4-A2 2.4 TB + Keys | ETERNUS CS4-2 6" | ETERNUS CS4-A2 Expansion 6" | ETERNUS CS800 | ETERNUS CS800 G2 2.4 TB + Keys | ETERNUS CS800 G2 2.4 TB + Keys | ETERNUS CS800 G3 | ETERNUS CS8-2 | ETERNUS CS8-2 6" | ETERNUS CS8-2 LTO G3 | ETERNUS CS8-2 LTO G4 | ETERNUS CS8-2 LTO G5 | ETERNUS CS8-2 LTO G6 | ETERNUS CS8-2 LTO G7 | ETERNUS CS8-2 LTO G7 for Expansion Rack | ETERNUS CS8-2 LTO G7 for Standard Rack | ETERNUS CS8-2 LTO G8 | ETERNUS CS8-2 LTO G8 Expansion Rack | ETERNUS CS8-2 LTO G8 for Standard Rack

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX440 S2 Expansion	ETERNUS DX440 S2 3.5" Expan.	ETERNUS DX440 S2 2.5" Expan.	ETERNUS DX600	ETERNUS DX600 S3	ETERNUS DX600 S3 3.5" Expan.	ETERNUS DX600 S3 2.5" Expan.	ETERNUS DX600 S3 Expansion	ETERNUS DX8700	ETERNUS DX8700 S2	ETERNUS DX8700 S2 Expansion	ETERNUS DX8900	ETERNUS DX8900 S2	ETERNUS DX8900 S2 Expansion	ETERNUS DX8900 S2 SSD Expansion	ETERNUS DX8900 S2 Flash Accelerator	ETERNUS DX8900 S3	ETERNUS DX8900 S3 Expansion	ETERNUS DX8900 S3 SSD Expansion	ETERNUS DX8900 S3 Flash Accelerator	ETERNUS DX8900 S4	ETERNUS DX8900 S4 Expansion	ETERNUS DX8900 S4 SSD Expansion	ETERNUS DX8900 S4 Flash Accelerator	ETERNUS CS High End	ETERNUS CS8000	ETERNUS CS800	ETERNUS CS800 S3	ETERNUS CS800 S4	ETERNUS CS800 S5	ETERNUS CS800 S6	ETERNUS CS800 S7	ETERNUS CS800 S8	ETERNUS CS800 S8 Expansion	ETERNUS CS800 S8 Expansion Frame	ETERNUS CS800 S8 Expansion Drive	Product Code		Ret Unit Price (RRP)	Comments
ACCESSORIES & SPACES /DBDA																																													
Storage FibreCAT Continued)																																														
	FE Ports: 8GB/s, 2 FC Cards with 4 SFP	I/O cards for CX3-xx Modules, Content: 2 FC I/O cards with each 4 * 8GB/s FrontEnd Ports and each 4 SFP's																		x	x	x	x																										3264	
	FE Ports: 8GB/s, 2 FC Cards with 4 SFP	I/O cards for CX4-xx Modules, Content: 2 FC I/O cards with each 4 * 8GB/s FrontEnd Ports and each 4 SFP's																																													4377	
	Single Disk CX3/4-xx 146GB/15K 6GB/s	Single Disk 146GB/15K for CX3/4-xx Model., Interface: FC with 4 GB/s/s																						x																										876	
	Single Disk CX3/4-xx 300GB/15K 6GB/s	Single Disk 300GB/15K for CX3/4-xx Model., Interface: FC with 4 GB/s/s																						x																										1261	
	Single Disk 146GB/15k f FibreCAT CX	Single Disk 146GB/15K for FibreCAT CX3/4/7 and CX3-xx Model., Interface: FC with 2 GB/s/s, (SAN/FC)																		x		x																										1260	Phased out
Additional Software																																															
	ETERNUS DXxx Media CD	ETERNUS DX60/DX80/DX90 Docu CD inluding SP Xpress Media Pack for Windows.						x	x		x		x																																			143	
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer, Datenaustausch CD-ROM, Activation of file encryption, "crypto module" in openFT V8.0 and V9.1																																													13	
	OPENFT-FT-AM2 (WINDOWS) V8.0	openFT - openFileTransfer, Right to Use for usage in automated unattended mode, for 1 system with 1 to 4 CPUs																																													987	
	OPENFT-FT-AM2-U (WINDOWS) V8.0	openFT-FTAM Update Right to Use for usage in automated unattended mode, for 1 system with 1 to 4 CPUs																																													493	
	OPENFT-GW-CD (WINDOWS) V8.1	openFT - openFileTransfer, Datenaustausch CD-ROM for Windows: Server 2003, 2008, XP, NT4, 98 / ME																																													24	
	OPENFT-U (WINDOWS) V8.1	openFT - openFileTransfer, Right to Use for usage in automated unattended mode, for 1 system with 1 to 4 CPUs																																													987	
	OPENFT-U-U (WINDOWS) V8.1	openFT - openFileTransfer, Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs																																													396	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module to openFT V10.0, Attention export restrictions																																													13	
	OPENFT-GW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT GW V10.0																																													24	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0, for using in automated, unattended mode, system with 1 to 4 CPUs; required: U10361-C201																																													1075	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0, for using in automated, unattended mode; system extendable up to 20 CPUs; required: U10393-C201																																													3468	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0, for using in automated, unattended mode; system with 1 to 4 CPUs; required: U10361-C201																																													623	
	OPENFT-FT-AM1 (WINDOWS) V10.0	License openFT-FT AM (WINDOWS) V10.0, for using in automated, unattended mode; system with 1 to 4 CPUs; required: U10361-C202																																													1075	
	OPENFT-FT-AM3 (WINDOWS) V10.0	License openFT-FT AM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 20 CPUs; required: U10393-C202																																													3468	
	OPENFT-FT-AM3-U (WINDOWS) V10.0	Upd license openFT-FT AM(WINDOWS) V10.0, for using in automated, unattended mode; system with 1 to 4 CPUs; required: U10361-C207																																														623	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0, for using in automated, unattended mode, system with 1 to 4 CPUs																																														1075	
	OPENFT-FT-AM1 (WINDOWS) V11.0	License openFT-FT AM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs																																														1075	
	OPENFT-PT-P-1 (WINDOWS) V11.0	License openFT-PT-P (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs																																														439	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																																														1734	
	OPENFT-FT-AM2 (WINDOWS) V11.0	License openFT-FT AM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																																														1734	
	OPENFT-PT-P-2 (WINDOWS) V11.0	License openFT-PT-P (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																																														714	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 20 CPU																																														3468	
	OPENFT-FT-AM3 (WINDOWS) V11.0	License openFT-FT AM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 20 CPU																																														3468	
	OPENFT-PT-P-3 (WINDOWS) V11.0	License openFT-PT-P (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 20 CPU																																														1428	
	OPENFT-GW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT GW V11.0																																														24	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions																																														13	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs																																														1075	
	OPENFT-FT-AM1 (UNIX systems) V11.0	License openFT-FT AM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs																																														1075	
	OPENFT-PT-P-1 (UNIX systems) V11.0	License openFT-PT-P (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs																																														439	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																																														1734	
	OPENFT-FT-AM2 (UNIX systems) V11.0	License openFT-FT AM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																																														1734	
	OPENFT-PT-P-2 (UNIX systems) V11.0	License openFT-PT-P (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																																														714	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 20 CPU																																														3468	
	OPENFT-FT-AM3 (UNIX systems) V11.0	License openFT-FT AM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 20 CPU																																														3468	
	OPENFT-PT-P-3 (UNIX systems) V11.0	License openFT-PT-P (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 20 CPU																																														1428	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU																																														4816	
	OPENFT-FT-AM4 (UNIX systems) V11.0	License openFT-FT AM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU																																														4816	
	OPENFT-PT-P-4 (UNIX systems) V11.0	License openFT-PT-P (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU																																														1439	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU																																														9202	
	OPENFT-FT-AM5 (UNIX systems) V11.0	License openFT-FT AM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU																																														9202	
	OPENFT-PT-P-5 (UNIX systems) V11.0	License openFT-PT-P (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU																																														2323	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0																																														31	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions																																														13	
Upgrades																																																
	SCSI/SCSI/SAS Sixx/ult.LTO Magazine	Quantum Scalar i500/i2000 Six+Ult.LTO Magazine. Available for use with Scalar i500 and Scalar i2000. Includes dust cover.																																																x	x																		

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	Product Code			End User Price (RRP)	Comments
Accessories & services matrix									
Software Services									
	SP 3y ET SF DX4xx/DX8xxx,5x9	SP 3 years ETERNUS SF DX4xx/DX8xxx, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP3ET00PRE01			192	
	SP 3y ET SF DX4xx/DX8xxx,7x24	SP 3 years ETERNUS SF DX4xx/DX8xxx, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP3ET03PRE01			231	
	SP 4y ET SF DX4xx/DX8xxx,5x9	SP 4 years ETERNUS SF DX4xx/DX8xxx, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP4ET00PRE01			245	
	SP 4y ET SF DX4xx/DX8xxx,7x24	SP 4 years ETERNUS SF DX4xx/DX8xxx, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP4ET03PRE01			295	
	SP 5y ET SF DX4xx/DX8xxx,5x9	SP 5 years ETERNUS SF DX4xx/DX8xxx, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP5ET00PRE01			294	
	SP 5y ET SF DX4xx/DX8xxx,7x24	SP 5 years ETERNUS SF DX4xx/DX8xxx, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP5ET03PRE01			353	
	SP Xtend of 12m ET SF DX4xx/DX8xxx,5x9	SP Prolongation of 12 months ETERNUS SF DX4xx/DX8xxx, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SPTET00PRE01			67	
	SP Xtend of 12m ET SF DX4xx/DX8xxx,7x24	SP Prolongation of 12 months ETERNUS SF DX4xx/DX8xxx, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SPTET03PRE01			81	

Options Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS 2/4/8	ETERNUS DX410	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA Expansion Shelf	FibreCAT CX Expansion Shelf	FibreCAT CX3 Expansion Shelf	FibreCAT CX4 Expansion Shelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX88 Expansion	FibreCAT SX88 Expansion	FibreCAT SX300 Expansion	FibreCAT TX7	Library Scalar i2000 & i6000	Library Scalar i500	MTC Scalar i500 for i6/i2	MBK SCALAR i2000 for i6/i2	ETERNUS DX410 S2	ETERNUS DX410 S2	ETERNUS DX4xx S2 2.5" Expa	ETERNUS DX4xx S2 3.5" Expa	ETERNUS DX60 2.5"	ETERNUS DX80 2.5"	ETERNUS DX90 S2 2.5"	ETERNUS DX90 S2 3.5"	ETERNUS DX8900 S2 2.5" Expa	ETERNUS DX8900 S2 3.5" Expa	ETERNUS DX8900	ETERNUS DX8700	ETERNUS DX60 2.5"	ETERNUS DX90 2.5"	ETERNUS DX90 S2 2.5"	ETERNUS DX90 S2 3.5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																	
Customizing																																																		
	switch off possibility of encryption	Order number to switch off the possibility of data encryption	x	x	x																								x	x			x	x	x	x					x	x	x					FTS.ETCRYPTOFF			16	
Memory																																																		
	DX410 S2 8G CacheMem.set f.2Contr2x2DIM	- 2x (2x 2GB DIMM) Total 8GB cache																												x																		FTS.ETNM24			824	Orderable from: 01/07/2011
	DX440 S2 24G CacheMem.set f.2Contr2x3DIM	- 2x (3x 4GB DIMM) Total 24GB cache																													x																		FTS.ETNM46			1649	Orderable from: 01/07/2011
	DX440 S2 48G CacheMem.set f.2Contr2x3DIM	- 2x (3x 8GB DIMM) Total 48GB cache																													x																		FTS.ETNM86			4946	Orderable from: 01/07/2011
Removable Media Drives																																																		
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern., . USB 2.0 Connector: USB "B" w ith USB cable , 1.6" fitting height, black bezel, w ith description (G/US)																						x																									S26361-F3857-E4			136	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" w ith USB cable kit , 1.6" fitting height, black bezel, w ith description (G/US) and cleaning cartridge																						x																									S26361-F3324-E4			427	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" w ith USB cable , 1.6" fitting height, black bezel, w ith cleaning cartridge																						x																									S26361-F3325-E4			586	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, w ith SAS cable, w ith cleaning cartridge																						x																									S26361-F4009-E4			1215	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, w ith SAS cable, w ith cleaning cartridge																						x																									S26361-F3561-E4			1321	
	Tape Kit LTO4HH 800GB 120MB/s SAS	SAS 3GB interface, mini-SAS connector, 1.6" fitting height, , w ith SAS cable, w ith cleaning cartridge																						x																									S26361-F3626-E1			1839	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB interface, mini-SAS connector, 1.6" fitting height, , w ith SAS cable, w ith cleaning cartridge																						x																									S26361-F3626-E2			1839	Deliverable from: 14/06/2011,Orderable from: 29/06/2011
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB interface, mini-SAS connector, 1.6" fitting height, , w ith SAS cable, w ith cleaning cartridge																						x																									S26361-F3627-E1			2438	
Hard Disks																																																		
	DX8090 S2 HD SAS 300G 10k 2.5 x1	, SAS disk drive (300GB/10krpm) x 1, 2.5"																																	x		x						x						FTS.ETED3HC			325	Orderable from: 01/07/2011
	DX8090 S2 HD SAS 300G 15k 3.5 x1	, SAS disk drive (300GB/15krpm) x 1, 3.5"																																	x		x						x						FTS.ETED3HD			264	Orderable from: 01/07/2011
	DX8090 S2 HD SAS 450G 10k 2.5 x1	, SAS disk drive (450GB/10krpm) x 1, 2.5"																																	x		x						x						FTS.ETED4HC			451	Orderable from: 01/07/2011
	DX8090 S2 HD SAS 450G 15k 3.5 x1	, SAS disk drive (450GB/15krpm) x 1, 3.5"																																		x		x						x						FTS.ETED4HD			352	Orderable from: 01/07/2011
	DX8090 S2 HD SAS 600G 10k 2.5 x1	, SAS disk drive (600GB/10krpm) x 1, 2.5"																																	x		x						x						FTS.ETED6HC			535	Orderable from: 01/07/2011
	DX8090 S2 HD SAS 600G 15k 3.5 x1	, SAS disk drive (600GB/15krpm) x 1, 3.5"																																		x		x						x						FTS.ETED6HD			421	Orderable from: 01/07/2011
	DX8090 S2 HD NLSAS 1TB 7.2 3.5 x1	, Nearline SAS disk drive (1TB/7.2krpm) x 1																																		x		x						x						FTS.ETEN1HD			321	Orderable from: 01/07/2011
	DX8090 S2 HD NLSAS 2TB 7.2 3.5 x1	, Nearline SAS disk drive (2TB/7.2krpm) x 1																																		x		x						x						FTS.ETEN2HD			553	Orderable from: 01/07/2011
	DX8090 S2 SSD SAS 100G 2.5 x1	, SSD (100GB, 2.5 inch) x 1																																	x		x						x						FTS.ETES1HC			5537	Orderable from: 01/07/2011
	DX8090 S2 SSD SAS 100G 3.5 x1	, SSD (100GB, 3.5 inch) x 1																																		x		x						x						FTS.ETES1HD			5537	Orderable from: 01/07/2011
	DX8090 S2 SSD SAS 200G 2.5 x1	, SSD (200GB, 2.5 inch) x 1																																		x		x						x						FTS.ETES2HC			6965	Orderable from: 01/07/2011
	DX8090 S2 SSD SAS 200G 3.5 x1	, SSD (200GB, 3.5 inch) x 1																																		x		x						x						FTS.ETES2HD			6965	Orderable from: 01/07/2011
	DX4xx 300GB/15k disk drive x1 (single)	300GB/15Krpm (4GBps) disk drive (single)								x																																								FTS.ETMFC3HU-E			860	
	DX4xx 450GB/15k disk drive x1 (single)	450GB/15Krpm (4GBps) disk drive (single)								x																																								FTS.ETMFC4HU-E			1132	
	DX4xx 600GB/15k disk drive x1 (single)	600GB/15Krpm (4GBps) disk drive (single)								x																																								FTS.ETMFC6HU-E			1509	
	DX4xx 1TB/7.2k disk drive x1 (single)	1TB/7.2Krpm (SATA) disk drive (single)								x																																								FTS.ETMNT1HU-E			904	
	DX4xx 2TB/7.2k disk drive x1 (single)	2TB/7.2Krpm (SATA) disk drive (single)								x																																								FTS.ETMNT2HU-E			1904	
	DX4x0 S2 HD SAS 300G 10k 2.5 x1	, SAS disk drive (300GB/10krpm) x 1, 2.5"																													x																		FTS.ETND3HC			325	Orderable from: 01/07/2011
	DX4x0 S2 HD SAS 300G 15k 3.5 x1	, SAS disk drive (300GB/15krpm) x 1, 3.5"																														x																		FTS.ETND3HD			264	Orderable from: 01/07/2011
	DX4x0 S2 HD SAS 450G 10k 2.5 x1	, SAS disk drive (450GB/10krpm) x 1, 2.5"																													x																		FTS.ETND4HC			451	Orderable from: 01/07/2011
	DX4x0 S2 HD SAS 450G 15k 3.5 x1	, SAS disk drive (450GB/15krpm) x 1, 3.5"																														x																		FTS.ETND4HD			352	Orderable from: 01/07/2011
	DX4x0 S2 HD SAS 600G 10k 2.5 x1	, SAS disk drive (600GB/10krpm) x 1, 2.5"																													x																		FTS.ETND6HC			535	Orderable from: 01/07/2011
	DX4x0 S2 HD SAS 600G 15k 3.5 x1	, SAS disk drive (600GB/15krpm) x 1, 3.5"																														x																		FTS.ETND6HD			421	Orderable from: 01/07/2011
	DX4x0 S2 HD NLSAS 1TB 7.2 3.5 x1	, Nearline SAS disk drive (1TB/7.2krpm) x 1																														x																		FTS.ETNN1HD			321	Orderable from: 01/07/2011
	DX4x0 S2 HD NLSAS 2TB 7.2 3.5 x1	, Nearline SAS disk drive (2TB/7.2krpm) x 1																														x																		FTS.ETNN2HD			553	Orderable from: 01/07/2011
	DX4x0 S2 SSD SAS 100G 2.5 x1	, SSD (100GB, 2.5 inch) x 1																													x																		FTS.ETNS1HC			5537	Orderable from: 01/07/2011
	DX4x0 S2 SSD SAS 100G 3.5 x1	, SSD (100GB, 3.5 inch) x 1																														x																		FTS.ETNS1HD			5537	Orderable from: 01/07/2011
	DX4x0 S2 SSD SAS 200G 2.5 x1	, SSD (200GB, 2.5 inch) x 1																													x																		FTS.ETNS2HC			6965	Orderable from: 01/07/2011
	DX4x0 S2 SSD SAS 200G 3.5 x1	, SSD (200GB, 3.5 inch) x 1																														x																		FTS.ETNS2HD			6965	Orderable from: 01/07/2011
	HD SAS 3GB/s 146GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"																	x																															S26361-F3244-E514			237	
	HD SAS 3GB/s 300GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"																	x																															S26361-F3244-E530			412	
	HD SAS 3GB/s 450GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"																	x																															S26361-F3244-E545			566	
	HD SAS 3GB/s 600GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"																	x																															S26361-F3244-E560			667	
	HD SATA 3GB/s 2TB 7.2k hot p 3.5" SX40	7.200 rpm, fitting height 1"																	x																															S26361-F3245-E200			778	
	SX-HDD SAS 600GB 15.000rpm	FibreCAT SX SAS HDD, 600GB 15.000rpm																			x	x	x	x																									D:FCSX- SAS600			1070	
	SX-HDD SAS 450GB 15.000rpm	FibreCAT SX80/SX88 SAS HDD, 450GB 15,000rpm																			x	x	x	x																									D:FCSX- SAS450			645	
	SX-HDD SAS 300GB 15.000rpm	FibreCAT SX80/SX88 SAS HDD, 300GB 15,000rpm																			x	x	x	x																									D:FCSX- SAS300			504	
	SX-HDD SATA 2 TB 7.200rpm	FibreCAT SX60/SX80SX88 SATA HDD, 2 TB 7,200rpm																			x	x	x	x																									D:FCSX- SATA 2TB			592	
	SX-HDD SATA 1 TB 7.200rpm	FibreCAT SX60/SX80SX88 SATA HDD, 1 TB 7,200rpm																			x	x	x	x																									D:FCSX- SATA 1TB			487	
	JX40 SAS 6G Disk 600GB 10k 2.5"	ETERNUS JX40 SAS Disk 6G 600GB 10k 2.5"						x																																											FTS.ETJSA6MBG			583	
	DX SAS HD 600GB 15k	Eternus DX SAS HDD, 600GB 15,000rpm	x	x	x	x																																													FTS.ETLSA6HAG			421	
	JX40 SAS 6G Disk 450GB 10k 2.5"	ETERNUS JX40 SAS Disk 6G 450GB 10k 2.5"						x																																											FTS.ETJSA4MBG			478	
	DX SAS HD 450GB 15k	Eternus DX SAS HDD, 450GB 15,000rpm	x	x	x	x																																													FTS.ETLSA4HAG			352	
	JX40 SAS 6G Disk 300GB 10k 2.5"	ETERNUS JX40 SAS Disk 6G 300GB 10k 2.5"						x																																											FTS.ETJSA3MBG			368	
	DX SAS HD 300GB 15k	Eternus DX SAS HDD, 300GB 15,000rpm	x	x	x	x																																													FTS.ETLSA3HAG			264	
	JX40 SAS 6G Disk 146GB 15k 2.5"	ETERNUS JX40 SAS Disk 6G 146GB 15k 2.5"						x																																											FTS.ETJSA1HBG			364	
	DX NL-SAS HD 2TB 7.2k	Eternus DX NL-SAS HDD, 2TB 7,200rpm	x	x	x	x																																													FTS.ETLNS2HAG			555	
	JX40 SAS 6G Disk 146GB 10k 2.5"	ETERNUS JX40 SAS Disk 6G 146GB 10k 2.5"						x																																											FTS.ETJSA1MBG			197	
	DX NL-SAS HD 1TB 7.2k	Eternus DX NL-SAS HDD, 1TB 7,200rpm	x	x	x	x																																													FTS.ETLNS1HAG			322	
	JX40 SAS 6G Disk 73GB 15k 2.5"	ETERNUS JX40 SAS Disk 6G 73GB 15k 2.5"						x																																											FTS.ETJSA0HBG			232	
	JX40 SATA Disk 1TB 3G 2.5"							x																																												FTS.ETJST4MBG			335	
	DX Solid State Disk 200GB 3,5"	ETERNUS DX 3.5" SSD, 200GB, Released only for ETERNUS DX60/DX90 Base Shelf and ETERNUS Expansion Shelf in conjunction w ith ETERNUS DX80/DX90 Base Shelf			x	x	x	x																																										FTS.ETLSS2HAG			6989	
	JX40 SATA Disk 3G 500GB 2,5"	ETERNUS JX40 SATA Disk 3G 500GB 7.2K 2.5" BC						x																																											FTS.ETJST3MBG			211	
	DX Solid State Disk 100GB 3,5"	ETERNUS DX 3.5" SSD, 100GB			x	x	x	x																																											FTS.ETLSS1HAG			5557	
	JX40 SSD SATA 3G 32GB SLC 2.5"	ETERNUS JX40 SSD SATA 3G 32GB SLC 2.5"						x																																											FTS.ETJSD0BG			539	
	JX40 SSD SATA 3G 64GB SLC 2.5"	ETERNUS JX40 SSD SATA 3G 64GB SLC 2.5"						x																																											FTS.ETJSD1BG			1009	
SCSI/RAID/SAS controller																																																					
	I/O Modul	FibreCAT SX I/O Modul to cascading a shelf																			x	x	x	x																									D:FCSX- IO			474	
Rack-Infrastructure																																																			
	Racklinstallation Tape Products	Service for installation of a FibreCAT TX System into a PRIMERGY Rack ex w orks., With ordering this service, the FibreCA T TX w ill be premounted in a 12/24/38U Rack ex w orks.									x	x	x																																		x	x	x	D:FCTX- INPSR			100	
	DX8xxx EU pow er cable (4x) for exp. rack	AC- Pow er cable w ith CEE plug., 4 cables for the Pow er Supply DACS module.																																												x	x				FTS.ETHCABUEU			175	
	DX4xx EU pow er cable set expansion rack	AC- Pow er cable w ith CEE plug., 2 cables for the PDU modul.							x	x																																									FTS.ETMCABUEU			88	
	Rack installation ex w orks, SX10, 1U Nod	Service for installation of a server or subsystem ex w orks., With ordering this service, the 12/24/38U rack w ill be delivered completely premounted and tested ex w orks. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.																	x					x																									S26361-F1647-E302			55	
	1 U cable arm, dragged	Cable arm for PRIMERGY Server, dragged for PRIMECENTER- and 3rd-party racks																						x																									S26361-F2735-E8			25	
	RMK-S Vario Carrier w. L-shaped Brackets	w ith V ario carrier f. easy rack mounting for 19inch rack systems in PCRI racks max. load 50 kg																						x																									S26361-F2735-E150			39	
	RMK-F1_1-2U Server	telescopic rail, full extraction w ith vario-carrier, pre-assembled w ith centre screw ., Rack installation depth (19" pillar distance) betw een 714mm and 785mm																						x																									S26361-F2735-E101			47	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS 2K40	ETERNUS DX410	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3Expansionshelf	FibreCAT CX4Expansionshelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX85 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX7	Library Scalar i2000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SC-ALAR i2000 for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2. 5 " Expa	ETERNUS DX4xx S2 3. 5 " Expa	ETERNUS DX60 2. 5"	ETERNUS DX80 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS DX8900 S2 2. 5 " Expa	ETERNUS DX8900 S2 3. 5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX60 2. 5"	ETERNUS DX90 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																
Rack-Infrastructure (Continued)																																																	
	PRIMERGY Rackinstallation SX/DX ex works	Service for installation of a Raid-Subsystem into a PRIMERGY Rack ex works., With ordering this service, the ETERNUS System will be premounted in a 12/24/38U Rack ex works.	x	x	x	x	x	x	x										x	x	x	x							x	x	x	x	x				x	x	x				D:FCSX-INPSR			100	
	Rackinstallation CX3/4-xx works ABG	Service for installation of a FibreCAT CX3 Raid-Subsystem into a Rack ex works., With ordering this service, the FibreCAT CX3 will be premounted in a 12/24/38U Rack ex works.												x	x	x	x																											D:FCX3-INSTALL-A			100	
UPS/Power supply																																																
	Cable power cord (USA), 1.8m, grey	suitable for USA, Cnd																					x																						T26139-Y1742-E10			8	
Miscellaneous																																																
	Extension cable kit for DX410	Cable to connect extension DE, - 4x FC cable (Optical LC-LC 5m), - 2x DEI cable (3m), - 8x SFP module								x																																		FTS:ETMCAF1U-E			491	Orderable from: 15/07/2010
	Extension cable kit for DX440	Cable to connect extension DE, - 8x FC cable (Optical LC-LC 5m), - 4x DEI cable (3m), - 16x SFP module								x																																		FTS:ETMCAF4U-E			667	
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order																	x					x																					S26361-F1647-E410			21	
	SAS IOM_TXF	SAS I/O-Modul																						x																					S26361-F3872-E120			175	
	USB IOM_TXF	USB I/O-Modul																						x																					S26361-F3872-E130			128	
	No RMK	no Rackmount-Kit, Special case TX200-S4: if needed, please order rack-mount kit as option to the server: S26361-F2734-L90																						x																					S26361-F2735-E111			4	
Cables																																																
	FC CX3_xx CABLE HSSDC to HSSDC2 (5 m)-	Fibre channel cable , 5 m , Connecting cable FibreCAT CX Model between two Rack's, HSSDC -HSSDC2 5M													x																														D:FC1-HSSDC-5M			172	
	FC CX3_xx CABLE HSSDC2 to HSSDC2 (5 m)	Fibre channel cable , 5 m , Connecting cable FibreCAT CX Model between two Rack's, HSSDC2 -HSSDC2 5M													x	x	x																												D:FC2-HSSDC-5M			188	
	Cascading Cable	FibreCAT SX Cascading Cable 0.5m																		x	x	x	x																							D:FCSX-IO-CAB			61	
	SAS CABLE KIT P2P SAS-SAS	internal SAS-cable for connection of a SAS LTO3/4/5 tape drive with SFF8482 connector with TXF SAS IOM																						x																					S26361-F3872-E121			18	
	P2P-SAS-SATA Cable-KIT	internal SAS-cable for connection of a SAS-backup drive with SATA Interface																						x																					S26361-F3872-E122			18	
	USB CABLE KIT P2P A-B	internal USB cable for connection of an USB backup drive; interface USB A-B																						x																					S26361-F3872-E131			18	
Tape Drive																																																
	SCDK LTO-3 IBM TapeDrive FC 4GB	Quantum Scalar i2000 IBM LTO-3 Tape Drive Module, 4GB native Fibre Channel, factory installed. This tape drive is not compatible with Scalar Key Manager or with Quantum Encryption Key Manager.																										x																D:SCDK-FTDG-L3BA			10687	
	SCDK LTO-4 IBM TapeDrive +Q-EKM FC 4GB	Quantum Scalar i2000 IBM LTO-4 Tape Drive Module, 4GB native Fibre Channel, factory installed. This tape drive is compatible with Q-EKM, but not with SKM.																							x																				D:SCDK-FTDG-L4BE			13982	
	SCDK LTO-3 IBM TapeDrive FC-Network 4GB	Quantum Scalar i2000 4GB IBM LTO-3 Tape Drive Module, 4GB Storage Networking, factory installed. This tape drive is not compatible with Scalar Key Manager nor with Quantum Encryption Key Manager. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																										x																D:SCDK-FTDT-L3BA			12824	
	SCDK LTO-4 IBM TapeDrv QEKM FCNwk 4GB	Quantum Scalar i2000 4GB IBM LTO-4 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is compatible with Q-EKM, but not with SKM. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																										x																D:SCDK-FTDT-L4BE			16496	
	SC600 LTO-4 FC IBM Drive , native	Quantum Scalar i500 IBM LTO-4 Tape Drive Module, 4GB native Fibre Channel, field upgrade. This tape drive is compatible with Quantum Encryption Key Manager. Valid only when ordering add-on drives for an installed library already configured with IBM LTO-4 tape drives. Tape drive installation and configuration (SSCBB-NTDF-012x), covering up to 12 drives, must be ordered separately.																											x															D:SC500-DU4F			10390	
	SC600 LTO-4 drive NW	Quantum Scalar i500 IBM LTO-4 Tape Drive Module, 4GB Storage Networking, field upgrade. This tape drive is compatible with Quantum Encryption Key Manager. For Scalar i500 14U or larger systems only. Valid only when ordering add-on drives for an installed library already configured with IBM LTO-4 tape drives. Includes Scalar i500 Fibre Channel I/O Blade when required (every fourth tape drive added). Tape drive installation and configuration (SSCBB-NTDF-012x), covering up to 12 drives, must be ordered separately.																											x															D:SC500-DU4N			11798	
	SC2000 1xSDLT 600 FC Drive	Quantum Scalar i2000 SDLT 600 Tape Drive Module, 2GB native Fibre Channel, factory installed. This tape drive is not compatible with Scalar Key Manager nor with Quantum Encryption Key Manager.																							x																				Q:LSC2K-FTDF-S3QA			8981	
	SC2000 1xIBM LTO-3FC Drive	Quantum Scalar i2000 IBM LTO-3 Tape Drive Module, 4GB native Fibre Channel, factory installed. This tape drive is not compatible with Scalar Key Manager or with Quantum Encryption Key Manager.																							x																				Q:LSC2K-FTDG-L3BA			10687	
	SC2000 1xHP LTO-3FC Drive	Quantum Scalar i2000 HP LTO-3 Tape Drive Module, 4GB native Fibre Channel, factory installed. This tape drive is not compatible with Scalar Key Manager or with Quantum Encryption Key Manager.																							x																				Q:LSC2K-FTDG-L3HA			10687	
	SC2000 1xHP LTO-4FC Drive	Quantum Scalar i2000 HP LTO-4 Tape Drive Module, 4GB native Fibre Channel, factory installed, This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager.																							x																				Q:LSC2K-FTDG-L4HA			12573	
	SC2000 1xHP LTO-4FC Drive, SKM	Quantum Scalar i2000 HP LTO-4 Tape Drive Module, Scalar Key Manager-Enabled, 4GB native Fibre Channel, factory-installed, Includes Scalar Key Manager license key for use with HP LTO-4 drives only. Scalar Key Manager Appliance must be ordered separately if customer does not already have it installed in their environment. Scalar i2000 Partitioning Option (LSC2K-APAR-001A) is required and key-enabled drives must be in a separate partition from non-key-enabled drives. Not for use with IBM LTO-4 drives and Q-EKM license keys. Encryption Key Management Solution Installation and Configuration services are optional. Warranty/service level of key-enabled drives must match the service length and level of the library.																							x																				Q:LSC2K-FTDG-L4HQ			13982	
	SC2000 1xDLT-4S FC Drive	Quantum Scalar i2000 DLT-S4 Tape Drive Module, 4GB native Fibre Channel, factory installed, This tape drive is not compatible with Scalar Key Manager nor with Quantum Encryption Key Manager.																							x																				Q:LSC2K-FTDG-S4QA			12573	
	SC2000 1xIBM LTO-3FC Dr, Q-EKM, NW	Quantum Scalar i2000 4GB IBM LTO-3 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is not compatible with Scalar Key Manager nor with Quantum Encryption Key Manager. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																							x																				Q:LSC2K-FTDT-L3BA			12824	
	SC2000 1xHP LTO-3FC Dr, Q-EKM, NW	Quantum Scalar i2000 4GB HP LTO-3 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is not compatible with Scalar Key Manager nor with Quantum Encryption Key Manager. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																							x																				Q:LSC2K-FTDT-L3HB			12824	

Options Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS JX40	ETERNUS DX410	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3ExpansionShelf	FibreCAT CX4ExpansionShelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX85 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX/F	Library Scalar i2000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SC-ALAR i2000 for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2. 5 " Expa	ETERNUS DX4xx S2 3. 5 " Expa	ETERNUS DX60 2. 5"	ETERNUS DX80 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX80 S2 3. 5"	ETERNUS DX8900 S2 2. 5 " Expa	ETERNUS DX8900 S2 3. 5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX60 2. 5"	ETERNUS DX90 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																		
Tape Drive (Continued)																																																			
	SC2000 1xHP LTO-4FC Dr, NW	Quantum Scalar i2000 4GB HP LTO-4 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																							x																											Q:LSC2K-FTDT-L4HA			15087	
	SC2000 1xHP LTO-4FC Dr, SKM, NW	Quantum Scalar i2000 HP LTO-4 Tape Drive Module, Scalar Key Manager-Enabled, 4GB native Fibre Channel, factory-installed, Includes Scalar Key Manager license key for use with HP LTO-4 drives only. Scalar Key Manager Appliance must be ordered separately if customer does not already have it installed in their environment. Scalar i2000 Partitioning Option (LSC2K-APAR-001A) is required and key-enabled drives must be in a separate partition from non-key-enabled drives. Not for use with IBM LTO-4 drives and Q-EKM license keys. Encryption Key Management Solution installation and Configuration services are optional. Warranty/service level of key-enabled drives must match the service length and level of the library.																							x																											Q:LSC2K-FTDT-L4HQ			16496	
	SC2000 1xDLT-4S Dr, Q-EKM, NW	Quantum Scalar i2000 4GB DLT-S4 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is not compatible with Scalar Key Manager nor with Quantum Encryption Key Manager. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																							x																											Q:LSC2K-FTDT-S4QA			15087	
	SC500 1xHP LTO-5FC Drive, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, 8GB native Fibre Channel, field upgrade, This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager.																								x																										Q:LSC5H-UTDJ-LSHA			11948	
	SC500 1xHP LTO-5FC Drive,SKM, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, Scalar Key Manager-Enabled, 8GB native Fibre Channel, field upgrade, Includes Scalar Key Manager license key for use with HP drives only. Scalar Key Manager Appliance must be ordered if customer does not already have the appliance in their environment. Not for use with IBM drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives.																								x																										Q:LSC5H-UTDJ-LSHQ			13004	
	SC500 1xHP LTO-5SAS Drive, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, SAS, field upgrade, This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager.																								x																										Q:LSC5H-UTDM-LSHA			9700	
	SC500 1xHP LTO-5SAS Drive, SKM, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, Scalar Key Manager-Enabled, SAS, field upgrade, Includes Scalar Key Manager license key for use with HP drives only. Scalar Key Manager Appliance must be ordered if customer does not already have the appliance in their environment. Not for use with IBM drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives.																								x																										Q:LSC5H-UTDM-LSHQ			10757	
	SC500 1xHP LTO-5FC Dr, NW, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, 4GB Storage Networking, field upgrade, For Scalar i500 14U or larger systems only. Includes Scalar i500 4GB Fibre Channel I/O Blade when required (every fourth tape drive added). This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager. Valid only with order for Scalar i500 14U or larger system.																								x																										Q:LSC5H-UTDT-LSHA			13568	
	SC500 1xHP LTO-5FC Dr, SKM, NW, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, Scalar Key Manager-Enabled, 4GB Storage Networking, field upgrade, For Scalar i500 14U or larger systems only. Includes Scalar i500 Fibre Channel I/O Blade when required (every fourth tape drive added). Includes Scalar Key Manager license key for use with HP drives only. Scalar Key Manager Appliance must be ordered if customer does not already have the appliance in their environment. Not for use with IBM drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives.																								x																										Q:LSC5H-UTDT-LSHQ			14624	
	SC500 1xHP LTO-5FC Drive, NW, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, 8GB native Storage Networking, field upgrade, Includes 8GB Storage Networking license key. This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager.																								x																										Q:LSC5H-UTDU-LSHA			13004	
	SC500 1xHP LTO-5FC Dr, SKM, NW, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, Scalar Key Manager-Enabled, 8GB native Storage Networking, field upgrade, Includes 8GB Storage Networking license key and Scalar Key Manager license key. Scalar Key Manager Appliance must be ordered if customer does not already have the appliance in their environment. Not for use with IBM drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives.																								x																										Q:LSC5H-UTDU-LSHQ			14061	
	SC6000 1xHP LTO-5FC Drive	Quantum Scalar i6000 HP LTO-5 Tape Drive Module, 8GB native Fibre Channel, factory installed, This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager.																								x																										Q:LSC6K-FTDJ-LSHA			14459	

Options Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS 2K40	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3ExpansionShelf	FibreCAT CX4ExpansionShelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX85 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX7	Library Scalar i3000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SC-ALAR i3000for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2. 5 " Expa	ETERNUS DX4xx S2 3. 5 " Expa	ETERNUS DX60 2. 5"	ETERNUS DX80 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS DX8900 S2 2. 5 " Expa	ETERNUS DX8900 S2 3. 5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX60 2. 5"	ETERNUS DX90 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																
Tape Drive	**(Continued)**																																																
	SC6000 1xHP LTO-5FC Drive, SKM	Quantum Scalar i6000 HP LTO-5 Tape Drive Module, Scalar Key Manager-Enabled, 8GB native Fibre Channel, factory-installed, Includes Scalar Key Manager license key for use w ith HP LTO-5 drives only. Scalar Key Manager Appliance must be ordered separately if customer does not already have it installed in their environment. Scalar i2000 Partitioning Option (LSC2K-APAR-001A) is required and key-enabled drives must be in a separate partition from non-key-enabled drives. Not for use w ith IBM LTO-4 drives and Q-EKM license keys. Encryption Key Management Solution Installation and Configuration services are optional. Warranty/service level of key-enabled drives must match the service length and level of the library.																							x																								Q:LSC6K-FTDJ-LSHQ			15868	
	SC6000 1xHP LTO-5FC Dr, NW	Quantum Scalar i6000 8GB HP LTO-5 Tape Drive Module, 4GB Storage Netw orking, factory installed, This tape drive is compatible w ith Scalar Key Manager, but not w ith Quantum Encryption Key Manager. Includes Scalar i6000 Fibre Channel I/O Blade w hen required (every fourth tape drive added).																							x																								Q:LSC6K-FTDT-LSHA			16924	
	SC6000 1xHP LTO-5FC Dr, SKM, NW	Quantum Scalar i6000 HP LTO-5 Tape Drive Module, Scalar Key Manager-Enabled, 8GB native Fibre Channel, factory-installed, Includes Scalar Key Manager license key for use w ith HP LTO-5 drives only. Scalar Key Manager Appliance must be ordered separately if customer does not already have it installed in their environment. Scalar i2000 Partitioning Option (LSC2K-APAR-001A) is required and key-enabled drives must be in a separate partition from non-key-enabled drives. Not for use w ith IBM LTO-4 drives and Q-EKM license keys. Encryption Key Management Solution Installation and Configuration services are optional. Warranty/service level of key-enabled drives must match the service length and level of the library.																							x																								Q:LSC6K-FTDT-LSHQ			18333	
	SC6000 1xHP LTO-5FC Dr. NW,Failover	Quantum Scalar i6000 HP LTO-5 Tape Drive Module, 8GB Native Storage Netw orking, factory installed. Includes license key to enable Control Path Failover, Data Path Failover, and LUN Mapping. Does not include 4GB Fibre Channel I/O Blade.																							x																								Q:LSC6K-FTDU-LSHA			16220	
	SC6000 1xHP LTO-5FC Dr, SKM,NW,Failover	Quantum Scalar i6000 HP LTO-5 Tape Drive Module, Key-Enabled, 8GB Native Storage Netw orking, factory installed. Includes license key to enable Control Path Failover, Data Path Failover, and LUN Mapping. Does not include 4GB Fibre Channel I/O Blade. Also includes Scalar Key Manager license key for use w ith HP LTO-4 and HP LTO-5 drives. Scalar Key Manager Appliance must be ordered separately if customer does not already have it installed in their environment. Scalar i2000/Scalar i6000 Partitioning Option (LSC2K-APAR-001A) is required and key-enabled drives must be in a separate partition from non-key-enabled drives. Not for use w ith IBM LTO drives and Q-EKM license keys. Encryption Key Management Solution Installation and Configuration services are optional. Warranty/service level of key-enabled drives must match the service length and level of the library.																							x																								Q:LSC6K-FTDU-LSHQ			17629	
	SC500 LTO-3 FC IBM Drive, native	LTO Ultrium 3 FC drive for Scalar i500, Data transfer rate: 80 MB/s (native)., Data medium capacity : 400 GB (native).																								x																							D:SC500-DU3F			9203	
	ETERNUS LT40 LTO-4FH FC assem. Dr	ETERNUS LT40 , drive LTO4 Full-Hight, LTO4 drive capable of reading and w riting to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Fibre Channel 4 GB interface									x																																				FTS:LT40JZ124E			3257	
	ETERNUS LT60 LTO-3HH SAS assem. Dr	ETERNUS LT60 , drive LTO3 Half-Hight, LTO3 drive capable of reading and w riting to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., SAS SFF8088 interface										x																																			FTS:LT60JZ233E			1929	
	SC500 1xHP LTO-4FC Drive,SKM, UPG	"Quantum Scalar i500 HP LTO-4 Tape Drive Module, Key-Enabled, 4GB native Fibre Channel, field upgrade.Includes Scalar Key Manager license key for use w ith HP LTO-4 drives only. Scalar Key Manager Appliance must be ordered separately. Not for use w ith IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																							x																								Q:LSCSH-UTDG-L4HQ			11446	
	SC500 1xHP LTO-4FC Drive, UPG	"Quantum Scalar i500 HP LTO-4 Tape Drive Module, 4GB native Fibre Channel, field upgrade. , This tape drive is not compatible w ith Quantum Encryption Key Manager. Tape drive installation and configuration (SSCBB-NTDF-012x), covering up to 12 drives, must be ordered separately."																							x																								Q:LSCSH-UTDG-L4HA			10390	
	ETERNUS LT40 LTO-4FH SAS assem. Dr	ETERNUS LT40 , drive LTO4 Full-Hight, LTO4 drive capable of reading and w riting to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., SAS SFF8088 interface									x																																				FTS:LT40JZ134E			3083	
	ETERNUS LT60 LTO-4HH SAS assem. Dr	ETERNUS LT60 , drive LTO4 Half-Hight, LTO4 drive capable of reading and w riting to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., SAS SFF8088 interface										x																																			FTS:LT60JZ234E			2081	
	ETERNUS LT40 LTO-3HH SAS assem. Dr	ETERNUS LT40 , drive LTO3 Half-Hight, LTO3 drive capable of reading and w riting to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., SAS SFF8088 interface									x																																		x		FTS:LT40JZ233E			1929	
	ETERNUS LT60 LTO-4HH FC assem. Dr	ETERNUS LT60 , drive LTO4 Half-Hight, LTO4 drive capable of reading and w riting to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Fibre Channel 4 GB interface										x																																				FTS:LT60JZ224E			2217	
	SC500 1xHP LTO-4FC Dr,SKM,NW, UPG	Quantum Scalar i500 HP LTO-4 Tape Drive Module, Key-Enabled, 4GB Storage Netw orking, field upgrade. For Scalar i500 14U or larger systems only. Includes Scalar i500 Fibre Channel I/O Blade w hen required (every fourth tape drive added). Includes Scalar Key Manager license key for use w ith HP LTO-4 drives only. Scalar Key Manager Appliance must be ordered separately. Not for use w ith IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of Scalar Key Manager drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																							x																								Q:LSCSH-UTDT-L4HQ			12855	

Options Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS DX400	ETERNUS DX410	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX60/SX80 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX/F	Library Scalar i3000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SC-ALAR 12000for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2. 5 " Expa	ETERNUS DX4xx S2 3. 5 " Expa	ETERNUS DX400 2. 5"	ETERNUS DX80 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS DX8900 S2 2. 5 " Expa	ETERNUS DX8900 S2 3. 5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX60 2. 5"	ETERNUS DX90 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																	
Tape Drive (Continued)																																																			
	SC500 1xHP LTO-4FC Drive,NW, UPG	Quantum Scalar i500 HP LTO-4 Tape Drive Module, 4GB Storage Networking, field upgrade, This tape drive is not compatible with Quantum Encryption Key Manager. For Scalar i500 14U or larger systems only. Includes Scalar i500 Fibre Channel I/O Blade when required (every fourth tape drive added). Tape drive installation and configuration (SSCBB-NTDF-012x), covering up to 12 drives, must be ordered separately.																								x																							Q:LSCSH-UTDT-L4HA			11798	
	ETERNUS LT40 LTO-4HH FC assem. Dr	ETERNUS LT40 , drive LTO4 Half-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Fibre Channel 4 GB interface										x																																		x	FTS:LT40JZ224E			2217	
	ETERNUS LT60 LTO-4FH SAS assem. Dr	ETERNUS LT60 , drive LTO4 Full-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., SAS SFF8088 interface											x																																			FTS:LT60JZ134E			3083	
	SC500 1xHP LTO-4SAS Drive, UPG	"Quantum Scalar i500 HP LTO-4 Tape Drive Module, SAS, field upgrade. This tape drive is not compatible with Quantum Encryption Key Manager. Tape drive installation and configuration (SSCBB-NTDL-012x), covering up to 12 drives, must be ordered separately."																								x																							Q:LSCSH-UTDM-L4HA			8435	
	SC500 1xHP LTO-4SAS Drive,SKM, UPG	Quantum Scalar i500 HP LTO-4 Tape Drive Module, Key-Enabled, SAS, field upgrade, Includes Scalar Key Manager license key for use with HP LTO-4 drives only. Scalar Key Manager Appliance must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives.																								x																							Q:LSCSH-UTDM-L4HQ			9491	
	ETERNUS LT40 LTO-4HH SAS assem. Dr	ETERNUS LT40 , drive LTO4 Half-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., SAS SFF8088 interface										x																																		x	FTS:LT40JZ234E			2081	
	ETERNUS LT60 LTO-5FH FC assem. Dr	ETERNUS LT60 , drive LTO5 Full-Hight, LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Fibre Channel 8 GB interface											x																																			FTS:LT60JZ125E			3771	
	ETERNUS LT40 LTO-5HH FC assem. Dr	ETERNUS LT40 , drive LTO5 Half-Hight, LTO4 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Fibre Channel 8 GB interface										x																																		x	FTS:LT40JZ225E			2670	
	ETERNUS LT60 LTO-4FH FC assem. Dr	ETERNUS LT60 , drive LTO4 Full-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Fibre Channel 4 GB interface											x																																			FTS:LT60JZ124E			3257	
	ETERNUS LT40 LTO-5FH SAS assem. Dr	ETERNUS LT40 , drive LTO5 Full-Hight, LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., SAS SFF8088 interface										x																																			FTS:LT40JZ135E			3643	
	ETERNUS LT60 LTO-5FH SAS assem. Dr	ETERNUS LT40 , drive LTO5 Full-Hight, LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., SAS SFF8088 interface											x																																			FTS:LT60JZ135E			3643	
	SC500 1xIBM LTO-4SCSI,UPG	Quantum Scalar i500 IBM LTO-4 Tape Drive Module, LVD SCSI, field upgrade. This tape drive is not compatible with Quantum Encryption Key Manager. Tape drive installation and configuration (SSCBB-NTDL-012x), covering up to 12 drives, must be ordered separately."																								x																							Q:LSCSH-UTDL-L4BA			8083	
	SC500 1xIBM LTO-3SCSI Drive, UPG	Quantum Scalar i500 LTO-3 Tape Drive Module, LVD SCSI, field upgrade. This tape drive is not compatible with Quantum Encryption Key Manager. Tape drive installation and configuration (SSCBB-NTDL-012x), covering up to 12 drives, must be ordered separately.																								x																							Q:LSCSH-UTDL-L3BA			6621	
	ETERNUS LT40 LTO-5HH SAS assem. Dr	ETERNUS LT40 , drive LTO5 Half-Hight, LTO4 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., SAS SFF8088 interface up to 6GBit/s										x																																		x	FTS:LT40JZ235E			2507	
	ETERNUS LT60 LTO-5HH SAS assem. Dr	ETERNUS LT60 , drive LTO5 Half-Hight, LTO4 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., SAS SFF8088 interface up to 6GBit/s											x																																			FTS:LT60JZ235E			2507	
	SC500 1xIBM LTO-3FC Drive, UPG	Quantum Scalar i500 LTO-3 Tape Drive Module, 4GB native Fibre Channel, field upgrade. This tape drive is not compatible with Quantum Encryption Key Manager. Tape drive installation and configuration (SSCBB-NTDF-012x), covering up to 12 drives, must be ordered separately.																								x																							Q:LSCSH-UTDG-L3BA			9203	
	ETERNUS LT40 LTO-5FH FC assem. Dr	ETERNUS LT40 , drive LTO5 Full-Hight, LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Fibre Channel 8 GB interface										x																																			FTS:LT40JZ125E			3771	
	ETERNUS LT60 LTO-5HH FC assem. Dr	ETERNUS LT60 , drive LTO5 Half-Hight, LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Fibre Channel 8 GB interface											x																																			FTS:LT60JZ225E			2670	
	ET LT S2 drive FC LTO-4 FH	ETERNUS LT S2 , drive LTO5Full-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Fibre Channel 4 GB interface																																												x	x	FTS:LTSZZ124E			3139	Orderable from: 01/07/2011
	ET LT S2 drive FC LTO-5 FH	ETERNUS LT S2 , drive LTO5Full-Hight, LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Fibre Channel 8 GB interface																																												x	x	FTS:LTSZZ125E			3709	Orderable from: 01/07/2011
	ET LT S2 drive SAS LTO-4 FH	ETERNUS LT S2 , drive LTO5Full-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., SAS SFF8088 interface																																												x	x	FTS:LTSZZ134E			2952	Orderable from: 01/07/2011
	ET LT S2 drive SAS LTO-5 FH	ETERNUS LT S2, drive LTO5 Full-Hight, LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., SAS SFF8088 interface																																												x	x	FTS:LTSZZ135E			3520	Orderable from: 01/07/2011
	ET LT S2 drive SAS LTO-3 HH	ETERNUS LT S2 , drive LTO3 Half-Hight, LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., SAS 4 GB/s, SFF8088 interface																																												x	x	x	FTS:LTSZZ233E			1708	Orderable from: 01/07/2011
	ET LT S2 drive FC LTO-4 HH	ETERNUS LT S2 , drive LTO4 Half-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Fibre Channel 4 GB/s interface																																												x	x	x	FTS:LTSZZ224E			2346	Orderable from: 01/07/2011
	ET LT S2 drive FC LTO-5 HH	ETERNUS LT S2 , drive LTO5 Half-Hight, LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Fibre Channel 8 GB interface																																												x	x	x	FTS:LTSZZ225E			2875	Orderable from: 01/07/2011

Options Storage Tape Systems **Data Sheets: http://ts.fujitsu.com/storage**

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS DX400	ETERNUS DX410	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3ExpansionShelf	FibreCAT CX4EExpansionShelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX85 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX7	Library Scalar i2000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SC-ALAR i2000for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2. 5 " Expa	ETERNUS DX4xx S2 3. 5 " Expa	ETERNUS DX60 2. 5"	ETERNUS DX80 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS DX8900 S2 2. 5 " Expa	ETERNUS DX8900 S2 3. 5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																	
Tape Drive (Continued)																																																		
	ET LT S2 drive SAS LTO-4 HH	ETERNUS LT S2 , drive LTO4 Half-Hight, LTO5 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., SAS 4GB/s interface, SFF8088 connect																																									x	x	x	FTS LTSZZ234E			2052	Orderable from: 01/07/2011
	ET LT S2 drive SAS LTO-5 HH	ETERNUS LT S2 , drive LTO5 Half-Hight, LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., SAS 6GB/s interface, SFF8088 connect																																									x	x	x	FTS LTSZZ235E			2744	Orderable from: 01/07/2011
Installation licences																																																		
	Scalar i2000 to Scalar i6000 Upgrade Kit	Quantum Scalar i2000 to Scalar i6000 Upgrade Kit, Includes the necessary hardware and software to upgrade a Scalar i2000 to a Scalar i6000 library. This upgrade enables enhanced functionality not available in a Scalar i2000, including Layer features like Extended I/E, a streamlined firmware download process, and other software updates. In addition, Scalar i2000 systems must be upgraded to a Scalar i6000 with this kit to take advantage of the additional 'i6000-unique' upgrade options like LTO-5 tape drives and the iLayer MeDIA feature.																								x																							Q:LSC2K-UU6K-0001			7043	
	SC6500 SKM Lic. Key, LTO-5, 2-Dr,UPG	Quantum Scalar i500 8GB native Storage Networking License Key, Two-Drive, field upgrade, Includes license key to enable Storage Networking features on up to two (2) HP LTO-5 drives in a Scalar i500.																								x																							Q:LSC5H-USN2-LSHA			2113	
	SC6500 SKM Lic. Key, LTO-5, 4-Dr,UPG	Quantum Scalar i500 8GB native Storage Networking License Key, four-Drive, field upgrade, Includes license key to enable Storage Networking features on up to four (4) HP LTO-5 drives in a Scalar i500.																								x																							Q:LSC5H-USN4-LSHA			4226	
	SC6500 SKM Lic. Key, LTO-5, 6-Dr,UPG	Quantum Scalar i500 8GB native Storage Networking License Key, six-Drive, field upgrade, Includes license key to enable Storage Networking features on up to six (6) HP LTO-5 drives in a Scalar i500.																								x																							Q:LSC5H-USN6-LSHA			6339	
	SC6500 SKM Lic. Key, LTO-5, 10-Dr,UPG	Quantum Scalar i500 8GB native Storage Networking License Key, ten-Drive, field upgrade, Includes license key to enable Storage Networking features on up to ten (10) HP LTO-5 drives in a Scalar i500.																								x																							Q:LSC5H-USNA-LSHA			10565	
	SC6000 Aisle Light Kit, Per Module	Quantum Scalar i6000 Aisle Light Kit, Per Module, Includes all necessary hardware to install an internal blue aisle light at the top of a Scalar i6000 Control Module or Expansion Module. Order quantity one per Control Module and Expansion Module."																								x																							Q:LSC6K-AALK-0001			533	
	SC6000 72Slot LTO I/E-Station for Expan	Quantum Scalar i6000 72-Slot LTO Import/Export (I/E) Station for Expansion Module, One 72-slot or 24-slot I/E Station can be added to each of the first seven Expansion Modules. This 72-slot I/E station includes 72 LTO import/export slots. Reduces EM capacity by 168 LTO slots.																								x																							Q:LSC6K-AIES-072A			5635	
	SC6k iLayer MeDIA Kit f.Sca.LTO2 - LTO4	Quantum Scalar i6000 iLayer MeDIA Kit, High Performance, For Scanning LTO-2 Through LTO-4 Media Includes license key to enable full MeDIA functionality within the Scalar i6000 iLayer software. Provides ability to create and configure a library-managed partition, as well as to setup and configure the type of MeDIA scanning to perform. 'High Performance' MeDIA kit includes four MeDIA tape drives and one MeDIA I/O Blade for use with the MeDIA feature only. Maximum one MeDIA Kit per system Library-managed partition storage slots count toward licensed COD slots, and MeDIA tape drives count toward maximum system drive count. Requires Scalar i6000 Partitioning Option (LSC2K-APAR-001A).																								x																							Q:LSC6K-AMEH-LT2A			22539	
	SC6k iLayer MeDIA Kit f.Sca.LTO3 - LTO5	Quantum Scalar i6000 iLayer MeDIA Kit, High Performance, For Scanning LTO-3 Through LTO-5 Media Includes license key to enable full MeDIA functionality within the Scalar i6000 iLayer software. Provides ability to create and configure a library-managed partition, as well as to setup and configure the type of MeDIA scanning to perform. 'High Performance' MeDIA kit includes four MeDIA tape drives and one MeDIA I/O Blade for use with the MeDIA feature only. Maximum one MeDIA Kit per system Library-managed partition storage slots count toward licensed COD slots, and MeDIA tape drives count toward maximum system drive count. Requires Scalar i6000 Partitioning Option (LSC2K-APAR-001A).																								x																							Q:LSC6K-AMEH-LT3A			22539	
	SC6k iLayer MeDIA Kit f.Sca.LTO2 - LTO4	Quantum Scalar i6000 iLayer MeDIA Kit, Standard, For Scanning LTO-2 Through LTO-4 Media Includes license key to enable full MeDIA functionality within the Scalar i6000 iLayer software. Provides ability to create and configure a library-managed partition, as well as to setup and configure the type of MeDIA scanning to perform. 'High Performance' MeDIA kit includes four MeDIA tape drives and one MeDIA I/O Blade for use with the MeDIA feature only. Maximum one MeDIA Kit per system Library-managed partition storage slots count toward licensed COD slots, and MeDIA tape drives count toward maximum system drive count. Requires Scalar i6000 Partitioning Option (LSC2K-APAR-001A).																								x																							Q:LSC6K-AMES-LT2A			11270	
	SC6k iLayer MeDIA Kit f.Sca.LTO3 - LTO5	Quantum Scalar i6000 iLayer MeDIA Kit, Standard, For Scanning LTO-3 Through LTO-5 Media Includes license key to enable full MeDIA functionality within the Scalar i6000 iLayer software. Provides ability to create and configure a library-managed partition, as well as to setup and configure the type of MeDIA scanning to perform. 'High Performance' MeDIA kit includes four MeDIA tape drives and one MeDIA I/O Blade for use with the MeDIA feature only. Maximum one MeDIA Kit per system Library-managed partition storage slots count toward licensed COD slots, and MeDIA tape drives count toward maximum system drive count. Requires Scalar i6000 Partitioning Option (LSC2K-APAR-001A).																								x																							Q:LSC6K-AMES-LT3A			11270	
	SC6, SKM Lic.Key, LTO5,2xDr,UPG,Failover	Quantum Scalar i6000 HP LTO-5 8GB native Storage Networking License Key, Two-Drive, field upgrade For use with HP LTO-5 drives only. Includes license key to enable Control Path Failover, Data Path Failover, and LUN Mapping on up to two HP LTO-5 drives.																								x																							Q:LSC6K-USK2-LSHA			3522	
	SC6, SKM Lic.Key, LTO5,4xDr,UPG,Failover	Quantum Scalar i6000 HP LTO-5 8GB native Storage Networking License Key, four-Drive, field upgrade For use with HP LTO-5 drives only. Includes license key to enable Control Path Failover, Data Path Failover, and LUN Mapping on up to two HP LTO-5 drives.																								x																							Q:LSC6K-USK4-LSHA			7043	
	SC6, SKM Lic.Key, LTO5,12xDr,UPG,Failover	Quantum Scalar i6000 HP LTO-5 8GB native Storage Networking License Key,12-Drive, field upgrade For use with HP LTO-5 drives only. Includes license key to enable Control Path Failover, Data Path Failover, and LUN Mapping on up to two HP LTO-5 drives.																								x																							Q:LSC6K-USKC-LSHA			21130	

Options Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS JX40	ETERNUS DX410	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3Expansionshelf	FibreCAT CX4Expansionshelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX85 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX7	Library Scalar i3000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SCALAR i2000for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2. 5 " Expa	ETERNUS DX4xx S2 3. 5 " Expa	ETERNUS DX60 2. 5"	ETERNUS DX80 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX80 S2 3. 5"	ETERNUS DX8900 S2 2. 5 " Expa	ETERNUS DX8900 S2 3. 5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX60 2. 5"	ETERNUS DX60 S2 2. 5"	ETERNUS DX60 S2 3. 5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																		
Installation licences (Continued)																																																			
	SC6,SKM Lic.Key,LTO5,24xDr,UPG,Failover	Quantum Scalar i6000 HP LTO-5 8GB native Storage Networking License Key, 24-Drive, field upgrade For use with HP LTO-5 drives only. Includes license key to enable Control Path Failover, Data Path Failover, and LUN Mapping on up to two HP LTO-5 drives.																							x																									Q:LSC9K-USKF-LSHA			42261	
	SC Key Manager HA Virtual Machine Pair	"Scalar Key Manager High-Availability Virtual Machine Pair. For use with HP LTO-4 and HP LTO-5 drives in both the Scalar i500 and Scalar i2000/i6000. Includes two Scalar Key Manager Appliances (one primary, one secondary). Scalar Key Manager drive licenses must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																							x	x	x	x																					Q:LSCBB-AKMV-001A			2817	
	QTM Vis4.0,2Ser w .1xQTM Sy Lic&Media,UPG	Quantum Vision 4.0 Server with One Quantum System License and Media Kit, initial order, Includes media kit and license for one supported Quantum Disk or Tape System. Compatible with Scalar i500 and Scalar i2000/i6000. Requires Server with Windows 2003/2008 or RHEL 5.0, 4GB memory and 200GB free disk space. Includes support when used with supported Quantum Disk or Tape System under a current support contract.																							x	x																									Q:WSVLA-FQDA-040A			3874	
	Quantum Vision 4.0.3 SWMedia Kit with 1L	Quantum Vision 4.0.3 Software Media Kit with One Device License - New Install Only, Includes media kit and license certificate for one supported Quantum Disk or Tape System. Order this part for new Vision server installations only. Do not use this model number to purchase additional licenses for a supported Quantum disk or tape system. Compatible with DX2500-D, DX3500, DX4500, DX5500, DX6500, DX6700, DX7500, DX8500, Scalar i40/i80, Scalar i500 and Scalar i2000/i6000. Requires Server with Windows 2003/2008 or RHEL 5.0, 4GB memory and 200GB free disk space. Includes support when used with supported Quantum Disk or Tape System under a current support contract.																							x	x																									Q:WSVLA-FQDA-040C			3874	
	SC500>SC6k FTS Installations & Service	Optional position for decision between Quantum and FTS Service., Installation FTS Service and FTS Maintenance for Scalar i500. , This position is to be ordered if FTS is the preffered provider for the FTS Installation Service and FTS Maintenance Service., This is only an optional position (place holder) not the number for the installation and Maintenance Service itself). An offer for the FTS Installation Service and for FTS Maintenance Service Products is separated to catch up with SBO (Sales Backup Office).																							x	x	x	x																					FTS:SC500-INST			2	
	SCI2000 Partitioning Option License Key	Quantum Scalar i2000 Partitioning Option License Key, Enables partitioning functionality, up to 16 partitions. Required for multi-media systems. Also required for systems connected to a key manager if the system has more than one partition.																							x			x																					Q:LSC2K-APAR-001A			5635	
	SC500 Q-EKM License Key, 2-Drive	"Quantum Scalar i500 Q-EKM License Key, Two-Drive, field upgrade. Includes license key to enable Q-EKM on up to two (2) IBM LTO-4 drives in a Scalar i500. Not for use with HP LTO-4 drives and the Scalar Key Manager. Q-EKM Installation and Configuration services are required and must be ordered separately. Warranty / Service level of the Q-EKM drives must match the service length and level of the library. Q-EKM drives must be in a separate partition from non-Q-EKM drives."																								x	x																							Q:LSCSH-UEK2-L4BA			2113	
	SC500 Q-EKM License Key, 4-Drive	"Quantum Scalar i500 Q-EKM License Key, four-Drive, field upgrade. Includes license key to enable Q-EKM on up to four (4) IBM LTO-4 drives in a Scalar i500. Not for use with HP LTO-4 drives and the Scalar Key Manager. Q-EKM Installation and Configuration services are required and must be ordered separately. Warranty / Service level of the Q-EKM drives must match the service length and level of the library. Q-EKM drives must be in a separate partition from non-Q-EKM drives."																								x	x																							Q:LSCSH-UEK4-L4BA			4226	
	SC500 Q-EKM License Key, 6-Drive	"Quantum Scalar i500 Q-EKM License Key, six-Drive, field upgrade. Includes license key to enable Q-EKM on up to six (6) IBM LTO-4 drives in a Scalar i500. Not for use with HP LTO-4 drives and the Scalar Key Manager. Q-EKM Installation and Configuration services are required and must be ordered separately. Warranty / Service level of the Q-EKM drives must match the service length and level of the library. Q-EKM drives must be in a separate partition from non-Q-EKM drives."																								x																							Q:LSCSH-UEK6-L4BA			6339	
	SC500 Q-EKM License Key, 10-Drive	"Quantum Scalar i500 Q-EKM License Key, ten-Drive, field upgrade. Includes license key to enable Q-EKM on up to ten (10) IBM LTO-4 drives in a Scalar i500. Not for use with HP LTO-4 drives and the Scalar Key Manager. Q-EKM Installation and Configuration services are required and must be ordered separately. Warranty / Service level of the Q-EKM drives must match the service length and level of the library. Q-EKM drives must be in a separate partition from non-Q-EKM drives."																								x																							Q:LSCSH-UEKA-L4BA			10565	
	SC500SCALAR Key Manager Lic. Key,2-Dr.	Quantum Scalar i500 Scalar Key Manager License Key, Two-Drive, field upgrade. Includes license key to enable the Scalar Key Manager on up to two (2) HP LTO-4 drives in a Scalar i500. Scalar Key Manager Appliance must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																								x																							Q:LSCSH-UQK2-L4BA			2113	
	SC500SCALAR Key Manager Lic. Key,4-Dr.	Quantum Scalar i500 Scalar Key Manager License Key, four-Drive, field upgrade. Includes license key to enable the Scalar Key Manager on up to four (4) HP LTO-4 drives in a Scalar i500. Scalar Key Manager Appliance must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																								x																							Q:LSCSH-UQK4-L4BA			4226	

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS JX40	ETERNUS DX410	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3ExpansionShelf	FibreCAT CX4ExpansionShelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX80 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX7	Library Scalar i2000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SCALAR i2000 for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2. 5 " Expa	ETERNUS DX4xx S2 3. 5 " Expa	ETERNUS DX60 2. 5"	ETERNUS DX80 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX80 S2 3. 5"	ETERNUS DX8900 S2 2. 5 " Expa	ETERNUS DX8900 S2 3. 5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 2. 5"	ETERNUS DX90 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																		
Installation licences (Continued)																																																					
	SCE600SCALAR Key Manager Lic. Key,6-Dr.	Quantum Scalar i500 Scalar Key Manager License Key, six-Drive, field upgrade. Includes license key to enable the Scalar Key Manager on up to six (6) HP LTO-4 drives in a Scalar i500. Scalar Key Manager Appliance must be ordered separately. Not for use w ith IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																								x																											Q:LSC5H-UQK6-L4BA			6339	
	SCE600SCALAR Key Manager Lic. Key,10-Dr.	Quantum Scalar i500 Scalar Key Manager License Key, ten-Drive, field upgrade. Includes license key to enable the Scalar Key Manager on up to ten (10) HP LTO-4 drives in a Scalar i500. Scalar Key Manager Appliance must be ordered separately. Not for use w ith IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																								x																											Q:LSC5H-UQKA-L4BA			10565	
	SKM High-Availability Appliance Pair	"Scalar Key Manager High-Availability Appliance Pair. For use w ith HP LTO-4 drives in both the Scalar i500 and Scalar i2000. Includes tw o Scalar Key Manager Appliances (one primary, one secondary). Scalar Key Manager drive licenses must be ordered separately. Not for use w ith IBM LTO-4 drives and Q-EKM license keys. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																								x	x	x																									Q:LSCBB-AKMA-001A			10565	
Inst. licences zone 1																																																					
	QuantumSched.AfterHoursSup.Charge,ann,Z1	Quantum Scheduled After Hours Support Charge, annual, zone 1, Add this surcharge as another line item for customers w ho require scheduled maintenance support to be performed after regular business hours. An active Service Contract is required to add this item.																									x																											Q:SLBBB-AAHS-0001			31696	
	Quantum Dark Site Sup.Charge, annual ,Z1	Quantum Dark Site Support Charge, annual, zone 1, Add this surcharge as another line item for customers w ho have unattended "dark" sites that require additional non-mission critical support visits. Service Contracts is required to add this item.																									x																											Q:SLBBB-ADSS-0001			3522	
	SCi500 Non-Return. Dri.Charge, annual,Z1	Quantum Scalar i500 Non-Returnable Tape Drive Charge, annual, zone 1, Add this surcharge as another line item w ith each Scalar i500 sold to a secure site. This line item should be added to the product w ith or w ithout an uplift contract.																									x																											Q:SSC5H-RTSA-NR11			853	
	SCi6000 Non-Return.DriveCharge, annualZ1	Quantum Scalar i6000 Non-Returnable Tape Drive Charge, annual, zone 1, Add this surcharge as another line item w ith each Scalar i6000 sold to a secure site. This line item should be added to the product w ith or w ithout an uplift contract.																									x																											Q:SSC6K-RTSA-NR11			3592	
	SCi500 5U, Installation, Z1	Quantum Scalar i500 5U, Installation, zone 1., The Scalar i500 5U libraries are customer installable. How ever, library installation service is recommended for all configurations and system configuration services are recommended for all Fibre Channel installations. The Library Installation charge includes installation of the library and all optional items initially ordered w ith the library. Installation service is required if a system configuration package is ordered in conjunction w ith a new system installation. Installation is required for the i500 5U LF ordering Quantum Encryption Key Manager at initial purchase."																									x																											Q:SLBBM-NSYS-0001			639	
	SCi2000, Inst & Config, Basic, PX720, Z1	Quantum Scalar i2000, Installation and Configuration, Basic Package, zone 1, Installation and configuration are required for Scalar i2000 libraries The Basic Package is applicable for up to four tape drives.																								x		x																											Q:SLBBN-NSYN-FB01			4473	
	SCi500 5U & 14U, Installation, Z1, UPG	Quantum SuperLoader 3, Scalar 24, Scalar 50/50e, Scalar i500 5U and Scalar i500 14U, Configuration, zone 1., Installation service is required if a system configuration package is ordered in conjunction w ith a new system installation.																								x	x																											Q:SLBBL-NSYC-0001			2712	
	SCi2000, Inst & Config, small, PX720, Z1	Quantum Scalar i2000, Installation and Configuration, Small Package, zone 1, Installation and configuration are required for Scalar i2000 libraries The Small Package is applicable for up to eight tape drives.																								x		x																											Q:SLBBN-NSYN-FE01			5723	
	SCi2000, Inst & Config, medium, PX720,Z1	Quantum Scalar i2000, Installation and Configuration, Medium Package, zone 1, Installation and configuration are required for PX720 and Scalar i2000 libraries The Medium Package is applicable for up to 12 tape drives.																								x		x																											Q:SLBBN-NSYN-FH01			8364	
	SCi500 14U, Installation, Z1	Quantum Scalar i500 14U, Installation, zone 1 The Scalar i500 14U library is customer installable. How ever, library installation service is recommended for all configurations and system configuration services are recommended for all Fibre Channel installations. The Library Installation charge includes installation of the library and all optional items initially ordered w ith the library. Installation service is required if a system configuration package is ordered in conjunction w ith a new system installation. Installation is required if ordering Quantum Encryption Key Manager at initial purchase."																									x																											Q:SSCS3-NSYS-0001			782	
	SCi2000, Inst & Config, large, PX720, Z1	Quantum Scalar i2000, Installation and Configuration, Large Package, zone 1, Installation and configuration are required for Scalar i2000 libraries The Large Package is applicable for up to 24 tape drives. Order Tape Drive Module native Fibre Channel or Storage Netw orking (SNW) Installation and Configuration (model SSCBB-NTDF-000x) for each set of 12 or few er drives in excess of 24.																								x		x																											Q:SLBBN-NSYN-PL01			12766	
	SCi500 23U, Installation, Z1	Quantum Scalar i500 23U, Installation and Configuration, zone 1. , Installation and configuration are required for Scalar i500 23U libraries The Library Installation charge includes installation of the library and all optional items initially ordered w ith the library.																									x																											Q:SSC55-NSYN-0001			5370	
	SCi500 9U, Installation, Z1	Quantum Scalar i500 9U Expansion Module, Installation, zone 1, Required w hen adding a 9U Expansion Module to an existing system. Not required for 9U Expansion Modules ordered w ith an initial system order.																									x	x																											Q:SSC5H-NEXM-0001			639	

Options Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS JX40	ETERNUS DX410	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3Expansionshelf	FibreCAT CX4Expansionshelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX85 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX7	Library Scalar i2000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SC-ALAR i2000 for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2. 5 " Expa	ETERNUS DX4xx S2 3. 5 " Expa	ETERNUS DX60 2. 5"	ETERNUS DX80 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS DX8900 S2 2. 5 " Expa	ETERNUS DX8900 S2 3. 5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX60 2. 5"	ETERNUS DX90 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																		
Inst. licences zone 1 (Continued)																																																				
	SC500+SC2k FC Drive Install. Up to12Z1	Quantum Library, Tape Drive Module, native Fibre Channel or Storage Networking (SNW), installation and Configuration, up to 12, zone 1., Must be ordered when adding Fibre Channel and/or Storage Networking (SNW) tape drive(s) as add-ons/upgrades to an existing library. Must also be ordered when the number of Fibre Channel or SNW tape drives in an initial PX720 or Scalar i2000 library order exceeds the number of drives included in the PX720 and Scalar i2000 Installation and Configuration Large Package (i.e., initial order includes more than 24 Fibre Channel and/or SNW tape drives)."																								x	x	x	x																					Q:SSCBB-NTDF-0121			3082	
	SC500+SC2k SAS / SCSI Drive Install.Z1	Quantum Library, Tape Drive Module, SAS or SCSI, Installation and Configuration, up to 12, zone 1., Must be ordered when adding SAS or SCSI tape drive(s) as add-ons/upgrades to an existing library."																								x	x	x	x																					Q:SSCBB-NTDL-0121			889	
	SC500+SC2k Q-EKM Install. Single SerZ1	Quantum Encryption Key Management Solution, Single Server/Site System Installation and Configuration, zone 1., Includes installation and configuration of SKM or Q-EKM on a single server at a single site. If this item is ordered, the installation and configuration of the secondary server is also required and must be ordered separately. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to the primary SKM or Q-EKM. If the key management installation and configuration service is related to a new system installation, system installation service must also be ordered. For configurations outside this scope, refer to the Customized System Integration Service.																								x	x	x	x																					Q:SLBBB-NEK1-0001			1761	
	SC500+SC2k Q-EKM Add. Server Z1	Quantum Encryption Key Management Solution, Additional Server/Same Site/Same Trip System Installation and Configuration, zone 1, Includes installation and configuration of SKM or Q-EKM on an additional server at the same site during the same trip. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to SKM or Q-EKM. Must purchase Key Management Single Server/Site Integration Service (SLBBB-NEK1-000x) as a prerequisite.																								x	x	x	x																					Q:SLBBB-NEK2-0001			1066	
	SC500+SC2k Q-EKM Add. Server Z1	Quantum Encryption Key Management Solution, Additional Server/Different Site System Installation and Configuration, zone 1, Includes installation and configuration of SKM or Q-EKM on an additional server at a different site. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to SKM or Q-EKM. Must purchase Key Management Single Server/Site Integration Service (SLBBB-NEK1-000x) as a prerequisite.																								x	x	x	x																					Q:SLBBB-NEK3-0001			1761	
Inst. licences zone 2																																																			
	SC500+SC2k Q-EKM Install. Single SerZ2	Quantum Encryption Key Management Solution, Single Server/Site System Installation and Configuration, zone 2., Includes installation and configuration of SKM or Q-EKM on a single server at a single site. If this item is ordered, the installation and configuration of the secondary server is also required and must be ordered separately. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to the primary SKM or Q-EKM. If the key management installation and configuration service is related to a new system installation, system installation service must also be ordered. For configurations outside this scope, refer to the Customized System Integration Service.																								x	x	x	x																					Q:SLBBB-NEK1-0002			2025	
	SC500+SC2k Q-EKM Install. Add. Ser Z2	Quantum Encryption Key Management Solution, Additional Server/Same Site/Same Trip System Installation and Configuration, zone 2, Includes installation and configuration of SKM or Q-EKM on an additional server at the same site during the same trip. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to SKM or Q-EKM. Must purchase Key Management Single Server/Site Integration Service (SLBBB-NEK1-000x) as a prerequisite.																								x	x	x	x																					Q:SLBBB-NEK2-0002			1215	
	SC500+SC2k Q-EKM Add. Server Z2	Quantum Encryption Key Management Solution, Additional Server/Different Site System Installation and Configuration, zone 2., Includes installation and configuration of SKM or Q-EKM on an additional server at a different site. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to SKM or Q-EKM. Must purchase Key Management Single Server/Site Integration Service (SLBBB-NEK1-000x) as a prerequisite.																								x	x	x	x																					Q:SLBBB-NEK3-0002			2025	
	SC500 5U & 14U, Installation, Z2, UPG	Quantum Scalar i500 5U and Scalar i500 14U, Configuration, zone 2., Installation service is required if a system configuration package is ordered in conjunction with a new system installation.																									x	x																					Q:SLBBL-NSYC-0002			3119	
	SC500 5U, Installation, Z2	Quantum Scalar i500 5U, Installation, zone 2., The Scalar i500 5U libraries are customer installable. However, library installation service is recommended for all configurations and system configuration services are recommended for all Fibre Channel installations. The Library Installation charge includes installation of the library and all optional items initially ordered with the library. Installation service is required if a system configuration package is ordered in conjunction with a new system installation. Installation is required for the i500 5U if ordering Quantum Encryption Key Manager at initial purchase."																										x																					Q:SLBBM-NSYS-0002			735	
	SC2000, Inst & Config, Basic, PX720, Z2	Quantum Scalar i2000, Installation and Configuration, Basic Package, zone 2, Installation and configuration are required for Scalar i2000 libraries The Basic Package is applicable for up to four tape drives.																								x			x																					Q:SLBBN-NSYN-PB02			5143	
	SC2000, Inst & Config, small, PX720, Z2	Quantum Scalar i2000, Installation and Configuration, Small Package, zone 2, Installation and configuration are required for Scalar i2000 libraries The Small Package is applicable for up to eight tape drives.																								x			x																					Q:SLBBN-NSYN-PE02			6582	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS JX40	ETERNUS DX410	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3ExpansionShelf	FibreCAT CX4ExpansionShelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX85 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX/F	Library Scalar i2000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SC-ALAR i2000 for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2. 5 " Expa	ETERNUS DX4xx S2 3. 5 " Expa	ETERNUS DX60 2. 5"	ETERNUS DX80 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS DX8900 S2 2. 5 " Expa	ETERNUS DX8900 S2 3. 5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX60 S2 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																		
Inst. licences zone 2 (Continued)																																																				
	SC2000, Inst & Config, medium, PX720,Z2	Quantum Scalar i2000, Installation and Configuration, Medium Package, zone 2, Installation and configuration are required for PX720 and Scalar i2000 libraries The Medium Package is applicable for up to 12 tape drives.																							x			x																					Q:SLBBN-NSYN-PH02			9618	
	SC2000, Inst & Config, large, PX720, Z2	Quantum Scalar i2000, Installation and Configuration, Large Package, zone 2, Installation and configuration are required for Scalar i2000 libraries The Large Package is applicable for up to 24 tape drives. Order Tape Drive Module native Fibre Channel or Storage Networking (SNW) Installation and Configuration (model SSCBB-NTDF-000x) for each set of 12 or fewer drives in excess of 24.																							x			x																					Q:SLBBN-NSYN-PL02			14682	
	SC600 14U, Installation, Z2	Quantum Scalar i500 14U, Installation, zone 2 The Scalar i500 14U library is customer installable. However, library installation service is recommended for all configurations and system configuration services are recommended for all Fibre Channel installations. The Library Installation charge includes installation of the library and all optional items initially ordered with the library. Installation service is required if a system configuration package is ordered in conjunction with a new system installation. Installation is required if ordering Quantum Encryption Key Manager at initial purchase."																							x																									Q:SSC53-NSYS-0002			899	
	SC600 23U, Installation, Z2	Quantum Scalar i500 23U, Installation and Configuration, zone 2. , Installation and configuration are required for Scalar i500 23U libraries The Library Installation charge includes installation of the library and all optional items initially ordered with the library.																							x																									Q:SSC55-NSYN-0002			6177	
	SC600 9U, Installation, Z2	Quantum Scalar i500 9U Expansion Module, Installation, zone 2. Required when adding a 9U Expansion Module to an existing system. Not required for 9U Expansion Modules ordered with an initial system order.																							x	x																									Q:SSC5H-NEXM-0002			735	
	SC600+SC2k FC Drive Install. Up to12Z2	Quantum Library, Tape Drive Module, native Fibre Channel or Storage Networking (SNW), Installation and Configuration, up to 12, zone 2., Must be ordered when adding Fibre Channel and/or Storage Networking (SNW) tape drive(s) as add-ons/upgrades to an existing library. Must also be ordered when the number of Fibre Channel or SNW tape drives in an initial PX720 or Scalar i2000 library order exceeds the number of drives included in the PX720 and Scalar i2000 Installation and Configuration Large Package (i.e., initial order includes more than 24 Fibre Channel and/or SNW tape drives)."																							x	x	x	x																					Q:SSCBB-NTDF-0122			3543	
	SC600+SC2k SAS / SCSI Drive install.Z2	Quantum Library, Tape Drive Module, SAS or SCSI, Installation and Configuration, up to 12, zone 2., Must be ordered when adding SAS or SCSI tape drive(s) as add-ons/upgrades to an existing library."																							x	x	x	x																					Q:SSCBB-NTDL-0122			1022	
Inst. licences zone 3																																																				
	SC600+SC2k Q-EKM Install. Single SerZ3	Quantum Encryption Key Management Solution, Single Server/Site System Installation and Configuration, zone 3., Includes installation and configuration of SKM or Q-EKM on a single server at a single site. If this item is ordered, the installation and configuration of the secondary server is also required and must be ordered separately. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to the primary SKM or Q-EKM. If the key management installation and configuration service is related to a new system installation, system installation service must also be ordered. For configurations outside this scope, refer to the Customized System Integration Service.																							x	x	x	x																					Q:SLBBB-NEK1-0003			3082	
	SC600+SC2k Q-EKM Install. Add. Ser Z3	Quantum Encryption Key Management Solution, Additional Server/Same Site/Same Trip System Installation and Configuration, zone 3, Includes installation and configuration of SKM or Q-EKM on an additional server at the same site during the same trip. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to SKM or Q-EKM. Must purchase Key Management Single Server/Site Integration Service (SLBBB-NEK1-000x) as a prerequisite.																							x	x	x	x																					Q:SLBBB-NEK2-0003			1849	
	SC600+SC2k Q-EKM Add. Server Z3	Quantum Encryption Key Management Solution, Additional Server/Different Site System Installation and Configuration, zone 3., Includes installation and configuration of SKM or Q-EKM on an additional server at a different site. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to SKM or Q-EKM. Must purchase Key Management Single Server/Site Integration Service (SLBBB-NEK1-000x) as a prerequisite.																							x	x	x	x																					Q:SLBBB-NEK3-0003			3082	
	SC600 5U & 14U, Installation, Z3, UPG	Quantum Scalar i500 5U and Scalar i500 14U, Configuration, zone 3., Installation service is required if a system configuration package is ordered in conjunction with a new system installation.																								x	x																					Q:SLBBL-NSYC-0003			4746	
	SC600 5U, Installation, Z3	Quantum Scalar i500 5U, Installation, zone 3., The Scalar i500 5U libraries are customer installable. However, library installation service is recommended for all configurations and system configuration services are recommended for all Fibre Channel installations. The Library Installation charge includes installation of the library and all optional items initially ordered with the library. Installation service is required if a system configuration package is ordered in conjunction with a new system installation. Installation is required for the i500 5U if ordering Quantum Encryption Key Manager at initial purchase."																									x																					Q:SLBBM-NSYS-0003			1119	
	SC2000, Inst & Config, Basic, PX720, Z3	Quantum Scalar i2000, Installation and Configuration, Basic Package, zone 3, Installation and configuration are required for Scalar i2000 libraries The Basic Package is applicable for up to four tape drives.																							x			x																					Q:SLBBN-NSYN-PB03			7828	
	SC2000, Inst & Config, small, PX720, Z3	Quantum Scalar i2000, Installation and Configuration, Small Package, zone 3, Installation and configuration are required for Scalar i2000 libraries The Small Package is applicable for up to eight tape drives.																							x			x																					Q:SLBBN-NSYN-PB03			10015	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS 2K40	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX85 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX7	Library Scalar i2000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SC-ALAR i2000 for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2.5 " Expa	ETERNUS DX4xx S2 3.5 " Expa	ETERNUS DX60 2.5"	ETERNUS DX80 2.5"	ETERNUS DX80 S2 2.5"	ETERNUS DX90 2.5"	ETERNUS DX90 S2 2.5"	ETERNUS DX8900 S2 2.5 " Expa	ETERNUS DX8900 S2 3.5 " Expa	ETERNUS DX8900 S2/3.5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX60 2. 5"	ETERNUS DX90 S2 2.5"	ETERNUS DX90 S2 3.5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																		
Inst. licences zone 3 (Continued)																																																			
	SC2000, Inst & Config, medium, PX720,Z3	Quantum Scalar i2000, Installation and Configuration, Medium Package, zone 3, Installation and configuration are required for PX720 and Scalar i2000 libraries The Medium Package is applicable for up to 12 tape drives.																					x			x																							Q:SLBBN-NSYN-PH03			14637	
	SC2000, Inst & Config, large, PX720, Z3	Quantum Scalar i2000, Installation and Configuration, Large Package, zone 3, Installation and configuration are required for Scalar i2000 libraries The Large Package is applicable for up to 24 tape drives. Order Tape Drive Module native Fibre Channel or Storage Networking (SNW) Installation and Configuration (model SSCBB-NTDF-000x) for each set of 12 or fewer drives in excess of 24.																					x			x																							Q:SLBBN-NSYN-PL03			22341	
	SC600 14U, Installation, Z3	Quantum Scalar i500 14U, Installation, zone 3 The Scalar i500 14U library is customer installable. However, library installation service is recommended for all configurations and system configuration services are recommended for all Fibre Channel installations. The Library Installation charge includes installation of the library and all optional items initially ordered with the library. Installation service is required if a system configuration package is ordered in conjunction with a new system installation. Installation is required if ordering Quantum Encryption Key Manager at initial purchase."																						x																									Q:SSC53-NSYS-0003			1356	
	SC600 23U, Installation, Z3	Quantum Scalar i500 23U, Installation and Configuration, zone 3. , Installation and configuration are required for Scalar i500 23U libraries The Library Installation charge includes installation of the library and all optional items initially ordered with the library.																						x																									Q:SSC55-NSYN-0003			9399	
	SC600 9U, Installation, Z3	Quantum Scalar i500 9U Expansion Module, Installation, zone 3, Required when adding a 9U Expansion Module to an existing system. Not required for 9U Expansion Modules ordered with an initial system order.																						x	x																									Q:SSC5H-NEXM-0003			1119	
	SC600+SC2k FC Drive Install. Up to12Z3	Quantum Library, Tape Drive Module, native Fibre Channel or Storage Networking (SNW), Installation and Configuration, up to 12, zone 3., Must be ordered when adding Fibre Channel and/or Storage Networking (SNW) tape drive(s) as add-ons/upgrades to an existing library. Must also be ordered when the number of Fibre Channel or SNW tape drives in an initial PX720 or Scalar i2000 library order exceeds the number of drives included in the PX720 and Scalar i2000 Installation and Configuration Large Package (i.e., initial order includes more than 24 Fibre Channel and/or SNW tape drives)."																					x	x	x	x																							Q:SSCBB-NTDF-0123			5392	
	SC600+SC2k SAS / SCSI Drive Install.Z3	Quantum Library, Tape Drive Module, SAS or SCSI, Installation and Configuration, up to 12, zone 3., Must be ordered when adding SAS or SCSI tape drive(s) as add-ons/upgrades to an existing library."																					x	x	x	x																							Q:SSCBB-NTDL-0123			1541	
Slot Upgrade																																																			
	ET LT60 S2 License Slot 25 to 36	ETERNUS LT60 S2 license 25 - 36 Slot, Activation of the slots 25 to 36 at the factory for ETERNUS Model LT60 S2																																															x	FTS:LT60S2Z03E			693	Orderable from: 01/07/2011
	ET LT60 S2 License Slot 37 to 48	ETERNUS LT60 S2 license 37 - 48 Slot, Activation of the slots 37 to 48 at the factory for ETERNUS Model LT60 S2																																															x	FTS:LT60S2Z04E			693	Orderable from: 01/07/2011
	ET LT60 S2 License Partitioning	ETERNUS LT60 S2 license for Partitioning factory mount, , This license can be used only if at least two tapes Drives are inserted in the Library and all 48 Slots are activated!																																															x	FTS:LT60S2Z05E			869	Orderable from: 01/07/2011
	SC2000 100-slot License Key	Quantum Scalar i2000 100-slot License Key, Quantum Scalar i2000 100-slot License Key , Depending on a further expansion of the base library expansion module slot may be needed (one or more). , It may therefore incur extra costs for field upgrades. It should first be examined whether required by this license, a slot expansion module. , In this case, fill out a Work Order Sheet with relevant organizations and to state the quantum-based library serial number. Quantum will provide in accordance with the Work Order Sheet hardware you need.																					x			x																							Q:LSC2K-ALSL-100A			8804	
	SC600 46slot License Key, factory inst.	Quantum Scalar i500 46-slot License Key, factory installed (EMEA) . , Valid only with order for Scalar i500. Order one or two with initial 14U base system to configure library with 87 or 133 activated slots. Order one, two, three or four with initial 23U base system to configure library with 87, 133, 179 or 225 activated slots.																						x	x																							Q:LSC5H-FLSL-046E			3874	
	ETERNUS LT40 license for partitioning	ETERNUS LT40 license for Partitioning, , This license can be used only if at least two tapes Drives are inserted in the Library and all 24 Slots are activated!										x																																					x	FTS:LT40HZ04			876	
	ET LT40 S2 License Partitioning	ETERNUS LT40 S2 license for Partitioning factory mount, , This license can be used only if at least two tapes Drives are inserted in the Library and all 24 Slots are activated!																																															x	FTS:LT40S2Z04E			869	Orderable from: 01/07/2011
	ETERNUS LT60 license for partitioning	ETERNUS LT60 license for Partitioning, , This license can be used only if at least two tapes Drives are inserted in the Library and all 48 Slots are activated!											x																																						FTS:LT60HZ05			876	
	ETERNUS LT40 Slot license 13 - 24	ETERNUS LT40 license 13 - 24 Slot, Activation of the slots 13 to 24 at the factory for ETERNUS Model LT40										x																																					x	FTS:LT40HZ03E			874	
	ET LT40 S2 License Slot 12 to 24	ETERNUS LT40 S2 license 13 - 24 Slot, Activation of the slots 13 to 24 at the factory for ETERNUS Model LT40 S2																																															x	FTS:LT40S2Z03E			866	Orderable from: 01/07/2011
	ETERNUS LT60 Slot license 25 - 36	ETERNUS LT60 license 25 - 36 Slot, Activation of the slots 25 to 36 at the factory for ETERNUS Model LT60											x																																						FTS:LT60HZ03E			699	
	ETERNUS LT60 Slot license 37 - 48	ETERNUS LT60 license 37 - 48 Slot, Activation of the slots 37 to 48 at the factory for ETERNUS Model LT60											x																																						FTS:LT60HZ04E			699	
Tape Accessories																																																			
	ETERNUS LT60 power supply assem.	With this component you can upgrade the ETERNUS LT60 with a redundante power supply at the factory											x																																						FTS:LT60HZ06E			366	
	ET LT60 S2 power supply	With this component you can upgrade the ETERNUS LT60 S2 with a redundante power supply at the factory																																															x	FTS:LT60S2Z06E			363	Orderable from: 01/07/2011
Storage FibreCAT																																																			
	Single Disk CX3/4-xx 450GB/15K 4GBit	Single Disk 450GB/15K for CX3-xx Model., Interface: FC with 4 GBit/s.															x	x																																D:FCX4D1-45015-E			1562	
	Single Disk CX4-xx 600GB/15K 4GBit	Single Disk 600GB/15K for CX4-xx Model., Interface: FC with 4 GBit/s.															x	x																																D:FCX4D1-60015-E			2104	
	Single Disk SATA II 1TB/7h2 FC CX3/4	Single Disk 1TB/7200 rpm for CX3/4-xx Model., SATA II Harddisk with converter to FC interface., (Adapter: Northstar)															x	x																																D:FCX4D1-1T72N-E			1048	
	Single Disk SATA II 2TB/7h2 FC CX4	Single Disk 2TB/7200 rpm for CX3/4-xx Model., SATA II Harddisk with converter to FC interface., (Adapter: Northstar)															x	x																																D:FCX4D1-2T72N-E			1652	
	Single Disk CX3/4-xx 146GB/15K 4GBit	Single Disk 146GB/15K for CX3/4 Model., Interface: FC with 4 GBit/s.															x	x																																D:FCX4D1-14615-E			833	
	Single Disk CX3-xx 300GB/10K 4GBit	Single Disk 300GB/10K for CX3/4-xx Model., Interface: FC with 4 GBit/s.															x																																D:FCX4D1-30010-E			868	Phased out
	Single Disk CX3/4-xx 300GB/15K 4GBit	Single Disk 300GB/15K for CX3/4-xx Model., Interface: FC with 4 GBit/s.															x	x																																D:FCX4D1-30015-E			1191	
	Single Disk CX3/4-xx 400GB/10K 4GBit	Single Disk 400GB/10K for CX3-xx Model., Interface: FC with 4 GBit/s.															x	x																																D:FCX4D1-40010-E			1158	Phased out

Options Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS JX40	ETERNUS DX410	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3ExpansionShelf	FibreCAT CX4ExpansionShelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX85 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX7	Library Scalar i2000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SC-ALAR i2000 for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2.5 " Expa	ETERNUS DX4xx S2 3.5 " Expa	ETERNUS DX60 2 .5"	ETERNUS DX80 2 .5"	ETERNUS DX80 S2 2.5"	ETERNUS DX80 S2 3.5"	ETERNUS DX8900 S2 2 .5 " Expa	ETERNUS DX8900 S2 3 .5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 2 .5"	ETERNUS DX90 S2 2 .5"	ETERNUS DX90 S2 3 .5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																	
Storage FibreCAT (Continued)																																																				
	Single Disk FC 146GB/15k f FibreCAT CX	Single Disk 146GB/15K for FibreCAT CX3/5/7 and CX3-xx Model., Interface: FC with 2 GBit/s. (520BPS)													x																																	D:FCXD1-14615D			1211	Phased out
Services																																																			
	SCI2000 Product Trade-In Discount	Quantum SCI2000 Trade-In Discount, 30% of Annual Renew al, if expired less than six months, all zones, CALL FOR QUOTE																							x	x	x																				Q:LSC2K-FTPD-001A			869564	
	SCI500 Product Trade-In Discount	Quantum SCI500 Trade-In Discount, 30% of Annual Renew al, if expired less than six months, all zones, CALL FOR QUOTE																							x	x	x																				Q:LSC5H-FTPD-001A			869564	
	QTM Phone Sup - HW.No contract,2hr,all Z	Quantum Phone Support - Hardw are Products. No contract, 2hr, all zones																							x		x	x																				Q:SAABB-ATSH-NL20			533	
	QTM Reinstatement Fee,all Z,CALL F.QUOTE	Quantum Contract Reinstatement Fee, all zones, CALL FOR QUOTE, Call for quot																							x	x		x																				Q:SAABB-NCRF-0000			869564	
	Quantum Customized Sup Contract, all Z	Quantum Customized Sup Contract, all zones																							x		x	x																				Q:SAABB-RCCC-0000			869564	
	SCI500 SU, 15% of Annual Renew al, all Zo	Quantum Reactivation Fee, 15% of Annual Renew al, if expired less than six months, all zones, CALL FOR QUOTE																							x	x	x																				Q:SAABB-NRA1-0000			869564	
	Quantum Reactivation Fee, 40%	Quantum Reactivation Fee, 40% of Annual Renew al, if expired six months or more, all zones, CALL FOR QUOTE																							x	x	x																				Q:SAABB-NRA6-0000			869564	
	SCI2000 Advanced Reporting Opt. Lic.Key	Quantum Scalar i2000 Management Control Blade, Order as a spare or replacement.																							x			x																				Q:LSC2K-AADR-001A			2078	
	SCI2000 Management Control Blade	Quantum Scalar i2000 Management Control Blade, Order as a spare or replacement.																							x			x																				Q:LSC2K-AMCB-001A			10037	
	SCI2000 Extn. SUP Q-EKM Br./Silver all Z	Quantum Scalar i2000 Encryption Key Management Solution, Bronze/Silver Softw are Support Plan (5x9 telephone), Per Drive Uplift, annual, all zones, Provides one year of 5x9 telephone support for one Scalar i2000 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased w ithin 60 days of point of sale or renew al pricing must be used. This service may be purchased for years 1-5.																							x			x																				Q:SSC2K-LEKM-BL10			81	
	SCI2000 Extn. SUP SKM/ Q-EKM Gold all Z	Quantum Scalar i2000 Encryption Key Management Solution, Gold Softw are Support Plan (7x24 telephone), Per Drive Uplift, annual, all zones, Provides one year of 7x24 telephone support for one Scalar i2000 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased w ithin 60 days of point of sale or renew al pricing must be used. This service may be purchased for years 1-5.																							x			x																				Q:SSC2K-LEKM-GL10			98	
	SCI500 Q-EKM Extn. Bronze/Silver all Z	Quantum Scalar i500 Encryption Key Management Solution, Bronze/Silver Softw are Support Plan (5x9 telephone), Per Drive Uplift, annual, all zones, , Provides one year of 5X9 telephone support for one Scalar i500 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased w ithin 60 days of point of sale or renew al pricing must be used. This service may be purchased for years 1-5.																								x	x																				Q:SSC5H-LEKM-BL10			139	
	SCI2000 UPG SUP Q-EKM Br./Silver all Z	Quantum Scalar i2000 Encryption Key Management Solution, Bronze/Silver Softw are Support Plan (5x9 telephone), Per Drive Renew al, annual, all zones, Provides one year of 5x9 telephone support for one Scalar i2000 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased w ithin 60 days of point of sale or renew al pricing must be used. This service may be purchased for years 1-5.																							x			x																				Q:SSC2K-REKM-BL10			104	
	SCI500 Q-EKM Gold all Zone	"Quantum Scalar i500 Encryption Key Manager Solution, Gold Softw are Support Plan (7x24 telephone), Per Drive Uplift, annual, all zones, , Provides one year of 7x24 telephone support for one Scalar i500 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased w ithin 60 days of point of sale or renew al pricing must be used. This service may be purchased for years 1-5."																								x	x																				Q:SSC5H-LEKM-GL10			169	
	SCI2000 UPG SUP.SKM/ Q-EKM Gold all Z	Quantum Scalar i2000 Encryption Key Management Solution, Gold Softw are Support Plan (7x24 telephone), Per Drive Renew al, annual, all zones, Provides one year of 7x24 telephone support for one Scalar i2000 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased w ithin 60 days of point of sale or renew al pricing must be used. This service may be purchased for years 1-5.																							x			x																				Q:SSC2K-REKM-GL10			127	
	SCI500 Q-EKM SUP Bronze/Silver all Z	Quantum Scalar i500 Encryption Key Management Solution, Bronze/Silver Softw are Support Plan (5x9 telephone), Per Drive Uplift, annual, all zones, , Provides one year of 5X9 telephone support for one Scalar i500 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased w ithin 60 days of point of sale or renew al pricing must be used. This service may be purchased for years 1-5.																								x	x																				Q:SSC5H-REKM-BL10			180	
	SCI500 Q-EKM Gold all Zone	Quantum Scalar i500 Encryption Key Management Solution, Gold Softw are Support Plan (7x24 telephone), Per Drive Renew al, annual, all zones, Provides one year of 7x24 telephone support for one Scalar i500 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased w ithin 60 days of point of sale or renew al pricing must be used. This service may be purchased for years 1-5."																								x	x																				Q:SSC5H-REKM-GL10			219	
Services zone 1																																																			
	Daily De-Inst.Rate,Rack. Not Required,Z1	Quantum Standard Daily De-Installation Rate, Packaging Not Required, zone 1																							x	x		x																				Q:SAABB-NDPN-0001			1066	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS DX40	ETERNUS DX410	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3ExpansionShelf	FibreCAT CX4ExpansionShelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX85 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX7	Library Scalar i2000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SC-ALAR i2000for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2. 5 " Expa	ETERNUS DX4xx S2 3. 5 " Expa	ETERNUS DX60 2. 5"	ETERNUS DX80 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX80 S2 3. 5"	ETERNUS DX8900 S2 2. 5 " Expa	ETERNUS DX8900 S2 3. 5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 2. 5"	ETERNUS DX90 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																	
Services zone 1 (Continued)																																																		
	Daily De-Inst.Rate,Packaging Required,Z1	Quantum Standard Daily De-Installation Rate, Packaging Required, zone 1																							x	x		x																	Q:SAABB-NDFR-0001			1409	
	QTM On-site Time&Mat Charge, per day, Z1	Quantum On-site Time&Mat Charge, per day, zone 1																							x		x	x																	Q:SAABB-NTAM-0001			1761	
	Quantum Out of Area Travel Charge, Z1	Quantum Out of Area Travel Charge, Zone 1																							x		x	x																	Q:SAABB-NTRC-0001			1409	
	QTM EP EDL Dr,BR(5x9xNBDon-site),1Y,Z1	Quantum Non-Enterprise End-of-Life Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renew al, annual, Zone 1, , For all DLT, LTO-1, LTO-2 and AIT tape drives in L-Series, M-Series, PX500-Series, Scalar 100 and Scalar i500 libraries. Price is per tape drive.																							x																			Q:SLBBL-RTEZ-BL11			805	
	QTM EP EDL Dr,GL(7x24x4 on-site),1Y,Z1	Quantum Non-Enterprise End-of-Life Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renew al, annual, Zone 1, , For all DLT, LTO-1, LTO-2 and AIT tape drives in L-Series, M-Series, PX500-Series, Scalar 100 and Scalar i500 libraries. Price is per tape drive.																							x																			Q:SLBBL-RTEZ-GL11			1193	
	QTM EP EDL Dr,SL(5x9x4on-site),1Y,Z1	Quantum Non-Enterprise End-of-Life Tape Drive Module, Gold Support Plan (5x9x4on-site), Renew al, annual, Zone 1, , For all DLT, LTO-1, LTO-2 and AIT tape drives in L-Series, M-Series, PX500-Series, Scalar 100 and Scalar i500 libraries. Price is per tape drive.																							x																			Q:SLBBL-RTEZ-SL11			1083	
	SC6500 Bronze SUP Tape Drive, Extn. Z1	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 1, Price is per tape drive.																							x	x																			Q:SLBBM-LTDX-BL11			515	
	SC6500 SU,Dri, BR(5x9xNBD on-site),3Y,Z1	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 1, Price is per tape drive.																							x	x																			Q:SLBBM-LTDX-BL31			1303	
	SC6500 Gold SUP Tape Drive, Extn. Z1	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 1, Price is per tape drive.																							x	x																			Q:SLBBM-LTDX-GL11			906	
	SC6500 SU,Dri, GL(7x24x4 on-site),3Y,Z1	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Uplift, 3 years, zone 1, Price is per tape drive.																							x	x																			Q:SLBBM-LTDX-GL31			2290	
	SC6500Silver SUP Tape Drive, Extn. Z1	Quantum Scalar i500 Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1. Price is per tape drive."																							x	x																			Q:SLBBM-LTDX-SL11			816	
	SC6500 Bronze SUP Tape Drive, UPG Z1	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 1, Price is per tape drive.																							x	x																			Q:SLBBM-RTDX-BL11			670	
	SC6500 Gold SUP Tape Drive, UPG Z1	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renew al, annual, zone 1, Price is per tape drive.																							x	x																			Q:SLBBM-RTDX-GL11			1168	
	SC6500 Silber SUP Tape Drive, UPG Z1	Quantum Scalar i500 Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renew al, annual, zone 1, Price is per tape drive.																							x	x																			Q:SLBBM-RTDX-SL11			1051	
	QTM EP EDL Dr,(BR(5x9xNBDon-site),UPG,Z1	Quantum Enterprise End-of-Life Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renew al, annual, Zone 1, For all DLT, LTO-1, LTO-2 and AIT tape drives in P-Series, PX720, Scalar 1000, Scalar i2000 and Scalar 10K libraries. Price is per tape drive.																							x																			Q:SLBBN-RTEZ-BL11			853	
	QTM EP EDL Dr,GL(7x24x4 on-site),UPG,Z1	Quantum Enterprise End-of-Life Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renew al, annual, Zone 1, For all DLT, LTO-1, LTO-2 and AIT tape drives in P-Series, PX720, Scalar 1000, Scalar i2000 and Scalar 10K libraries. Price is per tape drive.																							x																			Q:SLBBN-RTEZ-GL11			1506	
	QTM EP EDL Dr,SL(5x9x4on-site),UPG,Z1	Quantum Enterprise End-of-Life Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renew al, annual, Zone 1, For all DLT, LTO-1, LTO-2 and AIT tape drives in P-Series, PX720, Scalar 1000, Scalar i2000 and Scalar 10K libraries. Price is per tape drive.																							x																			Q:SLBBN-RTEZ-SL11			1356	
	SC6500 SU,No Dri,BR(5x9xNBDon-site)3Y,Z1	Quantum Enterprise End-of-Life Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renew al, three years, Zone 1																							x	x																			Q:SSCS1-LS00-BL31			906	
	SC6500 SU,No Dri,GL(7x24x4on-site),3Y,Z1	Quantum Scalar i500 SU Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 1																								x																			Q:SSCS1-LS00-GL31			1797	
	SC6500 14U,0xDri,BR(5x9xNBDon-site)3Y,Z1	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 1																							x																			Q:SSCS3-LS00-BL31			1797	
	SC6500 14U,0xDri,GL(7x24x4 on-site)3Y,Z1	Quantum Scalar i500 14U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 1																							x																			Q:SSCS3-LS00-GL31			2694	
	SC6500 23U,0xDr,,BR(5x9xNBDon-site),3Y,Z1	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 1																							x																			Q:SSCS5-LS00-BL31			3053	
	SC6500 23U,0xDri,GL(7x24x4on-site),3Y,Z1	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 1																							x																			Q:SSCS5-LS00-GL31			5389	
	SC6500 9U,BR Sup(5x9xNBD on-site),3Y,Z1	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 1																							x	x																			Q:SSC5H-LEXM-BL31			906	
	SC6500 9U,GL Sup(7x24x4 on-site),3Y, Z1	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 1																							x	x																			Q:SSC5H-LEXM-GL31			1797	
	SC2000 Extn. SUP Tape Drives Bronze, Z1	Quantum PX720, Scalar i2000 and Scalar 10K Library , , Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), , Extension, annual, zone 1,Price is per tape drive. , , For initial order of an upgrade drive: Expansion of initial Bronze level for a further year , zone 1 (only valid for new configurations. best price)																							x			x																	Q:SLBBN-ETDX-BL11			544	
	SC6500 SU Extn.SUP Library0 Dr,Bronze,Z1	Quantum Scalar i500 SU Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 1																							x	x																			Q:SSCS1-LS00-BL11			355	
	SC2000 Extn. SUP Tape Drives Silver, Z1	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, , Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1, Price is per tape drive. , , For initial order of an upgrade drive: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations. best price), If the initial Bronze level shall be upgraded, it is mandatory to order the upgrade also for the first year.																							x			x																	Q:SLBBN-LTDX-SL11			956	
	SC6500 SU Extn.SUP Library0 Dr,Silber,Z1	Quantum Scalar i500 SU Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1																							x	x																			Q:SSCS1-LS00-SL11			639	
	SC2000 Extn. SUP Tape Drives Gold, Z1	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Gold Support Plan , Uplift, annual, zone 1, Price is per tape drive. , , For initial order of an upgrade drive: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations. best price), If the initial Bronze level shall be upgraded, it is mandatory to order the upgrade also for the first year.																							x			x																	Q:SLBBN-LTDX-GL11			1062	
	SC6500 SU Extn.SUP Library 0 Dr, Gold,Z1	Quantum Scalar i500 SU Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 1																							x	x																			Q:SSCS1-LS00-GL11			711	
	SC2000 Extn.SUP 100Slot,0Dri, Bronze,Z1	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Extension, annual, zone 1, For initial order of a Library with 100 to 700 Slot: Expansion of initial Bronze level for a further year , zone 1 (only valid for new configurations. best price)																							x			x																	Q:SSC2K-ES01-BL11			1493	

Options Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS 2K40	ETERNUS DX410	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3ExpansionShelf	FibreCAT CX4ExpansionShelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX85 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX7	Library Scalar i3000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SC-ALAR i2000 for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2. 5 " Expa	ETERNUS DX4xx S2 3. 5 " Expa	ETERNUS DX60 2. 5"	ETERNUS DX80 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX90 S2 2. 5"	ETERNUS DX8900 S2 2. 5 " Expa	ETERNUS DX8900 S2 3. 5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX60 2. 5"	ETERNUS DX90 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																			
Services zone 1 (Continued)																																																							
	SC500 14U Extn.SUPLibrary0 Dr,Bronze,Z1	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 1																								x																									Q:SSCS3-LS00-BL11			711	
	SC2000 Extn.SUP 100Slot,0Dri, silver,Z1	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Uplift, annual, zone 1, For initial order of a Library with 100 to 700 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Silver level shall be upgraded, it is mandatory to order the upgrade also for the first year.																								x			x																						Q:SSC2K-LS01-SL11			2903	
	SC500 14U Extn.SUPLibrary0 Dr,Silver,Z1	Quantum Scalar i500 14U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1																								x																									Q:SSCS3-LS00-SL11			960	
	SC2000 Extn.SUP 100Slot,0Dri, Gold,Z1	Quantum Scalar i2000 Library with 100 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 1, For initial order of a Library with 100 to 700 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Gold level shall be upgraded, it is mandatory to order the upgrade also for the first year.																								x			x																						Q:SSC2K-LS01-GL11			3226	
	SC500 14U Extn.SUPLibrary0 Dr,Gold,Z1	Quantum Scalar i500 14U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 1																								x																									Q:SSCS3-LS00-GL11			1066	
	SC2000 Extn.SUP 700Slot,0Dri, Bronze,Z1	Quantum Scalar i2000 Library with 700 to 3000 Slots, No Drives, Bronze Support Plan (5x9xNBD on-site), Extension, annual, Zone 1																								x			x																						Q:SSC2K-ES07-BL11			1867	
	SC500 23U Extn.SUPLibrary0 Dr,Bronze,Z1	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 1																								x																									Q:SSC55-LS00-BL11			1197	
	SC2000 Extn.SUP 700Slot,0Dri, silver,Z1	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (5x9x4 on-site), , Renew al, annual, zone 1, For initial order of a Library with 700 to 3000 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Silver level shall be upgraded, it is mandatory to order the upgrade also for the first year.																								x			x																						Q:SSC2K-LS07-SL11			3630	
	SC500 23U Extn.SUPLibrary0 Dr,Silver,Z1	Quantum Scalar i500 23U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1																								x																									Q:SSC55-LS00-SL11			1902	
	SC2000 Extn.SUP 700Slot,0Dri, Gold,Z1	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (7x24x4 on-site), , Extension, annual, zone 1, For initial order of a Library with 700 to 3000 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Gold level shall be upgraded, it is mandatory to order the upgrade also for the first year.																								x			x																						Q:SSC2K-LS07-GL11			4032	
	SC500 23U Extn.SUPLibrary0 Dr,Gold,Z1	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 1																								x																									Q:SSC55-LS00-GL11			2113	
	SC500 SU UPG SUP Library0 Dr,Bronze, Z1	Quantum Scalar i500 SU Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renew al, annual, zone 1																									x																								Q:SSCS1-RS00-BL11			462	
	SC500 SU UPG SUP Library, Silver Z1	Quantum Scalar i500 SU Library, No Drives, Silver Support Plan (5x9x4 on-site), Renew al, annual, zone 1																									x																								Q:SSCS1-RS00-SL11			832	
	SC2000 Extn. pro 100Slots,Bronze Sup Z1	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Bronze Support Plan (5x9xNBD on-site), Extension, annual, zone 1																								x			x																						Q:SSCBB-ES01-BL11			646	
	SC500 SU UPG SUP Library, Gold, Z1	Quantum Scalar i500 SU Library, No Drives, Gold Support Plan (7x24x4 on-site), Renew al, annual, zone 1																									x																								Q:SSCS1-RS00-GL11			924	
	SC2000 Extn. per 100Slots,Silber Sup Z1	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1																								x			x																						Q:SSCBB-LS01-SL11			880	
	SC500 14U UPG SUPLibrary0 Dr,Bronze, Z1	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renew al, annual, zone 1																								x																									Q:SSCS3-RS00-BL11			924	
	SC2000 Extn. per 100Slots, Gold Sup Z1	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 1																								x			x																						Q:SSCBB-LS01-GL11			977	
	SC2000 UPG SUP Tape Drives Bronze, Z1	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renew al, annual, zone 1, Price is per tape drive.																								x			x																						Q:SLBBN-RTDX-BL11			707	
	SC500 14U UPG SUPLibrary0 Dr,Silver, Z1	Quantum Scalar i500 SU Library, No Drives, Silver Support Plan (5x9x4 on-site), Renew al, annual, zone 1																									x																									Q:SSCS3-RS00-SL11			1237	
	SC2000 UPG SUP Tape Drive, Silver, Z1	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renew al, annual, zone 1, Price is per tape drive.																								x			x																						Q:SLBBN-RTDX-SL11			1233	
	SC500 14U UPG SUP Library0 Dr,Gold, Z1	Quantum Scalar i500 SU Library, No Drives, Gold Support Plan (7x24x4 on-site), Renew al, annual, zone 1																									x																									Q:SSCS3-RS00-GL11			1374	
	SC2000 UPG SUP Tape Drive, Gold, Z1	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renew al, annual, zone 1. Price is per tape drive.																								x			x																						Q:SLBBN-RTDX-GL11			1370	
	SC500 23U UPG SUPLibrary0 Dr,Bronze, Z1	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renew al, annual, zone 1																								x																									Q:SSCS5-RS00-BL11			1557	
	SC2000 UPG SUP 100Slots,0Dri, Bronze,Z1	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Renew al, annual, zone 1																								x			x																						Q:SSC2K-RS01-BL11			1747	
	SC500 23U UPG SUPLibrary0 Dr,Silver, Z1	Quantum Scalar i500 23U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renew al, annual, zone 1																								x																									Q:SSCS5-RS00-SL11			2472	
	SC2000 UPG SUP 100Slots,0Dri, silver,Z1	Quantum Scalar i2000 Library with 100 bis 700 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Renew al, annual, zone 1																								x			x																						Q:SSC2K-RS01-SL11			3397	
	SC500 23U UPG SUPLibrary0 Dr,Gold Z1	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renew al, annual, zone 1																								x																									Q:SSCS5-RS00-GL11			2747	
	SC2000 UPG SUP 100Slots,0Dri, Gold,Z1	Quantum Scalar i2000 Library with 100 bis 700 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 1																								x			x																						Q:SSC2K-RS01-GL11			3775	
	SC500 9U Extn.SUP Library0 Dr,Bronze,Z1	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 1																								x	x																									Q:SSC5H-LEXM-BL11			355	
	SC2000 UPG SUP 700Slots,0Dri, Bronze,Z1	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Renew al, annual, zone 1																								x			x																						Q:SSC2K-RS07-BL11			2426	
	SC500 9U Extn.SUP Library0 Dr,Silver,Z1	Quantum Scalar i500 9U Expansion Module, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1																								x	x																									Q:SSC5H-LEXM-SL11			639	
	SC2000 UPG SUP 700Slots,0Dri, Silver,Z1	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Renew al, annual, zone 1																								x			x																						Q:SSC2K-RS07-SL11			4718	
	SC500 9U Extn.SUP Library0 Dr,Gold,Z1	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 1																								x	x																									Q:SSC5H-LEXM-GL11			711	
	SC2000 UPG SUP 700Slots,0Dri, Gold,Z1	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 1																								x			x																						Q:SSC2K-RS07-GL11			5243	
	SC2000 UPG per 100 Slots, Bronze Sup Z1	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Bronze Support Plan (5x9xNBD on-site), Renew al, annual, zone 1																								x			x																						Q:SSCBB-RS01-BL11			840	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS DX400 S2	ETERNUS DX410	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3ExpansionShelf	FibreCAT CX4ExpansionShelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX85 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX7	Library Scalar i2000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SCALAR i2000for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2. 5 " Expa	ETERNUS DX4xx S2 3. 5 " Expa	ETERNUS DX60 2. 5"	ETERNUS DX80 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX80 S2 3. 5"	ETERNUS DX8900 S2 2. 5 " Expa	ETERNUS DX8900 S2 3. 5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																
Services zone 1 (Continued)																																																
	SC2000 UPG per 100 Slots, Silber Sup Z1	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Silver Support Plan (5x9x4 on-site), Renew al, annual, zone 1																							x			x																	Q:SSCBB-RS01-SL11			1133	
	SC2000 UPG per 100 Slots, Gold Sup Z1	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Gold Support Plan (7x24x4 on-site), Renew al, annual, zone 1																							x			x																	Q:SSCBB-RS01-GL11			1259	
	SC600 9U Bronze SUP Z1, UPG	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Renew al, annual, zone 1																								x	x																	Q:SSC5H-REXM-BL11			462	
	SC600 9U Silver SUP Z1, UPG	Quantum Scalar i500 9U Expansion Module, Silver Support Plan (5x9x4 on-site), Renew al, annual, zone 1																								x	x																	Q:SSC5H-REXM-SL11			832	
	SC600 9U Gold SUP Z1, UPG	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Renew al, annual, zone 1																								x	x																	Q:SSC5H-REXM-GL11			924	
Services zone 2																																															
	Daily De-Inst.Rate,Rsck. Not Required,Z2	Quantum Standard Daily De-Installation Rate, Packaging Not Required, zone 2																							x	x		x																	Q:SAABB-NDPN-0002			1215	
	Daily De-Inst.Rate,Rsckaging Required,Z2	Quantum Standard Daily De-Installation Rate, Packaging Required, zone 2																							x	x		x																	Q:SAABB-NDPR-0002			1620	
	QTM On-site Time&Mat Charge, per day, Z2	QTM On-site Time&Mat Charge, per day, zone 2																							x		x	x																	Q:SAABB-NTAM-0002			2025	
	Quantum Out of Area Travel Charge, Z2	Quantum Out of Area Travel Charge, Zone 2																							x		x	x																	Q:SAABB-NTRC-0002			1620	
	QTM EP EDL Dr,(BR(5x9xNBDon-site),1Y,Z2	Quantum Non-Enterprise End-of-Life Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renew al, annual, Zone 2; , For all DLT, LTO-1, LTO-2 and AIT tape drives in L-Series, M-Series, PX500-Series, Scalar 100 and Scalar i500 libraries. Price is per tape drive.																								x																	Q:SLBBL-RTEZ-BL12			925	
	QTM EP EDL Dr,(GL(7x24x4 on-site),1Y,Z2	Quantum Non-Enterprise End-of-Life Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renew al, annual, Zone 2; , For all DLT, LTO-1, LTO-2 and AIT tape drives in L-Series, M-Series, PX500-Series, Scalar 100 and Scalar i500 libraries. Price is per tape drive.																								x																	Q:SLBBL-RTEZ-GL12			1372	
	QTM EP EDL Dr,(SL(5x9x4on-site),1Y,Z2	Quantum Non-Enterprise End-of-Life Tape Drive Module, Gold Support Plan (5x9x4on-site), Renew al, annual, Zone 2; , For all DLT, LTO-1, LTO-2 and AIT tape drives in L-Series, M-Series, PX500-Series, Scalar 100 and Scalar i500 libraries. Price is per tape drive.																								x																	Q:SLBBL-RTEZ-SL12			1236	
	SC600 Bronze SUP Tape Drive, Extn. Z2	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 2, Price is per tape drive.																								x	x																	Q:SLBBM-LTDX-BL12			593	
	SC600 SUDri, BR(5x9xNBD on-site),3Y,Z2	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 2, Price is per tape drive.																								x	x																	Q:SLBBM-LTDX-BL32			1497	
	SC600 Gold SUP Tape Drive, Extn. Z2	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 2, Price is per tape drive.																								x	x																	Q:SLBBM-LTDX-GL12			1041	
	SC600 SUDri, GL(7x24x4 on-site),3Y,Z2	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Uplift, 3 years, zone 2, Price is per tape drive.																								x	x																	Q:SLBBM-LTDX-GL32			2634	
	SC600 Silber SUP Tape Drive, Extn. Z2	Quantum Scalar i500 Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2, , Price is per tape drive.																								x	x																	Q:SLBBM-LTDX-SL12			937	
	SC600 Bronze SUP Tape Drive, UPG Z2	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 2, Price is per tape drive.																								x	x																	Q:SLBBM-RTDX-BL12			770	
	SC600 Gold SUP Tape Drive, UPG Z2	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renew al, annual, zone 2, Price is per tape drive.																								x	x																	Q:SLBBM-RTDX-GL12			1343	
	SC600 Silber SUP Tape Drive, UPG Z2	Quantum Scalar i500 Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renew al, annual, zone 2, Price is per tape drive.																								x	x																	Q:SLBBM-RTDX-SL12			1208	
	SC2000 Extn. SUP Tape Drives Bronze, Z2	Quantum PX720, Scalar i2000 and Scalar 10K Library, , Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), , Extension, annual, zone 2,Price is per tape drive, , , For initial order of an upgrade drive: Expansion of initial Bronze level for a further year , zone 2 (only valid for new configurations, best price)																							x			x																	Q:SLBBN-ETDX-BL12			625	
	SC2000 Extn. SUP Tape Drives Gold, Z2	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Gold Support Plan , Uplift, annual, zone 2, Price is per tape drive, , , For initial order of an upgrade drive: Expansion and/or upgrade of initial Bronze level for a further year , zone 2 (only valid for new configurations, best price), If the initial Bronze level shall be upgraded, it is mandatory to order the upgrade also for the first year.																							x			x																	Q:SLBBN-LTDX-GL12			1210	
	SC2000 Extn. SUP Tape Drives Silber, Z2	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, , Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2, Price is per tape drive, , , For initial order of an upgrade drive: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Bronze level shall be upgraded, it is mandatory to order the upgrade also for the first year.																							x			x																	Q:SLBBN-LTDX-SL12			1099	
	SC2000 UPG SUP Tape Drives Bronze, Z2	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renew al, annual, zone 2, Price is per tape drive.																							x			x																	Q:SLBBN-RTDX-BL12			813	
	SC2000 UPG SUP Tape Drive, Gold, Z2	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renew al, annual, zone 2. Price is per tape drive.																							x			x																	Q:SLBBN-RTDX-GL12			1574	
	SC2000 UPG SUP Tape Drive, Silber, Z2	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renew al, annual, zone 2, Price is per tape drive.																							x			x																	Q:SLBBN-RTDX-SL12			1417	
	QTM EP EDL Dr,(BR(5x9xNBDon-site),UPG,Z2	Quantum Enterprise End-of-Life Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renew al, annual, Zone 2, For all DLT, LTO-1, LTO-2 and AIT tape drives in P-Series, PX720, Scalar 1000, Scalar i2000 and Scalar 10K libraries. Price is per tape drive.																								x	x																	Q:SLBBN-RTEZ-BL12			981	
	QTM EP EDL Dr,(GL(7x24x4 on-site),UPG,Z2	Quantum Enterprise End-of-Life Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renew al, annual, Zone 2, For all DLT, LTO-1, LTO-2 and AIT tape drives in P-Series, PX720, Scalar 1000, Scalar i2000 and Scalar 10K libraries. Price is per tape drive.																								x	x																	Q:SLBBN-RTEZ-GL12			1732	
	QTM EP EDL Dr,(SL(5x9x4on-site),UPG,Z2	Quantum Enterprise End-of-Life Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renew al, annual, Zone 2, For all DLT, LTO-1, LTO-2 and AIT tape drives in P-Series, PX720, Scalar 1000, Scalar i2000 and Scalar 10K libraries. Price is per tape drive.																								x	x																	Q:SLBBN-RTEZ-SL12			1559	
	SC2000 Extn.SUP 100Slot,0Dri, Bronze,Z2	Quantum Scalar i2000 Library w ith 100 to 700 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Extension, annual, zone 2, For initial order of a Library w ith 100 to 700 Slot: Expansion of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price)																							x			x																	Q:SSC2K-ES01-BL12			1717	

Options Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS JX40	ETERNUS DX410	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3Expansionshelf	FibreCAT CX4Expansionshelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX85 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX7	Library Scalar i2000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SC-ALAR i2000for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2. 5 " Expa	ETERNUS DX4xx S2 3. 5 " Expa	ETERNUS DX60 2. 5"	ETERNUS DX80 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS DX8900 S2 2. 5 " Expa	ETERNUS DX8900 S2 3. 5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX60 S2 2. 5"	ETERNUS DX90 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																			
Services zone 2 (Continued)																																																							
	SCI2000 Extn.SUP 700Slot,0Dri, Bronze,Z2	Quantum Scalar i2000 Library with 700 to 3000 Slots, No Drives, Bronze Support Plan (5x9xNBD on-site), Extension, annual, Zone 2																							x			x																							Q:SSC2K-ES07-BL12			2147	
	SCI2000 Extn.SUP 100Slot,0 Dri, Gold,Z2	Quantum Scalar i2000 Library with 100 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 2, For initial order of a Library with 100 to 700 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Gold level shall be upgraded, it is mandatory to order the upgrade also for the first year.																							x			x																							Q:SSC2K-LS01-GL12			3710	
	SCI2000 Extn.SUP 100Slot,0Dri, silber,Z2	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Uplift, annual, zone 2, For initial order of a Library with 100 to 700 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Silver level shall be upgraded, it is mandatory to order the upgrade also for the first year.																							x			x																							Q:SSC2K-LS01-SL12			3338	
	SCI2000 Extn.SUP 700Slot,0Dri, Gold,Z2	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (7x24x4 on-site), , Extension, annual, zone 2, For initial order of a Library with 700 to 3000 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 2 (only valid for new configurations, best price), If the initial Gold level shall be upgraded, it is mandatory to order the upgrade also for the first year.																							x			x																							Q:SSC2K-LS07-GL12			4637	
	SCI2000 Extn.SUP 700Slot,0Dri, Silber,Z2	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (5x9x4 on-site), , Renewal, annual, zone 2, For initial order of a Library with 700 to 3000 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 2 (only valid for new configurations, best price), If the initial Silver level shall be upgraded, it is mandatory to order the upgrade also for the first year.																							x			x																							Q:SSC2K-LS07-SL12			4174	
	SCI2/6 UPG SUP 100Slots,0Dri, Bronze,Z2	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Renewal, annual, zone 2																							x			x																							Q:SSC2K-RS01-BL12			2009	
	SCI2000 UPG SUP 100Slots,0Dri, Gold,Z2	Quantum Scalar i2000 Library with 100 bis 700 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 2																							x			x																							Q:SSC2K-RS01-GL12			4340	
	SCI2000 UPG SUP 100Slots,0Dri, silber,Z2	Quantum Scalar i2000 Library with 100 bis 700 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Renewal, annual, zone 2																							x			x																							Q:SSC2K-RS01-SL12			3906	
	SCI2000 UPG SUP 700Slots,0Dri, Bronze,Z2	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Renewal, annual, zone 2																							x			x																							Q:SSC2K-RS07-BL12			2790	
	SCI2000 UPG SUP 700Slots,0Dri, Gold,Z2	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 2																							x			x																							Q:SSC2K-RS07-GL12			6029	
	SCI2000 UPG SUP 700Slots,0Dri, Silber,Z2	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Renewal, annual, zone 2																							x			x																							Q:SSC2K-RS07-SL12			5425	
	SCI500 SU Extn.SUP Library0 Dr,Bronze,Z2	Quantum Scalar i500 SU Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 2																									x																							Q:SSCS1-LS00-BL12			409	
	SCI500 SU,No Dri,BR(5x9xNBDon-site)3Y,Z2	Quantum Scalar i500 SU Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, 3 years, zone 2																									x																							Q:SSCS1-LS00-BL32			1041	
	SCI500 SU Extn.SUP Library 0 Dr, Gold,Z2	Quantum Scalar i500 SU Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 2																									x																							Q:SSCS1-LS00-GL12			818	
	SCI500 SU,No Dri,GL(7x24x4on-site),3Y,Z2	Quantum Scalar i500 SU Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 2																									x																							Q:SSCS1-LS00-GL32			2066	
	SCI500 SU Extn.SUP Library0 Dr,Silber,Z2	Quantum Scalar i500 SU Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2																									x																							Q:SSCS1-LS00-SL12			735	
	SCI500 SU UPG SUP Library0 Dr,Bronze, Z2	Quantum Scalar i500 SU Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 2																									x																							Q:SSCS1-RS00-BL12			532	
	SCI500 SU UPG SUP Library, Gold, Z2	Quantum Scalar i500 SU Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 2																									x																							Q:SSCS1-RS00-GL12			1062	
	SCI500 SU UPG SUP Library, Silber Z2	Quantum Scalar i500 SU Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 2																									x																							Q:SSCS1-RS00-SL12			956	
	SCI500 14U Extn.SUPLibrary0 Dr,Bronze,Z2	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 2																										x																						Q:SSCS3-LS00-BL12			818	
	SCI500 14U,0xDri,BR(5x9xNBDon-site)3Y,Z2	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 2																										x																						Q:SSCS3-LS00-BL32			2066	
	SCI500 14U Extn.SUPLibrary0 Dr,Gold,Z2	Quantum Scalar i500 14U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 2																										x																						Q:SSCS3-LS00-GL12			1215	
	SCI500 14U,0xDri,GL(7x24x4 on-site)3Y,Z2	Quantum Scalar i500 14U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 2																										x																						Q:SSCS3-LS00-GL32			3098	
	SCI500 14U Extn.SUPLibrary0 Dr,Silber,Z2	Quantum Scalar i500 14U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2																										x																						Q:SSCS3-LS00-SL12			1094	
	SCI500 14U UPG SUPLibrary0 Dr,Bronze, Z2	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 2																										x																						Q:SSCS3-RS00-BL12			1062	
	SCI500 14U UPG SUP Library0 Dr,Gold, Z2	Quantum Scalar i500 SU Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 2																										x																						Q:SSCS3-RS00-GL12			1580	
	SCI500 14U UPG SUPLibrary0 Dr,Silber, Z2	Quantum Scalar i500 SU Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 2																										x																						Q:SSCS3-RS00-SL12			1422	
	SCI500 23U Extn.SUPLibrary0 Dr,Bronze,Z2	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 2																											x																					Q:SSCS5-LS00-BL12			1377	
	SCI500 23U,0xDr,BR(5x9xNBDon-site),3Y,Z2	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 2																											x																					Q:SSCS5-LS00-BL32			3511	
	SCI500 23U Extn.SUPLibrary0 Dr,Gold,Z2	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 2																											x																					Q:SSCS5-LS00-GL12			2430	
	SCI500 23U,0xDri,GL(7x24x4on-site),3Y,Z2	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 2																											x																					Q:SSCS5-LS00-GL32			6197	
	SCI500 23U Extn.SUPLibrary0 Dr,Silber,Z2	Quantum Scalar i500 23U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2																											x																					Q:SSCS5-LS00-SL12			2187	
	SCI500 23U UPG SUPLibrary0 Dr,Bronze, Z2	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 2																											x																					Q:SSCS5-RS00-BL12			1790	
	SCI500 23U UPG SUPLibrary0 Dr,Gold Z2	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 2																											x																					Q:SSCS5-RS00-GL12			3159	
	SCI500 23U UPG SUPLibrary0 Dr,Silber, Z2	Quantum Scalar i500 23U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 2																											x																					Q:SSCS5-RS00-SL12			2843	
	SCI500 9U Extn.SUP Library0 Dr,Bronze,Z2	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 2																											x	x																				Q:SSCSH-LEXM-BL12			409	
	SCI500 9U,BR Sup(5x9xNBD on-site),3Y,Z2	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 1																											x	x																				Q:SSCSH-LEXM-BL32			1041	
	SCI500 9U Extn.SUP Library0 Dr,Gold,Z2	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 2																											x	x																				Q:SSCSH-LEXM-GL12			818	

Options Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS JX40	ETERNUS DX410	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3ExpansionShelf	FibreCAT CX4EExpansionShelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX85 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX7	FibreCAT TX24	Library Scalar i2000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SCALAR i2000for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2. 5 " Expa	ETERNUS DX4xx S2 3. 5 " Expa	ETERNUS DX60 2. 5"	ETERNUS DX80 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX90 S2 2. 5"	ETERNUS DX8900 S2 2. 5 " Expa	ETERNUS DX8900 S2 3. 5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX60 S2 2. 5"	ETERNUS DX90 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																				
Services zone 2 (Continued)																																																							
	SC500 9U,GL Sup(7x24x4 on-site),3Y, Z2	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 2																								x	x																									Q:SSC5H-LEXM-GL32			2066	
	SC500 9U Extn.SUP Library0 Dr,Silber,Z2	Quantum Scalar i500 9U Expansion Module, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2																								x	x																									Q:SSC5H-LEXM-SL12			735	
	SC500 9U Bronze SUP Z2, UPG	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Renew al, annual, zone 2																								x	x																									Q:SSC5H-REXM-BL12			532	
	SC500 9U Gold SUP Z2, UPG	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Renew al, annual, zone 2																								x	x																									Q:SSC5H-REXM-GL12			1062	
	SC500 9U Silver SUP Z2, UPG	Quantum Scalar i500 9U Expansion Module, Silver Support Plan (5x9x4 on-site), Renew al, annual, zone 2																								x	x																									Q:SSC5H-REXM-SL12			956	
	SCI2000 Extn. pro 100Slots,Bronze Sup Z2	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Bronze Support Plan (5x9xNBD on-site), Extension, annual, zone 2																								x			x																					Q:SSCBB-ES01-BL12			744	
	SCI2000 Extn. pro 100Slots, Gold Sup Z2	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 2																								x			x																					Q:SSCBB-LS01-GL12			1114	
	SCI2000 Extn. pro 100Slots,Silber Sup Z2	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2																								x			x																					Q:SSCBB-LS01-SL12			1011	
	SCI2000 UPG pro 100 Slots, Bronze Sup Z2	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Bronze Support Plan (5x9xNBD on-site), Renew al, annual, zone 2																								x			x																					Q:SSCBB-RS01-BL12			967	
	SCI2000 UPG pro 100 Slots, Gold Sup Z2	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Gold Support Plan (7x24x4 on-site), Renew al, annual, zone 2																								x			x																					Q:SSCBB-RS01-GL12			1448	
	SCI2000 UPG pro 100 Slots, Silber Sup Z2	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Silver Support Plan (5x9x4 on-site), Renew al, annual, zone 2																								x			x																					Q:SSCBB-RS01-SL12			1303	
Services zone 3																																																						
	Daily De-Inst.Rate,Rack. Not Required,Z3	Quantum Standard Daily De-Installation Rate, Packaging Not Required, zone 3																								x	x		x																					Q:SAABB-NDPN-0003			1849	
	Daily De-Inst.Rate,Packaging Required,Z3	Quantum Standard Daily De-Installation Rate, Packaging Required, zone 3																								x	x		x																					Q:SAABB-NDPR-0003			2465	
	QTM On-site Time&Mat Charge, per day, Z3	QTM On-site Time&Mat Charge, per day, zone 3																								x		x	x																					Q:SAABB-NTAM-0003			3082	
	Quantum Out of Area Travel Charge, Z3	Quantum Out of Area Travel Charge, Zone 3																								x		x	x																					Q:SAABB-NTRC-0003			2465	
	QTM EP EDL Dr,BR(5x9xNBDon-site),1Y,.Z3	Quantum Non-Enterprise End-of-Life Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renew al, annual, Zone 3, , For all DLT, LTO-1, LTO-2 and AIT tape drives in L-Series, M-Series, PX500-Series, Scalar 100 and Scalar i500 libraries. Price is per tape drive.																								x																									Q:SLBBL-RTEZ-BL13			1397	
	QTM EP EDL Dr,GL(7x24x4 on-site),1Y,Z3	Quantum Non-Enterprise End-of-Life Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renew al, annual, Zone 3, , For all DLT, LTO-1, LTO-2 and AIT tape drives in L-Series, M-Series, PX500-Series, Scalar 100 and Scalar i500 libraries. Price is per tape drive.																								x																									Q:SLBBL-RTEZ-GL13			2089	
	QTM EP EDL Dr,SL(5x9x4on-site),1Y,Z3	Quantum Non-Enterprise End-of-Life Tape Drive Module, Gold Support Plan (5x9x4on-site), Renew al, annual, Zone 3, , For all DLT, LTO-1, LTO-2 and AIT tape drives in L-Series, M-Series, PX500-Series, Scalar 100 and Scalar i500 libraries. Price is per tape drive.																								x																									Q:SLBBL-RTEZ-SL13			1880	
	SC500 Bronze SUP Tape Drive, Extn. Z3	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 3, Price is per tape drive.																								x	x																									Q:SLBBM-LTDX-BL13			902	
	SC500 SU,Dri, BR(5x9xNBD on-site),3Y,Z3	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 3, Price is per tape drive.																								x	x																									Q:SLBBM-LTDX-BL33			2279	
	SC500 Gold SUP Tape Drive, Extn. Z3	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 3, Price is per tape drive.																								x	x																									Q:SLBBM-LTDX-GL13			1571	
	SC500 SU,Dri, GL(7x24x4 on-site),3Y,Z3	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Uplift, 3 years, zone 3, Price is per tape drive.																								x	x																									Q:SLBBM-LTDX-GL33			4007	
	SC500 Silber SUP Tape Drive, Extn. Z3	Quantum Scalar i500 Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3., Price is per tape drive.																								x	x																									Q:SLBBM-LTDX-SL13			1414	
	SC500 Bronze SUP Tape Drive, UPG Z3	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 3, Price is per tape drive.																								x	x																									Q:SLBBM-RTDX-BL13			1162	
	SC500 Gold SUP Tape Drive, UPG Z3	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renew al, annual, zone 3, Price is per tape drive.																								x	x																									Q:SLBBM-RTDX-GL13			2043	
	SC500 Silber SUP Tape Drive, UPG Z3	Quantum Scalar i500 Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renew al, annual, zone 3, Price is per tape drive.																								x	x																									Q:SLBBM-RTDX-SL13			1839	
	SCI2000 Extn. SUP Tape Drives Bronze, Z3	Quantum PX720, Scalar i2000 and Scalar 10K Library, , Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), , Extension, annual, zone 3.Price is per tape drive. , , For initial order of an upgrade drive: Expansion of initial Bronze level for a further year , zone 3 (only valid for new configurations, best price)																								x			x																					Q:SLBBN-ETDX-BL13			952	
	SCI2000 Extn. SUP Tape Drives Gold, Z3	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Gold Support Plan , Uplift, annual, zone 3, Price is per tape drive. , , For initial order of an upgrade drive: Expansion and/or upgrade of initial Bronze level for a further year , zone 2 (only valid for new configurations, best price), If the initial Bronze level shall be upgraded, it is mandatory to order the upgrade also for the first year.																								x			x																					Q:SLBBN-LTDX-GL13			1843	
	SCI2000 Extn. SUP Tape Drives Silber, Z3	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, , Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3, Price is per tape drive. , , For initial order of an upgrade drive: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Bronze level shall be upgraded, it is mandatory to order the upgrade also for the first year.																								x			x																					Q:SLBBN-LTDX-SL13			1658	
	SCI2000 UPG SUP Tape Drives Bronze, Z3	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renew al, annual, zone 3, Price is per tape drive.																								x			x																					Q:SLBBN-RTDX-BL13			1225	
	SCI2000 UPG SUP Tape Drive, Gold, Z3	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renew al, annual, zone 3. Price is per tape drive.																								x			x																					Q:SLBBN-RTDX-GL13			2396	
	SCI2000 UPG SUP Tape Drive, Silber, Z3	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renew al, annual, zone 3, Price is per tape drive.																								x			x																					Q:SLBBN-RTDX-SL13			2156	
	QTM EP EDL Dr,BR(5x9xNBDon-site),UPG,Z3	Quantum Enterprise End-of-Life Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renew al, annual, Zone 3, For all DLT, LTO-1, LTO-2 and AIT tape drives in P-Series, PX720, Scalar 1000, Scalar i2000 and Scalar 10K libraries. Price is per tape drive.																								x	x																									Q:SLBBN-RTEZ-BL13			1479	

Options Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS JX40	ETERNUS DX410	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3ExpansionShelf	FibreCAT CX4ExpansionShelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX85 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX7	Library Scalar i2000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SCALAR i2000for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2. 5 " Expa	ETERNUS DX4xx S2 3. 5 " Expa	ETERNUS DX60 2. 5"	ETERNUS DX80 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX80 S2 3. 5"	ETERNUS DX8900 S2 2. 5 " Expa	ETERNUS DX8900 S2 3. 5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX60 2. 5"	ETERNUS DX60 S2 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																	
Services zone 3 (Continued)																																																			
	QTM EP EOL Dr\,GL(7x24x4 on-site),UPG,Z3	Quantum Enterprise End-of-Life Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, Zone 3, For all DLT, LTO-1, LTO-2 and AIT tape drives in P-Series, PX720, Scalar 1000, Scalar i2000 and Scalar 10K libraries. Price is per tape drive.																								x	x																							Q:SLBBN-RTEZ-GL13			2636	
	QTM EP EOL Dr\,SL(5x9x4on-site),UPG,Z3	Quantum Enterprise End-of-Life Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, Zone 3, For all DLT, LTO-1, LTO-2 and AIT tape drives in P-Series, PX720, Scalar 1000, Scalar i2000 and Scalar 10K libraries. Price is per tape drive.																								x	x																							Q:SLBBN-RTEZ-SL13			2373	
	SCi2000 Extn.SUP 100Slot,0Dri, Bronze,Z3	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Extension, annual, zone 3, For initial order of a Library with 100 to 700 Slot: Expansion of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price)																								x		x																							Q:SSC2K-ES01-BL13			2613	
	SCi2000 Extn.SUP 700Slot,0Dri, Bronze,Z3	Quantum Scalar i2000 Library with 700 to 3000 Slots, No Drives, Bronze Support Plan (5x9xNBD on-site), Extension, annual, Zone 3																								x		x																							Q:SSC2K-ES07-BL13			3267	
	SCi2000 Extn.SUP 100Slot,0 Dri, Gold,Z3	Quantum Scalar i2000 Library with 100 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 3, For initial order of a Library with 100 to 700 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Gold level shall be upgraded, it is mandatory to order the upgrade also for the first year.																								x		x																							Q:SSC2K-LS01-GL13			5645	
	SCi2000 Extn.SUP 100Slot,0Dri, silber,Z3	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Uplift, annual, zone 3, For initial order of a Library with 100 to 700 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Silver level shall be upgraded, it is mandatory to order the upgrade also for the first year.																								x		x																							Q:SSC2K-LS01-SL13			5081	
	SCi2000 Extn.SUP 700Slot,0Dri, Gold,Z3	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (7x24x4 on-site), , Extension, annual, zone 3, For initial order of a Library with 700 to 3000 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 3 (only valid for new configurations, best price), If the initial Gold level shall be upgraded, it is mandatory to order the upgrade also for the first year.																								x		x																							Q:SSC2K-LS07-GL13			7057	
	SCi2000 Extn.SUP 700Slot,0Dri, Silber,Z3	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (5x9x4 on-site), , Renewal, annual, zone 3, For initial order of a Library with 700 to 3000 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 3 (only valid for new configurations, best price), If the initial Silver level shall be upgraded, it is mandatory to order the upgrade also for the first year.																								x		x																							Q:SSC2K-LS07-SL13			6351	
	SCi2000 UPG SUP 100Slots,0Dri, Bronze,Z3	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Renewal, annual, zone 3																								x		x																							Q:SSC2K-RS01-BL13			3057	
	SCi2000 UPG SUP 100Slots,0Dri, Gold,Z3	Quantum Scalar i2000 Library with 100 bis 700 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 3																								x		x																							Q:SSC2K-RS01-GL13			6605	
	SCi2000 UPG SUP 100Slots,0Dri, silber,Z3	Quantum Scalar i2000 Library with 100 bis 700 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Renewal, annual, zone 3																								x		x																							Q:SSC2K-RS01-SL13			5944	
	SCi2000 UPG SUP 700Slots,0Dri, Bronze,Z3	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Renewal, annual, zone 3																								x		x																							Q:SSC2K-RS07-BL13			4246	
	SCi2000 UPG SUP 700Slots,0Dri, Gold,Z3	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 3																								x		x																							Q:SSC2K-RS07-GL13			9173	
	SCi2000 UPG SUP 700Slots,0Dri, Silber,Z3	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Renewal, annual, zone 3																								x		x																							Q:SSC2K-RS07-SL13			8257	
	SC500 SU Extn.SUP Library0 Dr,Bronze,Z3	Quantum Scalar i500 SU Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 3																									x																							Q:SSC51-LS00-BL13			622	
	SC500 SU,No Dri,BR(5x9xNBDon-site)3Y,Z3	Quantum Scalar i500 SU Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, 3 years, zone 3																									x																							Q:SSC51-LS00-BL33			1571	
	SC500 SU Extn.SUP Library 0 Dr, Gold,Z3	Quantum Scalar i500 SU Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 3																									x																							Q:SSC51-LS00-GL13			1233	
	SC500 SU,No Dri,GL(7x24x4on-site),3Y,Z3	Quantum Scalar i500 SU Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 3																									x																							Q:SSC51-LS00-GL33			3143	
	SC500 SU Extn.SUP Library0 Dr,Silber,Z3	Quantum Scalar i500 SU Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3																									x																							Q:SSC51-LS00-SL13			1119	
	SC500 SU UPG SUP Library0 Dr,Bronze, Z3	Quantum Scalar i500 SU Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 3																									x																							Q:SSC51-RS00-BL13			809	
	SC500 SU UPG SUP Library, Gold, Z3	Quantum Scalar i500 SU Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 3																									x																							Q:SSC51-RS00-GL13			1603	
	SC500 SU UPG SUP Library, Silber Z3	Quantum Scalar i500 SU Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 3																									x																							Q:SSC51-RS00-SL13			1443	
	SC500 14U Extn.SUPLibrary0 Dr,Bronze,Z3	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 3																								x																							Q:SSC53-LS00-BL13			1233	
	SC500 14U,0xDri,BR(5x9xNBDon-site)3Y,Z3	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 3																								x																							Q:SSC53-LS00-BL33			3143	
	SC500 14U Extn.SUPLibrary0 Dr,Gold,Z3	Quantum Scalar i500 14U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 3																								x																							Q:SSC53-LS00-GL13			1849	
	SC500 14U,0xDri,GL(7x24x4 on-site)3Y,Z3	Quantum Scalar i500 14U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 3																								x																							Q:SSC53-LS00-GL33			4715	
	SC500 14U Extn.SUPLibrary0 Dr,Silber,Z3	Quantum Scalar i500 14U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3																								x																							Q:SSC53-LS00-SL13			1664	
	SC500 14U UPG SUPLibrary0 Dr,Bronze, Z3	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 3																								x																							Q:SSC53-RS00-BL13			1603	
	SC500 14U UPG SUP Library0 Dr,Gold, Z3	Quantum Scalar i500 SU Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 3																								x																							Q:SSC53-RS00-GL13			2404	
	SC500 14U UPG SUPLibrary0 Dr,Silber, Z3	Quantum Scalar i500 SU Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 3																								x																							Q:SSC53-RS00-SL13			2163	
	SC500 23U Extn.SUPLibrary0 Dr,Bronze,Z3	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 3																								x																							Q:SSC55-LS00-BL13			2096	
	SC500 23U,0xDr,BR(5x9xNBDon-site),3Y,Z3	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 3																								x																							Q:SSC55-LS00-BL33			5343	
	SC500 23U Extn.SUPLibrary0 Dr,Gold,Z3	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 3																								x																							Q:SSC55-LS00-GL13			3698	
	SC500 23U,0xDri,GL(7x24x4on-site),3Y,Z3	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 3																								x																							Q:SSC55-LS00-GL33			9430	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS JX40	ETERNUS DX410	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3ExpansionShelf	FibreCAT CX4ExpansionShelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX85 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX/F	Library Scalar i3000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SC-ALAR i2000for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2. 5 " Expa	ETERNUS DX4xx S2 3. 5 " Expa	ETERNUS DX60 2. 5"	ETERNUS DX80 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS DX8900 S2 2. 5 " Expa	ETERNUS DX8900 S2 3. 5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX60 2. 5"	ETERNUS DX90 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																	
Services zone 3 (Continued)																																																	
	SC500 23U Extn.SUPLibrary0 Dr,Silber,Z3	Quantum Scalar i500 23U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3																							x																						Q:SSC55-LS00-SL13			3328	
	SC500 23U UPG SUPLibrary0 Dr,Bronze, Z3	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renew al, annual, zone 3																							x																						Q:SSC55-RS00-BL13			2724	
	SC500 23U UPG SUPLibrary0 Dr,Gold Z3	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renew al, annual, zone 3																							x																						Q:SSC55-RS00-GL13			4807	
	SC500 23U UPG SUPLibrary0 Dr,Silber, Z3	Quantum Scalar i500 23U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renew al, annual, zone 3																							x																						Q:SSC55-RS00-SL13			4327	
	SC500 9U Extn.SUP Library0 Dr,Bronze,Z3	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 3																							x	x																						Q:SSC5H-LEXM-BL13			622	
	SC500 9U,BR Sup(5x9xNBD on-site),3Y,Z3	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 3																							x	x																						Q:SSC5H-LEXM-BL33			1571	
	SC500 9U Extn.SUP Library0 Dr,Gold,Z3	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 3																							x	x																						Q:SSC5H-LEXM-GL13			1233	
	SC500 9U,GL Sup(7x24x4 on-site),3Y, Z3	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 3																							x	x																						Q:SSC5H-LEXM-GL33			3143	
	SC500 9U Extn.SUP Library0 Dr,Silber,Z3	Quantum Scalar i500 9U Expansion Module, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3																							x	x																						Q:SSC5H-LEXM-SL13			1119	
	SC500 9U Bronze SUP Z3, UPG	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Renew al, annual, zone 3																							x	x																						Q:SSC5H-REXM-BL13			809	
	SC500 9U Gold SUP Z3, UPG	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Renew al, annual, zone 3																							x	x																						Q:SSC5H-REXM-GL13			1603	
	SC500 9U Silver SUP Z3, UPG	Quantum Scalar i500 9U Expansion Module, Silver Support Plan (5x9x4 on-site), Renew al, annual, zone 3																							x	x																						Q:SSC5H-REXM-SL13			1443	
	SCi2000 Extn. pro 100Slots,Bronze Sup Z3	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Bronze Support Plan (5x9xNBD on-site), Extension, annual, zone 3																							x		x																						Q:SSCBB-ES01-BL13			1122	
	SCi2000 Extn. pro 100Slots, Gold Sup Z3	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 3																							x		x																						Q:SSCBB-LS01-GL13			1695	
	SCi2000 Extn. pro 100Slots,Silber Sup Z3	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3																							x		x																						Q:SSCBB-LS01-SL13			1525	
	SCi2000 UPG pro 100 Slots, Bronze Sup Z3	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Bronze Support Plan (5x9xNBD on-site), Renew al, annual, zone 3																							x		x																						Q:SSCBB-RS01-BL13			1458	
	SCi2000 UPG pro 100 Slots, Gold Sup Z3	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Gold Support Plan (7x24x4 on-site), Renew al, annual, zone 3																							x		x																						Q:SSCBB-RS01-GL13			2203	
	SCi2000 UPG pro 100 Slots, Silber Sup Z3	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Silver Support Plan (5x9x4 on-site), Renew al, annual, zone 3																							x		x																						Q:SSCBB-RS01-SL13			1983	
Upgrades																																																	
	SCi2000 IPv6 Compact Flash Upgrade Kit	Quantum Scalar i2000 IPv6 Compact Flash Upgrade Kit, This kit is only needed for those few customers that are connecting a Scalar i2000 to an IPv6 netw ork. This kit includes a standard Scalar i2000 Compact Flash card w ith special code that allow s a Scalar i2000 to connect to an IPv6 netw ork. Flash must be installed at point of sale in the factory or by Quantum personnel as a post-sale upgrade. If customers w ant to upgrade firmw are, they should open a Service Request and the upgrade w ill be scheduled w ith Quantum's field service group. Installation charges may apply.																							x			x																						Q:LSC2K-ACFU-006A			2	
	SCi2000 FC I/O Blade, 4GB UPG	Quantum Scalar i2000 Fibre Channel I/O Blade, 4GB, Includes tw o host/SAN Fibre Channel ports and four tape drive Fibre Channel ports, all w ith LC connectors. Order to convert one to four native Fibre Channel drives to Storage Netw orking. If the Control Module (CM) or Expansion Module (EM) containing the drives being converted does not already include other Storage Netw orking drives (i.e., the conversion is the first time the cabinet w ill be configured w ith Storage Netw orking), then the Scalar i20000 Native Fibre Channel to Storage Netw orking Upgrade Kit (LSC2K-USNC-001A) is also required.																							x			x																						Q:LSC2K-AFCC-001A			10058	
	SCi2000 (I/E) Station Expansion Module	Quantum Scalar i2000 Import/Export (I/E) Station for Expansion Module, One I/E Station can be added to each Expansion Module. Includes 24 LTO or 20 DLT import/export slots. Reduces EM capacity by 36 LTO or 30 DLT slots. Maximum seven.																							x			x																						Q:LSC2K-AIES-001A			2903	
	SCi2000 Five-slot SDLT Magazine	Quantum Scalar i2000 Five-slot SDLT Magazine, Includes dust cover.																							x			x																						Q:LSC2K-AMAG-D06A			49	
	SCi2000 Pow er Supply	Quantum Scalar i2000 Redundant (2N) Pow er Supply Module, Order one for Control Module (base system) plus one for each Expansion Module that is configured w ith tape drives.																							x			x																						Q:LSC2K-ARPS-001E			4578	
	SCi2000 Multi-media Picker UPG Kit,UPG	"Quantum Scalar i2000 Multi-media Picker Upgrade Kit, field upgrade (EMEA), Required w hen adding DLT media to an installed library initially ordered w ith LTO only. Not required w hen ordering a new library in a multi-media configuration nor w hen adding LTO media to an installed library initially ordered w ith DLT. The Scalar i2000 Partitioning Option must be purchased w ith multi-media libraries."																							x			x																						Q:LSC2K-UMMP-001E			3522	
	SCi2000 FC Netw orking Conversion Kit,UPG	Quantum Scalar i2000 Native Fibre Channel to Storage Netw orking Conversion Kit, field upgrade, Includes netw ork chassis fan and Control Management Blade (CMB). One kit is required w hen ordering a Fibre Channel I/O Blade to convert existing native Fibre Channel drives to Storage Netw orking if the Control Module (CM) or Expansion Module (EM) containing the drives being converted does not already contain Storage Netw orking drives. Maximum one kit per CM or EM being converted to Storage Netw orking for the first time.																							x			x																						Q:LSC2K-USNC-001A			6812	
	SC500 Advanced Reporting Option Lic.Key	"Quantum Scalar i500 Advanced Reporting Option License Key, Field Upgrade. Includes Drive Resource Utilization and Media Integrity reporting."																							x	x																						Q:LSC5H-UADR-000A			2078	
	SC500 Cable Management Kit, UPG	Quantum Scalar i500 Cable Management Kit, field upgrade, For Scalar i500 14U and larger systems only. Includes tw o "w ire saddles" that can hold one to four Ethernet cables and tw o Velcro straps for routing Ethernet cables and pow er cords. This kit is included w ith every Scalar i500 Fibre Channel I/O Blade. How ever, this kit may be ordered for configurations w ithout an I/O Blade to bundle together a large number of drive and pow er cords for easier cable management.																							x	x																						Q:LSC5H-UCMK-001A			36	
	SC500 5U and 14U Desktop Kit, UPG	Quantum Scalar i500 5U and 14U Desktop Kit, field upgrade. , Valid only for field-installed Scalar i500 5U or 14U base system. Configures the base system for desktop use rather than rackmount installation.																							x	x																						Q:LSC5H-UDTK-000A			32	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS JX40	ETERNUS DX410	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX85 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX/F	Library Scalar i2000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SCALAR i2000 for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2. 5 " Expa	ETERNUS DX4xx S2 3. 5 " Expa	ETERNUS DX60 2. 5"	ETERNUS DX80 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS DX8900 S2 2. 5 " Expa	ETERNUS DX8900 S2 3. 5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX60 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																
Upgrades (Continued)																																																	
	SC500 Fibre Channel I/O Blade, UPG	Quantum Scalar i500 Fibre Channel I/O Blade, 4GB, field upgrade, For Scalar i500 14U and larger systems only. Includes tw o host/SAN Fibre Channel ports and four tape drive Fibre Channel ports, all w ith LC connectors.																							x																								Q:LSCSH-UFCC-001A			5635	
	SC500 Pow er Supply	Quantum Scalar i500 Redundant (2N) Pow er Supply Module, field upgrade, Add one, tw o, three, four or five to 5U, 9U, 14U, 23U, 32U or 41U library, respectively. "																							x	x																								Q:LSCSH-URPS-000A			2110	
	QTM Vision Server,1Lizenz, field add-on	Quantum Vision 4.0 Server, One Quantum System License, field add-on, Valid only after the initial purchase and installation of Quantum Vision 4 softw are. Includes licenses for One supported Quantum Disk or Tape System. Compatible w ith DX2500-CI, DX6500, DX65500, DX6500, DX7500, Scalar i40/i80, Scalar i500 and Scalar i2000/i6000. Quantum Disk or Tape System must be covered under a current support contract."																							x	x																								Q:WSVLA-UQDA-040A			1937	
SF (Express)																																																	
	ETERNUS SFEXPLT4 DX60 LocalCopyLic512	Update from 8 to 512 Snap/clone for ETERNUS DX60	x																															x														FTS:D01900EB1H			1575	
	ETERNUS SFEXPLT4 DX80/90 LocalCopyLic1024	Update from 8 to 1024 Snap/clone for DX80/DX90		x	x																														x	x	x							x	x	x				FTS:D01900EB2H			2157	
	ETERNUS SFEXPLT4 DX90 RemoteCopyLic	REC for DX90 (Remote Equivalent Copy) , Synchron / Asynchron mirroring betw een tw o DX90.			x																																							x	x	x				FTS:D01900EB3H			3307	
SF (Standard)																																																	
	Disk Space Monitor Mediapack (Solaris)	ETERNUS SF Disk Space Monitor Mediapack																												x	x																		FJS:B0112WDB0H			246	
	ACM Mediapack 14.x for Linux	ETERNUS SF AdvancedCopy Manager Standard Edition Mediapack 14.x for Linux																												x	x																		FJS:B0212DEB0H			246	
	Disk Space Monitor Mediapack (Linux)	ETERNUS SF Disk Space Monitor Mediapack																												x	x																		FJS:B0212QDB0H			246	
	DiskSpace Monitor Mediapack (PRIMEQUEST)	ETERNUS SF Disk Space Monitor Mediapack																												x	x																		FJS:B0212SDB0H			246	
	ETERNUS SF SC V14 Media Linux 32bit	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for Linux 32bit																												x	x																		FJS:B0214UEB0H			246	
	Disk Space Monitor Mediapack (Window s)	ETERNUS SF Disk Space Monitor Mediapack																												x	x																		FJS:B0252SDB0H			246	
	ETERNUS SF ACM V14 Media Linux 32bit	ETERNUS SF AdvancedCopy Manager Standard Edition Mediapack 14.x for Linux 32bit	x	x	x																													x	x	x	x							x	x	x				FTS:B0212DEB0H			246	
	ETERNUS SF SC V14 Media Linux 32bit	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for Linux 32bit	x	x	x																													x	x	x	x							x	x	x				FTS:B0214UEB0H			246	
	ETERNUS SF ACM V14 Media Linux 64bit	ETERNUS SF Advanced Copy Manager Standard Edition V14 Media Pack for Linux 64bit																												x	x																		FJS:B0214NEB0H			246	
	ETERNUS SF SC V14 Media Linux 64bit	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for Linux 64bit																												x	x																		FJS:B0214VEB0H			246	
	Disk Space Mon.Lic.for Manager (Solaris)	ETERNUS SF Disk Space Monitor License for Manager. , (Notes), When installing the manager function to a cluster system, if the cluster mode is the active-standby mode, consider the combination of the active node and standby node as one system. (No license is required for the standby node.) Note that the cluster mode in w hich the manager function can be operated is the active-standby mode only. , , ETERNUS SF Disk Space Monitor is supported on Window s, Linux and Solaris. And also supported on the multi-platform environment, w hich there are window s, Linux and Solaris. In this case, Media packs and licenses of required all platforms are necessary to be purchased.																												x	x																		FJS:D0115601H			737	
	DiskSpace Mon.License f. Manager (Linux)	ETERNUS SF Disk Space Monitor License for Manager. (Notes), When installing the manager function to a cluster system, if the cluster mode is the active-standby mode, consider the combination of the active node and standby node as one system. (No license is required for the standby node.) Note that the cluster mode in w hich the manager function can be operated is the active-standby mode only. , , ETERNUS SF Disk Space Monitor is supported on Window s, Linux and Solaris. And also supported on the multi-platform environment, w hich there are w indow s, Linux and Solaris. In this case, Media packs and licenses of required all platforms are necessary to be purchased.																												x	x																		FJS:D0216201H			491	
	DiSpace Mon.. Lic. f. Man.(PRIMEQUEST)	ETERNUS SF Disk Space Monitor License for Manager. (Notes), When installing the manager function to a cluster system, if the cluster mode is the active-standby mode, consider the combination of the active node and standby node as one system. (No license is required for the standby node.) Note that the cluster mode in w hich the manager function can be operated is the active-standby mode only. , , ETERNUS SF Disk Space Monitor is supported on Window s, Linux and Solaris. And also supported on the multi-platform environment, w hich there are window s, Linux and Solaris. In this case, Media packs and licenses of required all platforms are necessary to be purchased.																												x	x																		FJS:D0216501H			737	
	DiskSpace Mon.License f. Manager (Wind.)	ETERNUS SF Disk Space Monitor License for Manager. (Notes), When installing the manager function to a cluster system, if the cluster mode is the active-standby mode, consider the combination of the active node and standby node as one system. (No license is required for the standby node.) Note that the cluster mode in w hich the manager function can be operated is the active-standby mode only. , , ETERNUS SF Disk Space Monitor is supported on Window s, Linux and Solaris. And also supported on the multi-platform environment, w hich there are w indow s, Linux and Solaris. In this case, Media packs and licenses of required all platforms are necessary to be purchased.																												x	x																		FJS:D0254MD81H			491	
	ETERNUS SF ACM V14 Media Linux 64bit	ETERNUS SF Storage Advanced Copy Manager Standard Edition V14 Media Pack for Linux 64bit	x	x	x																													x	x	x	x							x	x	x				FTS:B0214NEB0H			246	
	ETERNUS SF SC V14 Media Linux 64bit	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for Linux 64bit	x	x	x																													x	x	x	x							x	x	x				FTS:B0214VEB0H			246	
	ACM Mediapack 14.x for PRIMEQUEST Linux	ETERNUS SF AdvancedCopy Manager Standard Edition Mediapack 14.x for PRIMEQUEST Linux																												x	x																		FJS:B0212EEB0H			246	
	ETERNUS SF SC V14 Media PRIMEQUEST Linux	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for PRIMEQUEST Linux																												x	x																		FJS:B0214TEB0H			246	
	Annual Support fee for FJS:D01156D81H	Annual Support fee for ETERNUS SF Disk Space Monitor License FJS:D01156D81H, Support is for one Year.																												x	x																		FJS:D0115601S1H			140	
	Annual Support fee for FJS:D02162D81H	Annual Support fee for ETERNUS SF Disk Space Monitor License FJS:D02162D81H, Support is for one Year.																												x	x																		FJS:D0216201S1H			96	
	Annual Support fee for FJS:D02165D81H	Annual Support fee for ETERNUS SF Disk Space Monitor License FJS:D02165D81H, Support is for one Year.																												x	x																		FJS:D0216501S1H			140	
	Annual Support fee for FJS:D0254MD81H	Annual Support fee for ETERNUS SF Disk Space Monitor License FJS:D0254MD81H, Support is for one Year.																												x	x																		FJS:D0254MDS1H			96	
	ETERNUS SF ACM V14Media Primequest Linux	ETERNUS SF AdvancedCopy Manager Standard Edition Mediapack 14.x for PRIMEQUEST Linux	x	x	x																													x	x	x	x							x	x	x				FTS:B0212EEB0H			246	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX8000/DX80 Expansion	ETERNUS 2K40	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3ExpansionShelf	FibreCAT CX4ExpansionShelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX85 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX7	Library Scalar i2000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SC-ALAR i2000for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2. 5 " Expa	ETERNUS DX4xx S2 3. 5 " Expa	ETERNUS DX60 2. 5"	ETERNUS DX80 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS DX8900 S2 2. 5 " Expa	ETERNUS DX8900 S2 3. 5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX60 2. 5"	ETERNUS DX90 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																
SF (Standard) (Continued)																																																	
	ETERNUS SF SC V14 Media PRIMEQUEST Linux	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for PRIMEQUEST Linux	x	x	x																									x	x	x	x						x	x	x				FTS:B0214TEB0H			246	
	ACM Edition Mediapack 14.x for Solaris	ETERNUS SF AdvancedCopy Manager Standard Edition Mediapack 14.x for Solaris																										x	x																FJS:B0112CEB0H			246	
	ETERNUS SF SC V14 Media Solaris	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for Solaris																										x	x																FJS:B0113SEB0H			246	
	DiskSpace Mon. Lic. for Agent (Solaris)	ETERNUS SF Disk Space Monitor License for Agent., License for Transaction server and DB server to w hich the agent function is introduced.																										x	x																FJS:D01157D81H			491	
	DiskSpace Mon.License for Agent (Linux)	ETERNUS SF Disk Space Monitor License for Agent., License for Transaction server and DB server to w hich the agent function is introduced.																										x	x																FJS:D02163D81H			329	
	DiskSpace Mon. Lic. for Agent (PRIMEQU.)	ETERNUS SF Disk Space Monitor License for Agent., License for Transaction server and DB server to w hich the agent function is introduced.																										x	x																FJS:D02166D81H			491	
	D.Space Monitor License f. Agent (Wind.)	ETERNUS SF Disk Space Monitor License for Agent., License for Transaction server and DB server to w hich the agent function is introduced.																										x	x																FJS:D0254ND81H			329	
	ETERNUS SF ACM V14 Media Solaris	ETERNUS SF AdvancedCopy Manager Standard Edition Mediapack 14.x for Solaris	x	x	x																									x	x	x	x						x	x	x				FTS:B0112CEB0H			246	
	ETERNUS SF SC V14 Media Solaris	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for Solaris	x	x	x																									x	x	x	x						x	x	x				FTS:B0113SEB0H			246	
	ACM Mediapack 14.x for Window s	ETERNUS SF AdvancedCopy Manager Standard Edition Mediapack 14.x for Window s																										x	x																FJS:B0251SEB0H			246	
	ETERNUS SF SC V14 Media Window s	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for Window s																										x	x																FJS:B0253REB0H			246	
	Annual Support fee for FJS:D01157D81H	Annual Support for ETERNUS SF Disk Space Monitor License FJS:D01157D81H., Support for one Year.																										x	x																FJS:D01157DS1H			96	
	Annual Support fee for FJS:D02163D81H	Annual Support fee for ETERNUS SF Disk Space Monitor License FJS:D02163D81H, Support is for one Year.																										x	x																FJS:D02163DS1H			61	
	Annual Support fee for FJS:D02166D81H	Annual Support fee for ETERNUS SF Disk Space Monitor License FJS:D02166D81H., Support is for one Year.																										x	x																FJS:D02166DS1H			96	
	Annual Support fee for FJS:D0254ND81H	Annual Support fee for ETERNUS SF Disk Space Monitor License FJS:D0254ND81H., Support is for one Year.																										x	x																FJS:D0254NDS1H			61	
	ETERNUS SF ACM V14 Media Window s	ETERNUS SF AdvancedCopy Manager Standard Edition Mediapack 14.x for Window s	x	x	x																									x	x	x	x						x	x	x				FTS:B0251SEB0H			246	
	ETERNUS SF SC V14 Media Window s	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for Window s	x	x	x																									x	x	x	x						x	x	x				FTS:B0253REB0H			246	
	ACM 14.x Local Copy License for Tier1	ETERNUS SF AdvancedCopy Manager Standard Edition 14.x Local Copy License for Tier1, Fujitsu ETERNUS SF AdvancedCopy Manager, together w ith Fujitsu's Disk storage system ETERNUS, achieves high-speed backup/restore and replication operations using the Advanced Copy function., This host based softw are offers a Graphical User Interface and Command Line Interface to start, stop, and monitor the copy functionality either local (same) and/or remote (tw o or more) of an ETERNUS storage system(s).																										x																FJS:D01910EB1H			5174	
	ACM 14.x Local Copy License for Tier2	ETERNUS SF AdvancedCopy Manager Standard Edition 14.x Local Copy License for Tier2, Fujitsu ETERNUS SF AdvancedCopy Manager, together w ith Fujitsu's Disk storage system ETERNUS, achieves high-speed backup/restore and replication operations using the Advanced Copy function., This host based softw are offers a Graphical User Interface and Command Line Interface to start, stop, and monitor the copy functionality either local (same) and/or remote (tw o or more) of an ETERNUS storage system(s).																											x																FJS:D01910EB2H			10174	
	ETERNUS SF Storage Cruiser 14.x	ETERNUS SF Storage Cruiser Standard Edition 14.x	x	x	x																									x	x	x	x						x	x	x				FJS:D01916EB1H			11209	
	ETERNUS SFACM14 DX60 LocalCopyUpg512	ETERNUS SF AdvancedCopy Manager V14 Local Copy License for 512 snaps/clones w ith ETERNUS DX60 Softw are Upgrade., enabling 9 to 512 snaps/clones	x																											x																FTS:D01901EB0H			825	
	ETERNUS SFACM14 DX80 LocalCopyUpg1024	ETERNUS SF AdvancedCopy Manager V14 Local Copy License for 1024 snaps/clones w ith ETERNUS DX80 Softw are Upgrade., enabling 9 to 1,024 snaps/clones		x																											x															FTS:D01901EB1H			825	
	ETERNUS SFACM14 DX90 LocalCopyUpg1024	ETERNUS SF AdvancedCopy Manager V14 Local Copy License for 1024 snaps/clones w ith ETERNUS DX90 Softw are Upgrade., enabling 9 to 1,024 snaps/clones			x																											x														FTS:D01901EB2H			825	
	ETERNUS SFACM14 DX60 LocalCopyLic512	ETERNUS SF AdvancedCopy Manager V14 Local Copy License for 512 snaps/clones w ith ETERNUS DX60., enabling 9 to 512 snaps/clones	x																											x																FTS:D01910EB5H			1635	
	ETERNUS SFACM14 DX80 LocalCopyLic1024	ETERNUS SF AdvancedCopy Manager V14 Local Copy License for 1024 snaps/clones w ith ETERNUS DX80., enabling 9 to 1,024 snaps/clones		x																											x	x	x													FTS:D01910EB6H			1635	
	ETERNUS SFACM14 DX90 LocalCopyLic1024	ETERNUS SF AdvancedCopy Manager V14 Local Copy License for 1024 snaps/clones w ith ETERNUS DX90., enabling 9 to 1,024 snaps/clones			x																											x	x	x													FTS:D01910EB7H			1635	
	Annual Support fee for FJS:D01916EB1H	Annual Support fee for ETERNUS SF Storage Cruiser Standard Edition License FJS:D01916EB1H, Support is for one Year.	x	x	x																									x	x	x	x						x	x	x				FJS:D01916ES1H			2087	
	Annual Maintenance Fee for ACM lic. DX60	Annual Maintenance Fee for ETERNUS SFACM14 DX60 LocalCopyLic512 FTS:D01910EB5H or upgrade FTS:D01901EB0H., Support for one year.	x																											x																FTS:D01910ES5H			272	
	Annual Maintenance Fee f. ACM lic. DX80	Annual Maintenance Fee for ETERNUS SFACM14 DX80 LocalCopyLic1024 FTS:D01910EB6H or upgrade FTS:D01901EB1H., Support for one year.		x																											x	x	x													FTS:D01910ES6H			272	
	Annual Maintenance Fee f. ACM lic. DX90	Annual Maintenance Fee for ETERNUS SFACM14 DX90 LocalCopyLic1024 FTS:D01910EB7H or upgrade FTS:D01901EB2H., Support for one year.			x																											x	x	x													FTS:D01910ES7H			272	
	Annual Support fee for FJS:D01910EB1H	Annual Support fee for ETERNUS SF Storage Cruiser ETERNUSmgr add 14.x License FJS:D01910EB1H, Support is for one Year.																										x																FJS:D01910ES1H			982	
	Annual Support fee for FJS:D01910EB2H	Annual Support fee for ACM 14.x Local Copy for Tier2 License FJS:D01910EB2H., Support is for one Year.																											x																FJS:D01910ES2H			1904	
	ETERNUS SFACM14 DX90 RemoteCopyU	ETERNUS SF AdvancedCopy Manager V14 Remote Copy License for storage-based replication w ith ETERNUS DX90 Softw are Upgrade., enabling storage-based replication			x																											x														FTS:D01902EB0H			1535	
	ACM 14.x Remote Copy License for Tier1	ETERNUS SF AdvancedCopy Manager Standard Edition 14.x Remote Copy License for Tier1., Fujitsu ETERNUS SF AdvancedCopy Manager, together w ith Fujitsu's Disk storage system ETERNUS, achieves high-speed backup/restore and replication operations using the Advanced Copy function., This host based softw are offers a Graphical User Interface and Command Line Interface to start, stop, and monitor the copy functionality either local (same) and/or remote (tw o or more) of an ETERNUS storage system(s).																										x																FJS:D01913EB1H			6139	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX60	ETERNUS DX80	ETERNUS DX90	ETERNUS DX80/DX90 Expansion	ETERNUS 2K40	ETERNUS DX410	ETERNUS DX440	ETERNUS DX440 Field upgrade	ETERNUS LT20	ETERNUS LT40	ETERNUS LT60	FibreCAT CX ATA ExpansionShelf	FibreCAT CX Expansionshelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX65/SX85 Expansion	FibreCAT SX88 Expansion	FibreCAT SX100 Expansion	FibreCAT TX7	FibreCAT TX24	Library Scalar i2000 & i6000	Library Scalar i500	MTC Scalar i500 for BS2	MBK SC-ALAR i2000 for BS2	ETERNUS DX410 S2	ETERNUS DX440 S2	ETERNUS DX4xx S2 2. 5 " Expa	ETERNUS DX4xx S2 3. 5 " Expa	ETERNUS DX60 2. 5"	ETERNUS DX80 2. 5"	ETERNUS DX80 S2 2. 5"	ETERNUS DX90 S2 2. 5"	ETERNUS DX8900 S2 2. 5" Expa	ETERNUS DX8900 S2 3. 5" Expa	ETERNUS DX8900 S23. 5 " Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX60 2. 5"	ETERNUS DX90 S2 2. 5"	ETERNUS DX90 S2 3. 5"	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																			
SF (Standard) (Continued)																																																							
	ACM 14.x Remote Copy License for Tier2	ETERNUS SF AdvancedCopy Manager Standard Edition 14.x Remote Copy License for Tier2., Fujitsu ETERNUS SF AdvancedCopy Manager, together w ith Fujitsu's Disk storage system ETERNUS, achieves high-speed backup/restore and replication operations using the Advanced Copy function.. This host based softw are offers a Graphical User Interface and Command Line Interface to start, stop, and monitor the copy functionality either local (same) and/or remote (tw o or more) of an ETERNUS storage system(s).																														x																							FJS:D01913EB2H			15435	
	SF Storage Cruiser ETERNUSmgr aid 14.x	ETERNUS SF Storage Cruiser ETERNUSmgr aid 14.x																													x	x																							FJS:D01918EB1H			4565	
	ETERNUS SF Storage Cruiser aid 14x TierS	ETERNUS SF Storage Cruiser AID Edition 14.x	x	x	x																													x	x	x	x							x	x	x				FJS:D01918EB2H			1772	
	ETERNUS SFACM14 DX90 RemoteCopyLic	ETERNUS SF AdvancedCopy Manager V14 Remote Copy License for storage-based replication w ith ETERNUS DX90., enabling storage-based replication			x																																					x	x	x				FTS:D01913EB5H			3035	
	Annual Support fee for FJS:D01918EB1H	Annual Support fee for SF Storage Cruiser ETERNUSmgr aid 14.x License FJS:D01918EB1H, Support is for one Year.																													x	x																							FJS:D01918ES1H			860	
	Annual Support fee for FJS:D01918EB2H	Annual Support fee for ETERNUS SF Storage Cruiser AID Edition License FJS:D01918EB2H., Support is for one Year.	x	x	x																													x	x	x	x							x	x	x				FJS:D01918ES2H			333	
	Annual Maintenance Fee f. REC lic. DX90	Annual Maintenance Fee for ETERNUS SFACM14 DX90 RemoteCopyLic FTS:D01913EB5H or upgrade FTS:D01902EB0H., Support for one year.			x																																					x	x	x				FTS:D01913ES5H			570	
	Annual Support fee for FJS:D01913EB1H	Annual Support fee for ACM 14.x Local Copy for Tier1 License FJS:D01913EB1H., Support is for one Year.																													x																							FJS:D01913ES1H			1148	
	Annual Support fee for FJS:D01913EB2H	Annual Support fee for ACM 14.x Remote Copy for Tier2 License FJS:D01913EB2H., Support is for one Year.																													x																							FJS:D01913ES2H			2878	
System training																																																							
	SC500+SC2kCust Training,SAN #1-0600	Quantum SAN Fundamentals Customer Training, online [Course# 1-0600]																								x	x	x	x																									Q:EAABB-ASNF-L00A			869564	
	SC500+SC2kCust Training,SAN #2-0600	Quantum SAN Methodologies Customer Training, Intermediate, classroom [Course# 2-0600]																								x	x	x	x																									Q:EAABB-ASNM-C00A			869564	
	SC500+SC2k Cust Training,Media #1-0806	Quantum Media Handling Customer Training, online [Course# 1-0806]																								x	x	x	x																									Q:ELBBB-APRT-L00A			95	
	SC2000 Customer Training #1-0302	Quantum Scalar i2000 Customer Training, online [Course# 1-0302]																								x			x																									Q:ESC2K-APRT-L00A			211	
	SC2000 Customer Training WS, #1-0300	Quantum Scalar i2000 Customer Training Workshop, classroom [Course# 1-0300]																								x			x																									Q:ESC2K-APRW-C00A			493	
	SC500 Cust. Training, online #1-0212	Quantum Scalar i500 Customer Training, online [Course# 1-0212]																									x	x																									Q:ESC5H-APRT-L00A			247	
	SC500 Cust. Training, W-Shop #1-0201	Quantum Scalar i500 Customer Training Workshop, classroom [Course# 1-0201]																									x	x																									Q:ESC5H-APRW-C00A			493	
	SC500 Cust Training,VAR SAN #4-0206	Quantum Scalar i500 VAR SAN Certification Customer Training, classroom [Course# 4-0206]																									x	x																									Q:ESC5H-ASNC-C00A			995	
	SC6000 EssentialTraining Course# 1-0371	Quantum Scalar i6000 Essential Training, online, [Course# 1-0371]																								x			x																									Q:ESC6K-A-PET-L001			869564	
	SC6000 Oper.Workshop Course# 1-0372	Quantum Scalar i6000 Operator Workshop, classroom [Course# 1-0372]																								x			x																									Q:ESC6K-APRW-C00A			869564	
	SC500+SC2K Cust Training,SKM #1-0530	Quantum Scalar Key Manager Customer Training, online self-paced (Course # 1-0530)																								x	x	x	x																									Q:ESCBB-APKM-L00A			211	
	SC500+SC2kCust Training,ST care #2-0510	Quantum StorageCare Guardian Customer Training, online [Course# 1-0510], StorageCare Guardian is compatible w ith Scalar i500, Scalar i2000 and Scalar 10K.																								x	x	x	x																									Q:ESGSG-APRT-L00A			869564	
	SC500 Cust Training,VISION #2-0507	Quantum Vision Customer Training, online [Course# 1-0507], Quantum Vision is compatible w ith Scalar i500 and Scalar i2000.																									x																									Q:ESVSR-APRT-L00A			869564	
	QTM Phone Sup-RFEP,No contract,2hr,all Z	Quantum Phone Support - Rapid/Fast Exchange Products. No contract, 2hr, all zones																								x	x		x																									Q:SAABB-ATSH-RE20			355	
	QTM Phone Sup-SW,No contract,2hr, all Z	Quantum Phone Support - Softw are Products. No contract, 2hr, all zones																								x	x		x																									Q:SAABB-ATSS-NL20			675	
HW-License																																																							
	ET License Thin Provisioning DX80S2	"License for Thin Provisioning, - 1x license label"																																										x	x										FTS:ETEL8T			2174	Orderable from: 01/07/2011
	ET License Thin Provisioning DX90S2	"License for Thin Provisioning, - 1x license label"																																																				FTS:ETEL9T			2174	Orderable from: 01/07/2011
	ET HW LocRem Copy License ACL DX410S2	ETERNUS Advanced Copy License for DX410S2																													x																							FTS:ETNL1C			652	Orderable from: 01/07/2011
	ET License Thin Provisioning DX410S2	Thin Provisioning Feature License for DX410S2																													x																							FTS:ETNL1T			4348	Orderable from: 01/07/2011
	ET HW LocRem Copy License ACL DX440S2	ETERNUS Advanced Copy License for DX440S2																														x																						FTS:ETNL4C			549	Orderable from: 01/07/2011
	ET License Thin Provisioning DX440S2	Thin Provisioning Feature License for DX440S2																														x																						FTS:ETNL4T			3573	Orderable from: 01/07/2011
Channel Adapter																																																						
	DX8090 S2 InterfCard FCoE 2Port 10G	- 1x 2-port FCoE CA (10GBps)																																										x	x										FTS:ETEHC12			1443	Orderable from: 01/07/2011
	DX8090 S2 InterfCard FC 2Port 8G	- 1x 2-port FC CA (8GBps, SFP+)																																									x	x										FTS:ETEHF12			742	Orderable from: 01/07/2011
	DX8090 S2 InterfCard iSCSI 2Port 1G	- 1x 2-port iSCSI CA (1GBps)																																									x	x										FTS:ETEHL12			742	Orderable from: 01/07/2011
	DX8090 S2 InterfCard SAS 2Port 6G	- 1x 2-port SAS CA (6GBps)																																									x	x										FTS:ETEHS12			462	Orderable from: 01/07/2011
	DX8090 S2 InterfCard iSCSI 2Port 10G	- 1x 2-port iSCSI CA (10GBps)																																									x	x										FTS:ETEHK12			1443	Orderable from: 01/07/2011
	DX4x0 S2 InterfCard FCoE 2Port 10G x2	2x FCoE CA (4x 10GBit/s SFP+)																																																			FTS:ETNHC22			4121	Orderable from: 01/07/2011
	DX4x0 S2 InterfCard FC 2Port 8G x2	- 2x 2-port FC-CA (8GBit/s SFP+)																																																			FTS:ETNHF22			2061	Orderable from: 01/07/2011
	DX4x0 S2 InterfCard FC 4Port 8G x2	- 2x 4-port FC-CA (8GBit/s SFP+)																																																			FTS:ETNHF24			3297	Orderable from: 01/07/2011
	DX4x0 S2 InterfCard iSCSI 2Port 1G x2	2x iSCSI 1G CA																																																			FTS:ETNHL22			3297	Orderable from: 01/07/2011
	DX4x0 S2 InterfCard iSCSI 2Port 10G x2	2x iSCSI 10G CA (4x 10GBitSFP s +)																																																			FTS:ETNHK22			4121	Orderable from: 01/07/2011
	DX4x0 S2 ReInterfCard iSCSI 2Port 1G x2	Remote Advanced Copy Interface for DX400 S2(iSCSI, 4port), 2x iSCSI RA																																																			FTS:ETNRL22			8244	Orderable from: 01/07/2011

Switches and routers
The fibre channel switch is the key component of a SAN. It delivers high performance and throughput for the network. The Routers are the connection from SCSI tape devices to a Storage Area Network.

Fibre channel switches

Fibre channel switches
The SilkWorm family stand for high performance SAN concepts and high availability. 4 Gbit/s fibre channel is the latest and currently fastest technology for connecting the servers and storage devices. The 8-, 16-, 32- and 128-port, auto-sensing fibre channel switches significantly increases performance and functionality for Storage Area Networks (SANs).

FibreChannel Switch Brocade 300

The Brocade 300 FibreChannel Switch with 8Gbit/s technology and 8, 16, or 24 ports.

FibreChannel Switch Brocade 5100

The Brocade 5100 FibreChannel Switch with 8Gbit/s technology and 24, 32, or 40 ports.

FibreChannel Switch Brocade 5300

The Brocade 5300 FibreChannel Switch with 8Gbit/s technology and 48, 64, or 80 ports.

Fibre channel routers

Fibre channel routers
The ideal product for connecting tape libraries to a fibre channel network. Supports a fast and secure backup via a Storage Area Network

FiberChannel Switch Brocade 300 — Data Sheets: http://ts.fujitsu.com/storage

The Brocade 300 is an 8 Gb/s Fibre Channel switch and provides the flexible building blocks customers need for high performance easily manageable storage area networks in large or fast growing server and virtual server environments. With a flexible architecture that supports 1, 2, 4 and 8Gbit/sec technology with 8, 16, or 24 ports, the Brocade 300 provides a highly available, lossless networking between application and data as well as between server and storage networks.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FC-Switch 300							
	FC Switch 16Port,16x8G SFP, Fabric,UTL	Fibre Channel switch with 24 ports, 16 active ports with 16 SFP 8GBit/s mounted, Web Tools, Zoning, upgrade to 24 ports by activating with a addional port license to 24 port possible., 1 year on site warranty incl right to use software updates	D:FCSW-DX8G16			4344	
	FC-Switch 300 8/24 Port WT ZO (for DX)	Fibre Channel switch with 24 ports, 8 active ports, Web Tools, Zoning, upgrade to 16 or 24 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-DX			1290	
	FC-Switch Brocade 300 8/24 Port WT ZO	Fibre Channel switch with 24 ports, 8 active ports, Web Tools, Zoning, upgrade to 16 or 24 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-300L			1597	
	FC-Switch BRCD 300 8/24 Port WT ZO,EB	Fibre Channel switch with 24 ports, 8 active ports, Web Tools, Zoning,, upgrade to 16 or 24 ports by activating the port license, 1 year on site warranty incl right to use software updates, Power Pack	D:FCSW-300E			5138	

FiberChannel Switch Brocade 5100 — Data Sheets: http://ts.fujitsu.com/storage

The Brocade 5100 FibreChannel Switch is ideal for organizations requiring a flexible solution that will meet rapidly evolving storage requirements, either as a building-block switch for a small SAN or as a high-performance edge switch in larger core-to-edge SAN configurations. With a flexible architecture that supports 1, 2, 4 and 8 Gbit/sec technology with 24, 32, or 40 ports, the Brocade 5100 provides an affordable high-port-count, single-domain solution.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FC-Switch 5100							
	FC-Switch5100 24/40Port,incl. TR, EF,FW	Fibre Channel switch with 40 ports, 24 active ports, Web Tools, Zoning, Full Fabric, Enhanced Group Management, Extended Fabric, Trunking, Fabric Watch , upgrade to 32 or 40 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-5100DX-24P			8434	
	FC-Switch 5100 32/40Port,WT,ZO,FF,EGM	Fibre Channel switch with 40 ports, 32-port license., Web Tools, Zoning, Full Fabric, Enhanced Group Management, Expansion to 40 ports by enabling the port license, 1 year on-site warranty including legal software updates	D:FCSW-5100DX-32P			12413	
	FC-Switch 5100, 40Port,WT,ZO,FF,EGM	Fibre Channel switch with 40 ports, 40-port license., Web Tools, Zoning, Full Fabric, Enhanced Group Management, 1 year on-site warranty including legal software updates	D:FCSW-5100DX-40P			14757	
	FC-Switch 5100 24/40Port,WT,ZO,FF,EGM	Fibre Channel switch with 40 ports, 24 active ports, Web Tools, Zoning, Full Fabric, Enhanced Group Management, upgrade to 32 or 40 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-5100L			8683	
	FC-Switch 5100 24/40Port,WT,ZO,FF,EGM,EB	Fibre Channel switch with 40 ports, 24 active ports, Web Tools, Zoning, Full Fabric, Enhanced Group Management, Enterprise Bundle (EF,TR, AN, APM), upgrade to 32 or 40 ports by activating the port license,, 1 year on site warranty incl right to use software updates, Enterprise Bundle (factory installed)	D:FCSW-5100E			11863	

FiberChannel Switch Brocade 5300 — Data Sheets: http://ts.fujitsu.com/storage

The Brocade 5300 is an 8 Gb/sec FibreChannel Switch which provides the highest performance, highest availability, scalability and best investment protection to meet the needs of today s consolidated virtual data center. With a flexible architecture that supports 1, 2, 4 and 8 Gbit/sec technology with 48, 64, or 80 ports, the Brocade 5300 provides an affordable high-port-count, single-domain solution.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FC-Switch 5300							
	FC-Switch 5300 48/80Port WT,ZO,FF,EGM,EB	Fibre Channel switch with 80 ports, 48 active ports,, Web Tools, Zoning, Full Fabric, Enhanced Group Management, Enterprise Bundle (EF,TR, AN, APM),, upgrade to 64 or 80 ports by activating the port license, 1 year on site warranty incl right to use software updates,Enterprise Bundle (factory installed)	D:FCSW-5300E			28149	
	FC-Switch 5300 48/80 Port,WT,ZO,FF,EGM	Fibre Channel switch with 80 ports, 48 active ports, Web Tools, Zoning, Full Fabric, Enhanced Group Management, upgrade to 64 or 80 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-5300L			21581	

Storage SAN Components — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FC Switches							
	CS FC Switch 40Port, 24Port free	FC Switch 8GB/s, 40 Ports, 24 Ports enabled. Trunking and Extended Fabric installed. GBics need to be added.	CS-FSW-5124			21739	

Accessories SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC Router 7800	FC ROUTER/EXTENDER	FC SWITCH	FC Switch 8000	FCSW 128P 24000	FCSW 16P 385x	FCSW 8P 325x	FC-Switch 200E	FC-Switch 300	FC-Switch 4100	FC-Switch 4900	FC-Switch 5000	FC-Switch 5100	FC-Switch 5300	FC-Switch Director	IB Switch	IP Switch 648S	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																								
Connection Blades																								
	Infiniband Cu Cable 40GB, 4x QSFP, 1m																	x		S26361-F3996-L101			81	
	Infiniband Cu Cable 40GB, 4x QSFP, 3m																	x		S26361-F3996-L103			104	
Rack-Infrastructure																								
	Adapter angle PC/DC-Rack, till 50Kg	Adapter angle for PRIMECENTER and DataCenter rack, 1U up to 50kg			x															S26361-F2735-L10			18	
	Adapter angle PC/DC-Rack, till 150Kg	Adapter angle for PRIMECENTER and DC rack, 2U up to 150kg			x															S26361-F2735-L15			21	
UPS/Power supply																								
	Redundant PSU for IB Switch	for PSU redundancy in external IB Switch																x		S26361-F4526-L10			733	Orderable from: 15/06/2011
FC/IP-Infrastructure																								
	SFP SM 8GBit up to 10 km, Dual LC (LL)	8GBit, SM, bis 10km, LC			x															CS-SFP-FS810L			1391	
	ICL License UPG (single chassis)	License ICL (single chassis)															x			D:DCX4S-ICL-L			24004	
	LAN Switch Stacking cable 3m, UPG	LAN IP Switch daisy chian cable 3m																	x	D:FCKAB-STAK-3M-L			301	
	XFP 10G 300m MMF for LAN Switch, UPG	XFP Multi Mode Fibre, 10 GB/s, 300 m, (used for IP Switch, Brocade branded XFP)																	x	D:FCSFP-BLS10-03-L			516	
	SFP 1G 500m MMF for LAN Switch, UPG	SFP Multi Mode Fibre, 1 GB/s, 500 m, (used for IP Switch, Brocade branded XFP)																	x	D:FCSFP-BL-S1-05-L			204	
	XFP, MULTI MODE Fibre 10G,300 m	SFP Single Mode Fibre, 10 GB/s, 300 m															x			D:FCSFP-B-M10-03-L			1767	
	SFP Multi Mode Fibre, 4 GB/s 150 m	SFP Multi Mode Fibre, 4 GB/s, 150 m	x							x	x	x	x	x	x	x	x			D:FCSFP-B-MM4G-L			92	
	SFP Multi Mode Fibre, 8 GB/s 50m/100m	SFP Multi Mode Fibre, 8 GB/s, 50 / 150 m, (depending on used fibre cable type OM2 / OM3)									x				x	x	x			D:FCSFP-B-MM8G-L			75	
	XFP, SINGLE MODE FIBRE,10G,10KM	SFP Single Mode Fibre, 10 GB/s, 10 km															x			D:FCSFP-B-S10-10-L			3510	
	SFP Single Mode Fibre, 4 GB/s 4 km	SFP Single Mode Fibre, 4 GB/s, 4 km								x	x	x	x	x	x	x	x			D:FCSFP-B-SM4-04-L			424	
	SFP Single Mode Fibre, 4 GB/s 10 km	SFP Single Mode Fibre, 4 GB/s, 10 km								x	x	x	x	x	x	x	x			D:FCSFP-B-SM4-10-L			761	
	SFP Single Mode Fibre, 4 GB/s 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km								x	x	x	x	x	x	x	x			D:FCSFP-B-SM4-30-L			1397	
	SFP Single Mode Fibre, 8 GB/s 10 km	SFP Single Mode Fibre, 8 GB/s, 10 km (Brocade branded SFP)									x				x	x	x			D:FCSFP-B-SM8-10-L			647	
	SFP Single Mode Fibre, 8 GB/s 25 km	SFP Single Mode Fibre, 8 GB/s, 25 km (Brocade branded SFP)									x				x	x	x			D:FCSFP-B-SM8-25-L			2700	
	1 GBE Copper SFP (for IP)	1 GBE Copper SFP	x																	D:FCSFP-COP-1GBE-L			444	
	SFP+, SR, MULTI MODE Fibre 10GBE, 300m	SFP+, SR, MULTI MODE Fibre , 10 GBE,, 300 m (OM3 cable needed)				x											x			D:FCSFPP-BM10-03-L			682	
	SFP+,LR,SINGLE MODE Fibre,10GBE 10Km	SFP+, LR, SINGLE MODE Fibre , 10 GBE,, CEE: 2,5km / Ethernet : 10km , (OM3 cable needed)				x											x			D:FCSFPP-BS10-10-L			1817	
	SFP Single Mode Fibre, 4 GB/s, 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km, , Not usable for 8 GB/s Switches!								x		x	x	x						D:FCSFP-SM4G-30-L			1532	Phased out
	LAN Switch connect & mounting kit, UPG	LAN IP Switch connect & mounting Kit. Needed for stand alone use.																	x	D:FCSW-648S-KIT-L			66	
	LAN Switch secound power supply, UPG	LAN IP Switch power supply, 100 to 240 VAC, 50 to 60 Hz, max 122 W																	x	D:FCSW-648S-PSU-L			505	
	Power Supply Unit DCX upgrade	DCX, UPGRADE POWER SUPPLY for later mounting, 2000W 230VAC, 1000W 115VAC															x			D:FCSW-DCX-PSU-L			7588	
	LAN Switch Module 10G, 2 Ports,0 XFP UPG	LAN IP Switch 10G Modul with 2 Slots für 10 G XFP																	x	D:FCSW-MODUL10G2-L			823	
	Fabric Watch (FW) UPG	Fabric Watch (FW) for Brocade 8000				x														EBR800FW-L			1175	
	8ports on demand (5100), ports25-32 Bulk	Brocade 5100 switch port license for upgrade from 25 to 32 ports													x					D:FCSW-5100-UPG32L			2777	
	8ports on demand (5100), ports33-40 Bulk	Brocade 5100 switch port license for upgrade from 33 to 40 ports													x					D:FCSW-5100-UPG40L			2777	
	16ports on demand(5300),ports49-64Bulk	Brocade 300 switch port license for upgrade from 49 to 64 ports														x				D:FCSW-5300-UPG64L			9197	
	16ports on demand (5300), ports65-80bulk	Brocade 5300 switch port license for upgrade from 65 to 80 ports														x				D:FCSW-5300-UPG80L			9197	
	Enterprise Bundle (5100) bulk	Enterprise Bundle (5100) License, Field upgrade													x					D:FCSW-SW5100-EB-L			5724	
	Adaptive Networking (5100) bulk	Adaptive Networking for Brocade 5100, field upgrade													x					D:FCSW-SW5100-AN-L			2767	
	Extended Fabric (5100) Bulk	Extended Fabric (5100) License, Field upgrade													x					D:FCSW-SW5100-EF-L			1791	
	Fabric Watch (5100) bulk	Fabric Watch (5100) License, Field upgrade													x					D:FCSW-SW5100-FW-L			1879	
	Integrated Routing (5100) bulk	Integrated Routing (5100) License, Field upgrade													x					D:FCSW-SW5100-IR-L			6627	
	Trunking (5100) bulk	Trunking (5100) License, Field upgrade													x					D:FCSW-SW5100-TR-L			2605	
	Server App Optimization (5100) bulk	Server App Optimization (5100) License, Field upgrade													x					D:FCSW-SW5100SAO-L			1119	
	Enterprise Bundle (5300) bulk	Enterprise Bundle for Brocade 5300														x				D:FCSW-SW5300-EB-L			8494	
	Adaptive Networking (5300) bulk	Adaptive Networking for Brocade 5300														x				D:FCSW-SW5300-AN-L			3583	
	Extended Fabric (5300) Bulk	Extended Fabric for Brocade 5300 field upgrade														x				D:FCSW-SW5300-EF-L			2823	
	Integrated Routing (5300) bulk	Integrated Routing for Brocade 5300, field upgrade														x				D:FCSW-SW5300-IR-L			11043	
	Fabric Watch (5300) bulk	Fabric Watch for Brocade 5300, field upgrade														x				D:FCSW-SW5300-FW-L			3530	
	Trunking (5300) bulk	Trunking for Brocade 5300, field upgrade														x				D:FCSW-SW5300-TR-L			4235	
	Server App Optimization (5300) bulk	Server App Optimization for Brocade 5300, field upgrade														x				D:FCSW-SW5300SAO-L			1594	
	Enterprise Bundle (300) bulk	EP Bundle (TRK, APM, EF, FW, AN, SAO) UPG for Brocade 300 switch									x									D:FCSW-SW300-EB-L			3408	
	Adaptive Networking (300) bulk	Adaptive Networking for Brocade 300 switch									x									D:FCSW-SW300-AN-L			1332	
	Extended Fabric (300) Bulk	Extended Fabric UPG for Brocade 300 switch									x									D:FCSW-SW300-EF-L			1231	
	Full Fabric (300) bulk	Full Fabric UPG for Brocade 300 switch									x									D:FCSW-SW300-FF-L			616	

Accessories SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC Router 7800	FC ROUTER/EXTENDER	FC SWITCH	FC Switch 8000	FCSW 128P 24000	FCSW 16P 385x	FCSW 8P 325x	FC-Switch 200E	FC-Switch 300	FC-Switch 4100	FC-Switch 4900	FC-Switch 5000	FC-Switch 5100	FC-Switch 5300	FC-Switch Director	IB Switch	IP Switch 648S	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																								
FC/IP-Infrastructure (Continued)																								
	Fabric Watch (300) bulk	Fabric Watch UPG for Brocade 300 switch									x									D:FCSW-SW300-FW-L			953	
	Server App Optimization (300) bulk	Server App Optimization UPG for Brocade 300 switch									x									D:FCSW-SW300-SAO-L			413	
	Trunking (300) bulk	Trunking UPG for Brocade 300 switch									x									D:FCSW-SW300-TR-L			2117	
	8 ports on demand (300), ports 9-16 bulk	Brocade 300 switch port license for upgrade from 9 to 16 ports									x									D:FCSW-300-UPG16-L			1584	
	8ports on demand (300), ports 17-24 Bulk	Brocade 300 switch port license for upgrade from 17 to 24 ports									x									D:FCSW-300-UPG24-L			1584	
Cables																								
	FC-Cable MMF, 5m, LC/SC, (1xSheat)	optical multimode- cable (9um) having LC-SC-connector combination), length 5 m			x	x	x	x	x	x	x	x	x	x	x	x	x			D:FCKAB-MM-B05L-L			42	
	FC-Cable MMF, 10m, LC/SC, (1xSheat)	optical multimode- cable (9um) having LC-SC-connector combination), length 10 m			x	x	x	x	x	x	x	x	x	x	x	x	x			D:FCKAB-MM-B10L-L			42	
	FC-Cable MMF, 20m, LC/SC, (2xSheat)	optical multimode- cable (9um) having LC-SC-connector combination), length 20 m			x	x	x	x	x	x	x	x	x	x	x	x	x			D:FCKAB-MM-B20L-L			55	
	FC-Kabel OM3, MMF, 5m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 5 m, optimized for multimode 8 GBit/s			x	x	x	x	x	x	x	x	x	x	x	x	x		x	D:FCKAB-OM3-C05L-L			36	
	FC-Kabel OM3, MMF, 10m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 10 m, optimized fot mutimode 8 GBit/s			x	x	x	x	x	x	x	x	x	x	x	x	x		x	D:FCKAB-OM3-C10L-L			41	
	FC-Kabel OM3, MMF, 20m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 20 m, optimized for multimode 8 GBit/s			x	x	x	x	x	x	x	x	x	x	x	x	x		x	D:FCKAB-OM3-C20L-L			48	
	FC-Kabel OM3, MMF, 50m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 50 m, optimized for multimode 8 GBit/s			x	x	x	x	x	x	x	x	x	x	x	x	x		x	D:FCKAB-OM3-C50L-L			81	
	FC-Cable SMF, 10m, LC/LC, (1xSheat)	optical singlemode- cable (9um) having LC-LC-connector combination), length 10 m			x		x	x	x	x	x	x	x	x	x	x	x			D:FCKAB-SM-C10L-L			83	
	FC cable SMF, 20m, LC/LC, (2xSheat)	optical singlemode- cable (9um) having LC-LC-connector combination), length 20 m			x	x	x	x	x	x	x	x	x	x	x	x	x			D:FCKAB-SM-C20L-L			92	
	Direct Attached cable SFP+ Cop, 3m UPG	Direct Attached cable SFP+, Copper, 3m				x											x			EBR800-TWX-3M-L			105	
	Direct Attached cable SFP+ Cop, 5m UPG	Direct Attached cable SFP+, Copper, 5m				x											x			EBR800-TWX-5M-L			132	
	FC Kabel MMF 50m, Connector SC-LC	optical multimode cable (50 um) to connect device having Fibre Channel 1GBIT/s interface (DUPLEX SC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)		x	x															D:FCKAB-MM-B50L			87	

Options SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC-Switch 300	FC-Switch 5100	FC-Switch 5300	IP Switch 6485	FC Router 7800	FC Switch 8000	FC-Switch DCX (director)	FC-Switch Blade (Director)	FC Switch DCX4S (director)	IB Switch	IP CISCO fixed Switch	IP CISCO modular Switch	Product Code			End User Price (RRP)	Comments
Options matrix																			
Connection Blades																			
	Infiniband Cu Cable 40GB, 4x QSFP, 1m											x			S26361-F3996-E101			81	
	Infiniband Cu Cable 40GB, 4x QSFP, 3m											x			S26361-F3996-E103			104	
Rack-Infrastructure																			
	Socket strip 1x3 16A + 1x2 10A IEC320	PDU = power distribution unit, Power distribution unit with 3 device connector IEC320 C19 (16A protected) and 2 device connector IEC320 C13 (10A protected) with a 4-m connection cable and a single-phase 32A CEE plug.							x						S26361-F2262-E132			372	
	Socket strip 3x3 16A + 3x2 10A IEC322	PDU = power distribution unit, Power distribution unit with 3x3 device connector IEC320 C19 (16A protected) and 3x2 device connector IEC320 C13 (10A protected) , with a 4-m connection cable and a 3-phase 32A CEE plug.							x						S26361-F2262-E332			758	
	PRIMERGY rack install. switch ex work	Service for installation of a Brocade Switch 200E, 4100, 5000, 4900 into a PRIMERGY Rack ex works., With ordering this service, the Brocade Switch will be premounted in a 12/24/38U Rack ex works.	x	x	x	x	x	x	x		x				D:FCSW-INPSR			100	
UPS/Power supply																			
	Redundant PSU for IB Switch	for PSU redundancy in external IB Switch										x			S26361-F4526-E10			733	Orderable from: 15/06/2011
FC/IP-Infrastructure																			
	ACE 20 Hardware	ACE 20 Hardware, Load Balancer Modul für Catalyst 65xx, max 2 per chassis												x	CIO:ACE20-MOD-K9			2	
	Catalyst 3750-E / 3560-E 1150WAC	Redundand power supply for Power System RPS2300											x		CIO:C3K-PWR1150WAC			1289	
	Catalyst 3750-E / 3560-E 750WAC	Redundand power supply for Power System RPS2300											x		CIO:C3K-PWR750WAC			859	
	RPS2300 Cable for Catalyst 3750E/3560E	Connects the switches Catalyst 3560E, 3750E or 2960 PoE with the redundand Power System RPS2300											x		CIO:CAB-RPS2300-E			132	
	Cisco 3750 Stack Cable 1m non-halogen	Stacked switches create a highly resilient single unified system of up to nine switches											x		CIO:CAB-STACK1MNH			132	
	Cisco 3750 Stack Cable 3m non-halogen	Stacked switches create a highly resilient single unified system of up to nine switches											x		CIO:CAB-STACK3MNH			218	
	Cisco 3750 Stack Cable 50cm non-halogen	Stacked switches create a highly resilient single unified system of up to nine switches											x		CIO:CAB-STACK50CMN			45	
	GE SFP, LC connector LX/LH transceiver	GE SFP, LC connector LX/LH transceiver, max. 10km											x		CIO:GLCLHSM			859	
	GE SFP, LC connector SX transceiver	GE SFP, LC connector SX transceiver, max. 500m											x		CIO:GLCSXMM			433	
	1000BASE-T SFP	GE SFP, RJ45 1000Base-T transceiver, max. 100 m											x		CIO:GLC-T			341	
	N2K 1GE FEX 200W AC Power Supply	Cisco Nexus 2000 PSU module, A/C, 200W (take 2 for red.)											x		CIO:N2K-PAC-200W			433	
	Nexus 5010 Storage Protocols	Nexus 5010 Storage Protocols Services License											x		CIO:N5010-SSK9			10341	
	Nexus 5020 Storage Protocols	Nexus 5020 Storage Protocols Services License											x		CIO:N5020-SSK9			20681	
	N5000 1000 Series Module 8xFC 4/2/1 G	Extesion module 8 port FC 4/2/1G Ports											x		CIO:N5K-M1008			2759	
	N5000 1000 Series Mod 4x10GE 4xFC 4/2/1G	Extesion module 6 port 4 10GBEthernet und 4 FC 4/2/1G Ports											x		CIO:N5K-M1404			4481	
	N5000 1000 Series Module 6port 10GE	Extesion module 6 port 10 GBE											x		CIO:N5K-M1600			4655	
	Nexus 5020 PSU module,	Cisco Nexus 5020 PSU module, A/C, 1200W (take 2 for red.)											x		CIO:N5K-PAC-1200W			1294	
	Nexus 5010 PSU module, A/C, 550W	Cisco Nexus 5010 PSU module, A/C, 550W (take 2 for red.)											x		CIO:N5K-PAC-550W			648	
	Cisco 4948 PSU300W	Cisco 4948 PSU300W, redundand power supply											x		CIO:PWR-C49300AC			433	
	4900M AC power supply, 1000 watts	Cisco Nexus 5020 PSU module, A/C, 1200W											x		CIO:PWR-C49M-AC			864	
	Redundant AC PS for 4900M	Cisco Nexus 5020 PSU module, A/C, 1200W											x		CIO:PWR-C49M-AC2			864	
	10GBASE-SR SFP Module	optical transceiver for 10GB Ethernet ports, 10GBASE-SR SFP+ transceiver module for MMF, 850-nm wavelength, LC duplex connector											x		CIO:SFP-10G-SR			1289	
	10GBASE-CU SFP+ Cable 1 Meter	Cable with 2 integrated 10 GBE transceiver modules											x		CIO:SFP-H10GB-CU1M			132	
	10GBASE-CU SFP+ Cable 3 Meter	Cable with 2 integrated 10 GBE transceiver modules											x		CIO:SFP-H10GB-CU3M			184	
	10GBASE-CU SFP+ Cable 5 Meter	Cable with 2 integrated 10 GBE transceiver modules											x		CIO:SFP-H10GB-CU5M			225	
	Cat 6500 Supervisor 720 with2ports10GBE	Catalyst 6500 Virtual Switching Supervisor Engine 720. 2 X2-SFP 10 GBE ports and 2 SFP 1GBE ports												x	CIO:VS-S720-10G-3C			32745	

Options SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC-Switch 300	FC-Switch 5100	FC-Switch 5300	IP Switch 648S	FC Router 7800	FC Switch 8000	FC-Switch DCX (director)	FC-Switch Blade (Director)	FC Switch DCX4S (director)	IB Switch	IP CISCO fixed Switch	IP CISCO modular Switch	Product Code			End User Price (RRP)	Comments
Options matrix																			
FC/IP-Infrastructure (Continued)																			
	Cisco 6506-E Chassis Fan Tray	Cisco 6506-E Chassis Fan Tray												x	CIO:WS-C6506EFAN			427	
	Cisco 6509-E Chassis Fan Tray	Cisco 6509-E Chassis Fan Tray												x	CIO:WS-C6509EFAN			427	
	Cisco 6500 PSU 3000W (take 2 for red.)	Cisco 6509 PSU 3000W (take 2 for red.)												x	CIO:WS-CAC-3000W			2585	
	Cisco 6500 PSU 6000W (take 2 for red.)	Cisco 6509 PSU 6000W (take 2 for red.)												x	CIO:WS-CAC-6000W			4309	
	Catalyst 6500/Cisco 7600 Supervisor 720	Catalyst 6500/Cisco 7600 Supervisor 720. One of the two 1GB/s-ports is selectable SFP or 10/100/1000 RJ-45.												x	CIO:WS-SUP720-3B			24128	
	4 port wire speed 10GE card	Cisco 4900M LineCard 4xIP 10GE											x		CIO:WS-X4904-10GE			4309	
	8 port 2:1 10 GE card	Cisco 4900M LineCard 8xIP 10GE											x		CIO:WS-X4908-10GE			6465	
	20 port 10/100/1000 RJ45	Cisco 4900M LineCard 20xIP 1GE											x		CIO:WS-X4920GBRJ45			3019	
	Cisco 65xx LineCard 8xIP 10GE	Cisco 65xx LineCard 8xIP 10GE												x	CIO:WS-X6708-10G3C			32314	
	Cisco 65xx LineCard 48xIP 1GE, Copper	Cisco 65xx LineCard 48xIP 1GE, Copper												x	CIO:WS-X6748-GE-TX			12927	
	Cisco 65xx LineCard 48xIP 1GE, for SFP	Cisco 65xx LineCard 48xIP 1GE, for SFP												x	CIO:WS-X6748-SFP			21542	
	10GBASE-CX4 X2 Module, max 15m,	transceiver for 10GB Ethernet ports, 10GBASE-CX4 X2 transceiver module for CX4 cable, copper, Infiniband 4X connector											x		CIO:X2-10GB-CX4			518	
	10GBASE-LR X2 Module, max 10km	optical transceiver for 10 GB Ethernet, 10GBASE-LR X2 transceiver module for SMF, 1310-nm wavelength, SC duplex connector											x		CIO:X2-10GB-LR			3448	
	10GBASE-LRM X2 Module max 220m	optical transceiver for 10GB Ethernet ports, 10GBASE-LRM X2 transceiver module for MMF, 1310-nm wavelength, SC duplex connector											x		CIO:X2-10GB-LRM			1289	
	10GBASE-LX4 X2 Module for MMF, max 300m	optical transceiver for 10GB Ethernet ports, 10GBASE-LX4 X2 transceiver module for MMF, 1310-nm wavelength, SC duplex connector											x		CIO:X2-10GB-LX4			2584	
	10GBASE-SR X2 Module, max 70m	optical transceiver for 10GB Ethernet ports, 10GBASE-SR X2 transceiver module for MMF, 850-nm wavelength, SC duplex connector											x		CIO:X2-10GB-SR			1721	
	S/W license, 10 Gigabit Ethernet	S/W license, 10 Gigabit Ethernet, 1 year SUP included									x				D:DCX10GE-01-M			12249	
	S/W EP BUNDLE (EF,FW,APM,TRK,AN,SAO)	S/W ENTERPRISE BUNDLE, (EF, FW, APM, TRK, AN, SAO)									x				D:DCX4SEB-01-E			34513	
	Integrated Routing (Includes ¿M)	SW Integrated Routing DCX-4S									x				D:DCX4S-IR1M-E			16435	
	Server Application Opti. Lic DCX4S	SW Server Apps Optimization , chassis License, No SUP									x				D:DCX4S-SAO-1-E			4774	
	Blade FX8-24 Lic Adv Extension (IP-TR)	S/W license Advanced Extension, enables FCIP Trunking, , 1 year SUP included									x				D:DCXAEX-01-M			5414	
	S/W lic Advanced Accelerator for FICON	S/W license, Advanced Accelerator for FICON, 1 year SUP included									x				D:DCXAFI-01-M			16107	
	SW Encryption Upgrade FS8-18	SW Encryption Upgrade FS8-18, advanced crypto for disk, chassis license									x				D:ENCPRF48-1-E			63391	
	XFP 10G 300m MMF for LAN Switch	XFP Multi Mode Fibre, 10 GB/s, 300 m, (used for IP Switch, Brocade branded XFP)				x									D:FCSFP-BLS10-03			514	
	SFP 1G 500m MMF for LAN Switch	SFP Multi Mode Fibre, 1 GB/s, 500 m, (used for IP Switch, Brocade branded XFP)				x									D:FCSFP-BL-S1-05			204	
	SFP Multi Mode Fibre, 4 GB/s 150 m		x	x	x		x			x					D:FCSFP-B-MM4G			87	
	SFP Multi Mode Fibre, 8 GB/s 50m/100m	SFP Multi Mode Fibre, 8 GB/s, 50 / 150 m, (depending on used fibre cable type OM2 / OM3)	x	x	x		x	x		x					D:FCSFP-B-MM8G			71	
	SFP Single Mode Fibre, 4 GB/s 4 km	SFP Single Mode Fibre, 4 GB/s, 4km	x	x	x					x					D:FCSFP-B-SM4-04			404	
	SFP Single Mode Fibre, 4 GB/s 10 km	SFP Single Mode Fibre, 4 GB/s, 10 km	x	x	x					x					D:FCSFP-B-SM4-10			725	
	SFP Single Mode Fibre, 4 GB/s 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km	x	x	x					x					D:FCSFP-B-SM4-30			1330	
	SFP Single Mode Fibre, 8 GB/s 10 km	SFP Single Mode Fibre, 8 GB/s, 10km	x	x	x					x					D:FCSFP-B-SM8-10			636	
	SFP Single Mode Fibre, 8 GB/s 25 km	SFP Single Mode Fibre, 8 GB/s, 25km	x	x	x					x					D:FCSFP-B-SM8-25			2700	
	1 GBE Copper SFP (for IP)	1 GBE Copper SFP (for IP-Blade only)					x			x					D:FCSFP-COP-1GBE			422	
	SFP+, SR, MULTI MODE Fibre 10GBE, 300m	SFP+, SR, MULTI MODE Fibre , 10 GBE,, 300 m (OM3 cable needed)						x		x					D:FCSFPP-BM10-03			649	
	SFP+,LR,SINGLE MODE Fibre,10GBE 10Km	SFP+, LR, SINGLE MODE Fibre , 10 GBE,, CEE: 2,5km / Ethernet : 10km , (OM3 cable needed)						x		x					D:FCSFPP-BS10-10			1730	
	SFP Single Mode Fibre, 4 GB/s, 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km, , Not usable for 8 GB/s Switches!								x					D:FCSFP-SM4G-30			1459	Phased out
	LAN Switch connect & mounting kit	LAN IP Switch connect & mounting Kit. Needed for stand alone use.				x									D:FCSW-648S-KIT			49	
	LAN IP Switch power supply	LAN IP Switch power supply, 100 to 240 VAC, 50 to 60 Hz, max 122 W				x									D:FCSW-648S-PSU			511	
	DCX-4S Adaptive Networking	DCX4S Adaptive Networking, SW Encryption Upgrade FS8-18, (advanced crypto for disk, chassis license									x				D:FCSW-DCX4S-AN-01			19296	
	DCX-4S SW FICON CUP 12 month SUS	SW FICON CUP, 1 year SUP									x				D:FCSW-DCX4S-CUP1M			8757	
	DCX4S SW E-Bundle (EF,FW,APM,TR,AN,SAO)	SW Enterprise bundle , (Extended Fabric, Fabric Watch, Performance Monitoring, Trunking), ohne Adaptive Networking									x				D:FCSW-DCX4S-EB-1			40104	
	DCX-4S License ICL (single chassis)	License ICL (single chassis)									x				D:FCSW-DCX4S-ICL-1			19205	
	DCX-4S SW Integrated Routing	SW Integrated Routing DCX-4S									x				D:FCSW-DCX4S-IR1M			18017	

Options SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC-Switch 300	FC-Switch 5100	FC-Switch 5300	IP Switch 648S	FC Router 7800	FC Switch 8000	FC-Switch DCX (director)	FC-Switch Blade (Director)	FC Switch DCX4S (director)	IB Switch	IP CISCO fixed Switch	IP CISCO modular Switch	Product Code			End User Price (RRP)	Comments
Options matrix																			
FC/IP-Infrastructure (Continued)																			
	SW FICON Accelerator CUP License	SW FICON CUP, Brocade FICON Accelerator, XRC emulation and read/write Tape pipelining, , includes 1-year software maintenance							x						D:FCSW-DCX-FICU-M			11661	
	Integrated Routing License	Integrated Routing, , includes 1-year software maintenance							x						D:FCSW-DCXIR-01-M			25522	
	Server Application Optimization Lic f DC	Server Application Optimization License for DCX							x						D:FCSW-DCX-SAO			12591	
	LAN Switch Module 10G, 2 Ports, 0 XFP	LAN IP Switch 10G Modul with 2 Slots für 10 G XFP				x									D:FCSW-MODUL10G2			823	
	Addit. 5-user license for IP Netw. Mngmt	Additional 5-User License for IP Network Managment. For the monitoring of an IP network with five other administrators.				x									D:FCSW-SWIPNM-5ADM			3048	
	IP Network Management for Linux SW	IP Network Management for Linux operating system, For the monitoring of an IP network by a single administrator.				x									D:FCSW-SWIPNM-LIN			6330	
	IP Network Management for Solaris SW	IP Network Management for Solaris operating system, For the monitoring of an IP network by a single administrator.				x									D:FCSW-SWIPNM-SOL			6330	
	IP Network Management for Windows SW	IP Network Management for Windows operating system, For the monitoring of an IP network by a single administrator.				x									D:FCSW-SWIPNM-WIN			6330	
	GE SFP, LC connector LX/LH transceiver	SFP 1GB/s SMF for CISCO Switches, max 10km											x		D:FF-GLC-LH-SM			631	
	GE SFP, LC connector SX transceiver	SFP 1GB/s MMF for CISCO Switches, max 500m											x		D:FF-GLC-SX-MM			316	
	SFP Single Mode (max 70km) CISCO	SFP 1GB/s SMF 70km for CISCO Switches											x		D:FF-GLC-ZX-SM			2532	
	10GBASE-CX4 X2 Module, max 15m,	transceiver for 10GB Ethernet ports, 10GBASE-CX4 X2 transceiver module for CX4 cable, copper, Infiniband 4X connector											x		D:FF-X2-10GB-CX4			372	
	10GBASE-LRM X2 Module max 220m	optical transceiver for 10GB Ethernet ports, 10GBASE-LRM X2 transceiver module for MMF, 1310-nm wavelength, SC duplex connector											x		D:FF-X2-10GB-LRM			927	
	10GBASE-SR X2 Module, max 70m	optical transceiver for 10GB Ethernet ports, 10GBASE-SR X2 transceiver module for MMF, 850-nm wavelength, SC duplex connector											x		D:FF-X2-10GB-SR			1236	
	SUP 300 Switch 1 Jahr Extended	SUP 300 Switch 1 year extended	x												D:SUP-300-1-EXT			101	
	SUP 300 Switch 1 Jahr Renewal	SUP 300 Switch 1 year Renewal	x												D:SUP-300-1-UPG			118	
	SUP 5100 Switch 1 Jahr Extended	SUP 5100 Switch 1 year extended		x											D:SUP-5100-1-EXT			657	
	SUP 5100 Switch 1 Jahr Renewal	SUP 5100 Switch 1 year Renewal		x											D:SUP-5100-1-UPG			761	
	SUP 5300 Switch 1 Jahr Extended	SUP 5300 Switch 1 year extended			x										D:SUP-5300-1-EXT			1617	
	SUP 5300 Switch 1 Jahr Renewal	SUP 5300 Switch 1 year Renewal			x										D:SUP-5300-1-UPG			1876	
	Advanced Performance Monitoring (APM)	Advanced Performance Monitoring (APM) for Brocade 7800					x								EBR780APM-E			3426	
	SUP 7800F Router 1 year extended	SUP 7800 Router 1 year extended					x								EBR780F-SUP-1-EXT			1167	
	SUP 7800F Router 1 year renewal	SUP 7800 Router 1 year Renewal					x								EBR780F-SUP-1-UPG			1365	
	Fabric Watch (FW)	Fabric Watch (FW) for Brocade 7800					x								EBR780FW-E			3122	
	S/W, Integrated Routing	Integrated Routing License, Incl.1st year Support Extended					x								EBR780IR-E			7339	
	SUP SW I-Routing 1year extended	SUP SW I-Routing 1year extended					x								EBR780IR-SUP-1-EXT			746	
	SUP SW I-Routing 1year renewal	SUP SW I-Routing 1year extended					x								EBR780IR-SUP-1-UPG			886	
	SUP 7800 to 7800F UPG 1year extended	SUP 7800 to 7800F UPG 1year extended					x								EBR780MM-SUP-1-EXT			1009	
	SUP 7800 to 7800F UPG 1 year renewal	SUP 7800 to 7800F UPG 1 year renewal					x								EBR780MM-SUP-1-UPG			1193	
	S/W, Advanced Extension	Advanced Extension License for Router EBR780 , Expands Router with , FCIP Trunking , , Caution: OSTP (Open Systems tape Pipelining) is not supported for EBR780 , Incl.1st year Support Extended					x								EBR780SAE-E			5687	
	SUP SW Advanced Extension 1year extended	SUP SW Advanced Extension 1Jahr Extended					x								EBR780SAE-SUP1-EXT			579	
	SUP SW Advanced Extension 1year renewal	SUP SW Advanced Extension 1year Renewal					x								EBR780SAE-SUP1-UPG			675	
	SUP 7800 Router 1 year extended	SUP 7800 Router 1 year extended					x								EBR780-SUP-1-EXT			307	
	SUP 7800 Router 1 year renewal	SUP 7800 Router 1 year renewal					x								EBR780-SUP-1-UPG			368	
	ISL Trunking (TRK)	ISL Trunking (TRK) for Brocade 7800					x								EBR780TR-E			4426	
	Fabric Watch (FW)	Fabric Watch (FW) for Brocade 8000						x							EBR800FW-E			1175	
	SUP 8000 Switch 1 year extended	SUP 8000 Router 1 year extended						x							EBR800-SUP-1-EXT			1026	
	SUP 8000 Switch 1 year renewal	SUP 8000 Router 1 year Renewal						x							EBR800-SUP-1-UPG			1175	
	Trunking (TRK)	Trunking (TRK) for Brocade 8000						x							EBR800TR-E			1626	
	16ports on demand(5100)ports25-40embedd.	Brocade 5100 switch port license for upgrade from 25 to 40 ports		x											D:FCSW-5100-UPG-E			5550	
	8ports on demand(5100),ports25-32embedd.	Brocade 5100 switch port license for upgrade from 25 to 32 ports		x											D:FCSW-5100-UPG32E			2777	
	8ports on demand(5100),ports33-40embedd.	Brocade 5100 switch port license for upgrade from 33 to 40 ports		x											D:FCSW-5100-UPG40E			2777	
	32ports on demand(5300),ports49-80embedd	Brocade 5300 switch port license for upgrade from 49 to 80 ports, full ports			x										D:FCSW-5300-UPG-E			18390	
	16ports on demand(5300),ports49-64embedd	Brocade 300 switch port license for upgrade from 49 to 64 ports			x										D:FCSW-5300-UPG64E			9197	

Options SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC-Switch 300	FC-Switch 5100	FC-Switch 5300	IP Switch 648S	FC Router 7800	FC Switch 8000	FC-Switch DCX (director)	FC-Switch Blade (Director)	FC Switch DCX4S (director)	IB Switch	IP CISCO fixed Switch	IP CISCO modular Switch	Product Code			End User Price (RRP)	Comments
Options matrix																			
FC/IP-Infrastructure (Continued)																			
	16ports on demand(5300),ports65-80embedd	Brocade 5300 switch port license for upgrade from 65 to 80 ports			x										D:FCSW-5300-UPG80E			9197	
	DCFM ENTERPRISE Management SW,SUS1Year	DC Fabric Manager V10 Enterprice (1 x per Chassis)	x	x	x				x		x				D:FCSW-FMV10-E			22524	
	Enterprise Bundle (5100) embedded	Enterprise Bundle (5100) License, factory installed		x											D:FCSW-SW5100-EB-E			5724	
	Adaptive Networking (5100) embedded	Adaptive Networking for Brocade 5100, factory installed		x											D:FCSW-SW5100-AN-E			2767	
	SUS "EXTENDED"1Y"DCFM ENTERPRISE"	Software Maintenance / SUS ""EXTENDED"" 1 Year for , ""DCFM ENTERPRISE""; , adds SW maintenance / SUS to a newly purchased product, prolongs SUS period for another 12 month period, , DCFM = Data Centre Fabric Manager, SAN Management Software	x	x	x				x		x				D:SUP-FMV10-1-EXT			3428	
	Extended Fabric (5100) embedded	Extended Fabric (5100) License, factory installed		x											D:FCSW-SW5100-EF-E			1791	
	SUS "RENEWAL" 1Y "DCFM ENTERPRISE"	Software Maintenance / SUS ""RENEWAL"" 1 Year for ""DCFM ENTERPRISE""; , adds SW maintenance / SUS to a field installed product, prolongs SW maintenance period for another 12 month period, DCFM = Data Centre Fabric Manager, SAN Management Software	x	x	x				x		x				D:SUP-FMV10-1-UPG			4059	
	Fabric Watch (5100) embedded	Fabric Watch (5100) License, factory installed		x											D:FCSW-SW5100-FW-E			1879	
	Integrated Routing (5100) embedded	Integrated Routing (5100) License, factory installed		x											D:FCSW-SW5100-IR-E			6627	
	Trunking (5100) embedded	Trunking (5100) License, factory installed		x											D:FCSW-SW5100-TR-E			2605	
	Server App Optimization (5100) embedded	Server App Optimization (5100) License, factory installed		x											D:FCSW-SW5100SAO-E			1119	
	ADV PERF MONITORING	ADV PERFORMANCE MONITORING for Brocade 8000		x				x							EBR800ADV-E			1391	
	DCFM upgrade to EP Management SW,SUS1Y	DFCM Enterprise Management Software (Serialized), Version 10.x, upgrade from FM5x to DCFM (FMV10)	x	x	x				x		x				D:FCSW-MSV10-1			3599	
	Enterprise Bundle (5300) embedded	Enterprise Bundle for Brocade 5300, factory installed			x										D:FCSW-SW5300-EB-E			8494	
	Adaptive Networking (5300) embedded	Adaptive Networking for Brocade 5300, factory installed			x										D:FCSW-SW5300-AN-E			3583	
	SUS"EXTENDED"1Y"Upg to DCFM ENTERPRISE"	Software Maintenance / SUS ""EXTENDED"" 1 Year for , ""Upgrade to DCFM ENTERPRISE""; , adds SW maintenance / SUS to a newly purchased product, prolongs SUS period for another 12 month period, , DCFM = Data Centre Fabric Manager, SAN Management Software	x	x	x				x		x				D:SUP-MSV10-1-EXT			2431	
	Extended Fabric (5300) embedded	Extended Fabric for Brocade 5300, factory installed			x										D:FCSW-SW5300-EF-E			2823	
	SUS"RENEWAL"1Y"Upg to DCFM ENTERPRISE"	Software Maintenance / SUS ""RENEWAL"" 1 Year for ""Upgrade to DCFM ENTERPRISE""; , adds SW maintenance / SUS to a field installed product, prolongs SW maintenance period for another 12 month period, , DCFM = Data Centre Fabric Manager, SAN Management Software	x	x	x				x		x				D:SUP-MSV10-1-UPG			2869	
	Integrated Routing (5300) embedded	Integrated Routing for Brocade 5300, factory installed			x										D:FCSW-SW5300-IR-E			11043	
	Fabric Watch (5300) embedded	Fabric Watch for Brocade 5300, factory installed			x										D:FCSW-SW5300-FW-E			3530	
	Trunking (5300) embedded	Trunking for Brocade 5300, ffactory installed			x										D:FCSW-SW5300-TR-E			4235	
	Server App Optimization (5300) embedded	Server App Optimization for Brocade 5300, factory installed			x										D:FCSW-SW5300SAO-E			1594	
	DCFM ProfPlus Management Software,SUS 1Y	DCFM ProfPlus Management Software, 1Y SW maintenance	x	x	x				x		x				D:FCSW-PMV10-E			6011	
	SUS "EXTENDED" 1Y "DCFM PROF PLUS"	Software Maintenance / SUS ""EXTENDED"" 1 Year for , ""DCFM PROFESSIONAL PLUS""; , adds SW maintenance / SUS to a newly purchased product, prolongs SUS period for another 12 month period, , DCFM = Data Centre Fabric Manager, SAN Management Software	x	x	x				x		x				D:SUP-PMV10-1-EXT			1044	

Options SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC-Switch 300	FC-Switch 5100	FC-Switch 5300	IP Switch 648S	FC Router 7800	FC Switch 8000	FC-Switch DCX (director)	FC-Switch Blade (Director)	FC Switch DCX4S (director)	IB Switch	IP CISCO fixed Switch	IP CISCO modular Switch	Product Code			End User Price (RRP)	Comments
Options matrix																			
FC/IP-Infrastructure (Continued)																			
	SUS "RENEWAL" 1Y "DCFM PROF PLUS"	Software Maintenance / SUS ""RENEWAL"" 1 Year for , ""DCFM PROFESSIONAL PLUS""; , adds SW maintenance / SUS to a field installed product, prolongs SW maintenance period for another 12 month period, , DCFM = Data Centre Fabric Manager, SAN Management Software	x	x	x				x		x				D:SUP-PMV10-1-UPG			1231	
	DCFM upg to ProfPlus Management SW,SUS1Y	DCFM upgrade to ProfPlus Management Software, 1Y SW maintenance	x	x	x				x		x				D:FCSW-PSV10-1			3601	
	SUS "EXTENDED"1Y"Upg to DCFM PROF PLUS"	Software Maintenance / SUS ""EXTENDED"" 1 Year for , ""Upgrade to DCFM PROFESSIONAL PLUS""; , adds SW maintenance / SUS to a newly purchased product, prolongs SUS period for another 12 month period, , DCFM = Data Centre Fabric Manager, SAN Management Software	x	x	x				x		x				D:SUP-PSV10-1-EXT			736	
	SUS "RENEWAL" 1Y"Upg to DCFM PROF PLUS"	Software Maintenance / SUS ""RENEWAL"" 1 Year for ""Upgrade to DCFM PROFESSIONAL PLUS""; , adds SW maintenance / SUS to a field installed product, prolongs SW maintenance period for another 12 month period, , DCFM = Data Centre Fabric Manager, SAN Management Software	x	x	x				x		x				D:SUP-PSV10-1-UPG			868	
	Enterprise Bundle (300) embedded	Enterprise Bundle (TRK, APM, EF, FW, AN, SAO) for Brocade 300 switch	x												D:FCSW-SW300-EB-E			3124	
	Adaptive Networking (300) embedded	Adaptive Networking for Brocade 300 switch	x												D:FCSW-SW300-AN-E			1241	
	Extended Fabric (300) embedded	Extended Fabric for Brocade 300 switch	x												D:FCSW-SW300-EF-E			1133	
	Full Fabric (300) embedded	Full Fabric for Brocade 300 switch	x												D:FCSW-SW300-FF-E			563	
	Fabric Watch (300) embedded	Fabric Watch for Brocade 300 switch	x												D:FCSW-SW300-FW-E			876	
	Server App Optimization (300) embedded	Server App Optimization for Brocade 300 switch	x												D:FCSW-SW300-SAO-E			380	
	Trunking (300) embedded	Trunking for Brocade 300 switch	x												D:FCSW-SW300-TR-E			1954	
	8ports on demand(300),ports 9-16 embedd.	Brocade 300 switch port license for upgrade from 9 to 16 ports	x												D:FCSW-300-UPG16-E			1544	
	8ports on demand(300),ports17-24 embedd.	Brocade 300 switch port license for upgrade from 17 to 24 ports	x												D:FCSW-300-UPG24-E			1544	
	16ports on demand(300),ports9-24 embedd.	Brocade 300 switch port license for upgrade from 9to 24 ports, full ports	x												D:FCSW-300-UPG-E			3087	
Cables																			
	CSS11500 10-Meter Fiber Multimode SX	CSS11500 10-Meter Fiber MM SX LC-to-SC cabel for Cisco X2 transceiver											x		CIO:CSS5CABSX-LCSC			341	
	FC-Cable OM3, MMF, 5m, LC/LC 8GBit/s		x										x		D:FCKAB-MM-C05L-Z			36	
	Direct Attached cable SFP+ Copper, 3m	Direct Attached cable SFP+, Copper, 3m						x		x					EBR800-TWX-3M			105	
	Direct Attached cable SFP+ Copper, 5m	Direct Attached cable SFP+, Copper, 5m						x		x					EBR800-TWX-5M			132	
Services																			
	DCX-4S Maintenance POH 1Y Extended	DCX-4S Maintenance POH 1 year Extended									x				D:DCX4S-POH-1-EXT			10252	
	DCX-4S Maintenance POH 1Y Renewal	DCX-4S Maintenance POH 1 year Renewal									x				D:DCX4S-POH-1-UPG			10185	
	DCX Maintenance POH 1Y Extended	DCX Maintenance POH 1 year Extended							x						D:DCX-POH-1-EXT			10526	
	DCX Maintenance POH 1Y Renewal	DCX Maintenance POH 1 year Renewal							x						D:DCX-POH-1-UPG			12421	
	POH Maint BLADE CRYPTO 1Y Extended	POH Maint BLADE CRYPTO; 1Y Extended								x					D:POH-BLCRYP-1-EXT			15027	
	POH Maint BLADE CRYPTO 1Y Renewal	POH Maint BLADE CRYPTO; 1year Renewal								x					D:POH-BLCRYP-1-UPG			17791	
	FCIP Port Blade POH Support 1Y Extended	FCIP Port Blade POH Support 1 year Extended								x					D:POH-BLFCIP-1-EXT			2670	
	FCIP Port Blade POH Support 1Y Renewal	FCIP Port Blade POH Support 1 year Renewal								x					D:POH-BLFCIP-1-UPG			3168	
	FCOE24 Blade POH Support 1Y Extended	FCOE24 Blade POH Support 1 Year Extended								x					D:POH-BLFCOE-1-EXT			3136	
	FCOE24 Blade POH Support 1Y Renewal	FCOE24 Blade POH Support 1 year Renewal								x					D:POH-BLFCOE-1-UPG			3700	
	FX8-24 Blade POH Sup. 1J Extended	FX8-24 Blade POH Support 1 year Extended								x					D:POH-BLFEXT-1-EXT			3726	
	FX8-24 Blade POH Sup. 1J Renewal	FX8-24 Blade POH Support 1 year Renewal								x					D:POH-BLFEXT-1-UPG			4233	
	SUP10G lic FX8-24 Bl. 1J Extended	SUP 10G lic for FX8-24 Blade Support 1 year Extended								x					D:SUP-10GE-1-EXT			937	
	SUP ADV f. FX8-24 Bl. 1J Extended	SUP ADV EXT for FX8-24 Blade Support 1 year Extended								x					D:SUP-DCXAEX-1-EXT			722	
	SUP ADV f. FX8-24 Bl. 1J Renewal	SUP ADV EXT for FX8-24 Blade 1 year Renewal								x					D:SUP-DCXAEX-1-UPG			821	
	SUP FICONACC FX8-24Bl. 1J Extended	SUP FICON ACC for FX8-24 Blade Support 1 year Extended								x					D:SUP-DCXAFI-1-EXT			3442	
	SUP FICONACC FX8-24 Bl. 1J Renewal	SUP FICON ACC for FX8-24 Blade 1 year Renewal								x					D:SUP-DCXAFI-1-UPG			3910	
	SUP for SW FICON CUP for DCX 1Y Extended	SUP for SW FICON CUP for DCX 1 Year Extended							x						D:SUP-DCXFI-1-EXT			1176	

Options SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC-Switch 300	FC-Switch 5100	FC-Switch 5300	IP Switch 648S	FC Router 7800	FC Switch 8000	FC-Switch DCX (director)	FC-Switch Blade (Director)	FC Switch DCX4S (director)	IB Switch	IP CISCO fixed Switch	IP CISCO modular Switch	Product Code			End User Price (RRP)	Comments
Options matrix																			
Services (Continued)																			
	SUP f.SW I-Routing for DCX 1Y Renewal	SUP for SW FICON CUP for DCX 1 year Renewal							x						D:SUP-DCXFI-1-UPG			1375	
	SUP f.SW I-Routing for DCX 1Y Extended	SUP for SW I-Routing for DCX 1 Year Extended							x						D:SUP-DCXIR-1-EXT			612	
	SUP f.SW I-Routing for DCX 1Y Renewal	SUP for SW I-Routing for DCX 1 year Renewal							x						D:SUP-DCXIR-1-UPG			722	
	SUP FCIP f. Blade FR18-4 1J Extended	SUP for SW FCIP-Rout f DCX 1Y Extended									x				D:SUP-FCIP-1-EXT			440	
	SUP FCIP f. Blade FR18-4 1J Renewal	SUP for SW FCIP-Rout f DCX 1Y Renewal									x				D:SUP-FCIP-1-UPG			500	
	SUP SW FICON f DCX4S 1Y Extended	SUP for SW FICON for DCX; 1Y Extended									x				D:SUP-FIDX-1-EXT			1246	
	SUP SW FICON f DCX4S 1Y Renewal	SUP for SW FICON for DCX; 1Y Renewal									x				D:SUP-FIDX-1-UPG			1474	
	SUP SW I-Routing DCX4S 1Y Extended	SUP for SW I-Routing f DCX; 1Y Extended									x				D:SUP-IRDX-1-EXT			868	
	SUP SW I-Routing DCX4S 1Y Renewal	SUP for SW I-Routing for DCX; 1Y Renewal									x				D:SUP-IRDX-1-UPG			1022	

Uninterrruptable Power Supply (UPS)
UPS systemes protect IT equipment against system drop outs triggered by power loss or bad power quality. They provide energy over a limited period of time (autonomy time) depending on the amount of battery capacity. Online technology provides highest quality power protection (VFI-SS-111) .

Masterguard ONLINE UPS
This UPS family provides Online functionality covering power requirements ranging from 0,5kW to several hundred kW. All devices use the same software which is available both for INTEL™ and SUN Sparc™ environments. Beside the standard software there is a high availability software which allows the safeguard of distributed solutions or large UPS farms.

Storage Uninterruptible Power Supply

Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
APC Online UPS							
	APC Online UPS S2 3kVA / 2,1kW R/T (3U)	APC ONLINE UPS 3KVA S2 with accu; for PRIMERGY and PW; up to 10 external accu extensions S26361-K915-V1 with a high of 3U can be added; incl. Network Management Card AP9619 with DSP technology; floorstand/rack version 3U, incl. standing feets	S26361-K915-V301			1472	
	APC Online UPS S2 5kVA / 3,5kW R/T (3U)	APC ONLINE UPS 5KVA S2 with accu; for PRIMERGY and PW; up to 10 external accu extensions S26361-K915-V1 with a high of 3U can be added; incl. Network Management Card AP9619 with DSP technology; floorstand/rack version 3U, incl. standing feets	S26361-K915-V501			2138	
	APC Online UPS 8kVA / 6,4kW R/T (6U)	APC ONLINE UPS with accu; for PRIMERGY and PW; up to 10 external accu extensions S26361-K915-V1 with a high of 3U can be added; incl. Network Management Card; Floorstand version, easy to change in rackmount	S26361-K915-V80			3207	
	APC Online UPS 10kVA / 8kW R/T (6U)	APC ONLINE UPS with accu; for PRIMERGY and PW; up to 10 external accu extensions S26361-K915-V1 with a high of 3U can be added; incl. Network Management Card; Floorstand version, easy to change in rackmount	S26361-K915-V100			3524	
	APC Online UPS 20kVA / 12kW R/S (12U)	APC ONLINE UPS with accu; for PRIMERGY and PW; up to 8 external accu extensions with a high of 6U can be added; incl. Network Management Card; rackmount version, easy to change in stackversion	S26361-K915-V200			9386	
	APC Online UPS Battery extension 3-10kVA	accu for APC ONLINE UPS; for PRIMERGY and PW; Floorstand version, easy to change in rackmount, incl. standing feets and UPS connection cable	S26361-K915-V1			607	
	APC Online UPS Battery extension 20kVA	accu for APC ONLINE UPS 20KVA; for PRIMERGY and PW; rackmount version, easy to change in stackversion, incl. UPS connection cable	S26361-K915-V2			2288	
MASTERGUARD Online UPS							
	MG Online UPS Battery extens.10kVA Tower	External UPS battery pack (BP) for 10 kVA tower UPS, Color: ergo gray; rollable, incl. UPS connection cable,, max. 2 ext. batteries / UPSs, , Runtime: , 1 ext. battery: 23 min (full load), 2 ext. battery: 43 min (full load)	D:UPS31-T10-PA1-MG			1228	
	MG Online UPS 10kVA / 7kW (Tower) 5min	Tower modell incl. battery, Active power 7000 W, Color: ergo gray; can be rolled, Runtime: 5 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase, , 1x permanent connection , No distributor supplied:, , 3-phase permanent connection, required by electrician	D:UPS31-T10-PV1-MG			4261	
	MG Online UPS Battery extens.20kVA Tower	External UPS battery pack (BP) for 20 kVA tower UPS, Color: ergo gray; rollable, incl. UPS connection cable,, max. 2 ext. batteries / UPSs, , Runtime: , 1 ext. battery: 41 min (full load), 2 ext. battery: 81 min (full load)	D:UPS31-T20-PA1-MG			5209	
	MG Online UPS 20kVA / 14kW (Tower) 10min	Tower modell incl. battery, Active power 14000 W, Color: ergo gray; can be rolled, Runtime: 10 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase, , 1x permanent connection, No distributor supplied:, , 3-phase permanent connection required by electrician	D:UPS31-T20-PV1-MG			9478	

Storage Uninterruptible Power Supply

Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
MASTERGUARD Online UPS (Continued)							
	MG Online UPS Battery extension 3kVA RT	UPS battery pack (BP) for, 3 kVA rack / tower UPS, Color: anthracite, incl. UPS connection cable,, Max 4 ext. batteries / UPSs, Runtime:, 1x ext. battery: 18 min (full load), 2x ext. battery: 31 min (full load), 3x ext. battery: 46 min (full load), 4x ext. battery: 60 min (full load), , Max 4x per UPS, Occupies 2U in the rack	D:UPS-RT3-PA1-MG			554	
	MG Online UPS 3kVA/2,7kW RT (2U) 5min	MGUA -Online USV 3KVA, Rack / Tower model with battery, Active power 2700 W, Color: anthracite, Runtime: 6 min (full load), Management: RS232/V.24 + USB, Connector: COM SubD-9 /USB, 1x slot for alternative adapter, 1x V24 and USB cable (data cable), CD with management software , and basic license for 3 servers, Output side, 1-phase, 1x IEC320 C19 (16A), 6x IEC320 C13 (10A), Switchable in two groups, 1x power outlet with 3x CEE 7/7, Mains cable with safety plug, (CEE 7/7) plug; 1.8m, 36-month warranty: 12 months , on-site, 24 months bring-in, service by Fujitsu PRS [2], Occupies 2U in the rack	D:UPS-RT3-PV1-MG			1463	
	MG Online UPS 6kVA/4,2kW (3U Rack) 0min	Rack model without battery, Active power 4200 W, Color: anthracite, Runtime: 0 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase 2x IEC320 C19 (16A), 1x permanent connection , Distributor / cable supplied:, 1x CEE cable 32A (0.5m), 1-phase permanent connection required by electrician	D:UPS-R6-PV1-MG			2696	
	MG Online UPS 10kVA / 7kW (3U Rack) 0min	Rack model without battery, Active power 7000 W, Color: anthracite, Runtime: 0 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase 2x IEC320 C19 (16A), 1x permanent connection , Distributor supplied:, 1x CEE cable 32A (0.5m), 1-phase permanent connection required by electrician	D:UPS-R10-PV1-MG			4522	
	MG Online UPS Battery extens. 6-10kVA R	UPS battery pack (BP) for 6 / 10 kVA rack UPS, Color: anthracite incl. UPS connection cable,, , Max. 3 ext. batteries 6kVA UPSs, Runtime:, 1x ext. battery: 12 min (full load), 2x ext. battery: 29 min (full load), 3x ext. battery: 45 min (full load), , Max. 4 ext. batteries/10kVA UPSs, Runtime:, 1x ext. battery: 5 min (full load), 2x ext. battery: 16 min (full load), 3x ext. battery: 25 min (full load), 4x ext. battery: 34 min (full load)	D:UPS-R6R10-PA1-MG			1140	

Accessories Unint. Power Supply

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	APC Online UPS	APC UPS	MASTERGUARD Online UPS	Product Code			End User Price (RRP)	Comments
Accessories & services matrix										
Rack-Infrastructure										
	Adapter angle PC/DC-Rack, 3U till 200Kg	Adapter angle PC/DC-Rack, 3U till 200Kg	x			S26361-F2735-L31			25	
	MG 3kVA RT UPS RMK D/P/3rd P Racks	Rack installation kit for MGUA UPSs up to 3kVA, for mounting a UPS in a P/D/3rd-party rack, For MGUA online UPSs and runtime extensions, Required 1x per UPS / extension			x	S26361-F2845-L30			140	
UPS/Power supply										
	MG UPS Cable3,5mLink BP-Rack 6kVA-10kVA	UPS cable, 3.5m, between BP + rack 6kVA-10kVA, to extend the battery connection cable , if the distance between the control unit and ext. , battery extension is too great, for example ext. battery , extension in the neighboring rack.			x	D:UPS-BATTKAB-L-MG			70	
	MG UPS LAN3 Controller 100Mbit SNMP, WEB	USV LAN controller, SNMP, WEB management 100 Mbit only for MGUA UPSs from this configurator (RoHS- compatible, D:UPS*) can be used., Software supplied with the UPS without LAN connection cable., Occupies optional adapter slot.			x	D:UPS-LAN3-L-MG			184	
	MG UPS PDU1 3xC32A-2xC16A-2xIEC16A	Power distribution cable for UPS output voltage., 3xC32A-2xC16A-2xIEC16A			x	D:UPS-PDU1-L-MG			1132	
	MG UPS PDU1T 3xC32A-2xC16A-2xIEC16A	Power distribution cable for UPS output voltage., 3xC32A-2xC16A-2xIEC16A			x	D:UPS-PDU1T-L-MG			1132	
	MG UPS PDU2 3xC32A-2xC16A-2xIEC16A	Power distribution cable for UPS output voltage., 3xC32A-2xC16A-2xIEC16A			x	D:UPS-PDU2-L-MG			1132	
	UPS Man Software MGUA BASIC 3-1-1-25	UPS management software MGUA BASIS 3-1-1-25, This license comes with the UPS. Up to three servers can be connected to a UPS (these servers do not work in a cluster) and are notified individually by the UPS if there is imminent danger of a power failure. The software can manage a UPS. The three servers can notify a total of up to 25 clients via LAN of the impending power failure and initiate shutdown. If a server fails or the client cannot be reached, the client learns nothing about the power failure.			x	D:UPSSW-BASIS-MG			254	
	UPS Man Software V31 MGUA BASIC 3-1-1-25	UPS management software MGUA BASIS 3-1-1-25, This license comes with the UPS. Up to three servers can be connected to a UPS (these servers do not work in a cluster) and are notified individually by the UPS if there is imminent danger of a power failure. The software can manage a UPS. The three servers can notify a total of up to 25 clients via LAN of the impending power failure and initiate shutdown. If a server fails or the client cannot be reached, the client learns nothing about the power failure.			x	D:UPSSW-BASISV31MG			254	

Accessories Unint. Power Supply

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	APC Online UPS	APC UPS	MASTERGUARD Online UPS	Product Code			End User Price (RRP)	Comments
Accessories & services matrix										
UPS/Power supply (Continued)										
	UPS Man SW Option CLUSTER 2-3-5-50	This package can be ordered optionally and addresses a dual-node cluster application. The number of cluster nodes can be increased by adding further licenses in grids of 2 (a quad-node cluster requires 2 licenses). The license can manage up to 3 groups, each with up to 5 UPS systems. The package is aimed at distributed cluster applications in which a pool of parallel UPSs with up to 5 UPSs each is intended for servers, infrastructure (data transport) and consolidated storage hardware. The servers involved can address a total of 50 clients.			x	D:UPSSW-CLUSTER-MG			746	
	UPS Man SW Option ENTERPRISE 25-3-5-50	This package can be ordered optionally and is designed for power solutions with a powerful server that can be split into virtual machines (example: PRIMEPOWER). Configurations such as in the cluster version can be created for the distributed environment used by the virtual server.			x	D:UPSSW-ENTERPR-MG			1009	
	UPS Man SW Option SERVER GRID 25-1-1-50	This package can be ordered optionally and addresses completely fitted blade servers. The power quality information must be passed to many systems that are accommodated in a chassis and supplied by a UPS. The UPSs can be managed from any desired server of the blade, with the result that there is also power management when individual blades are inactive or have failed.			x	D:UPSSW-GRID-MG			526	
	UPS ManSW V31OptionSERVER GRID 25-1-1-50	This package can be ordered optionally and addresses completely fitted blade servers. The power quality information must be passed to many systems that are accommodated in a chassis and supplied by a UPS. The UPSs can be managed from any desired server of the blade, with the result that there is also power management when individual blades are inactive or have failed.			x	D:UPSSW-GRID-V31MG			526	
	APC-UPS WEB Management Adapter	10 / 100 Mbit autosence AP9630 for APC-USV, use one smart slot	x	x		S26113-F80-L30			218	
	APC Online UPS RMK D/P/3rd P Racks	1 pair sliding rails, depth variable, for D/P/3rd P racks, for assembly of a floorstand APC online UPS into a rack, incl. adapter angle 150 kg	x			S26361-F2845-L1			94	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C19->C20			x	S26361-F3151-L300			25	

Options Unint. Power Supply

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	APC Online UPS	MASTERGUARD Online UPS	Product Code			End User Price (RRP)	Comments
Options matrix									
Rack-Infrastructure									
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.	x		S26361-F1647-E302			55	
	Adapter angle PC/DC-Rack, till 50Kg	Adapter angle 50 kg for PRIMECENTER and DataCenter rack		x	S26361-F2735-E10			18	
	MG 3kVA RT UPS RMK D/P/3rd P Racks	Rack installation kit for MGUA UPSs up to 3kVA, for mounting a UPS in a P/D/3rd-party rack, For MGUA online UPSs and runtime extensions, Required 1x per UPS / extension		x	S26361-F2845-E30			140	
UPS/Power supply									
	MG UPS Cable3,5mLink BP-Rack 6kVA-10kVA	UPS cable, 3.5m, between BP + rack 6kVA-10kVA, to extend the battery connection cable , if the distance between the control unit and ext. , battery extension is too great, for example ext. battery , extension in the neighboring rack.		x	D:UPS-BATTKAB-MG			70	
	MG UPS LAN3 Controller 100Mbit SNMP, WEB	USV LAN controller, SNMP, WEB management 100 Mbit only for MGUA UPSs from this configurator (RoHS-compatible, D:UPS*) can be used., Software supplied with the UPS without LAN connection cable., Occupies optional adapter slot.		x	D:UPS-LAN3-MG			184	
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C20 -> 16A CEE (IEC309, blue), length 3,5m		x	S26361-F3151-E200			25	
Miscellaneous									
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order	x		S26361-F1647-E410			21	